

Sara Barbeito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6441216/publications.pdf>

Version: 2024-02-01

47
papers

1,621
citations

304368

22
h-index

288905

40
g-index

53
all docs

53
docs citations

53
times ranked

1914
citing authors

#	ARTICLE	IF	CITATIONS
1	A Multicentre, Randomised, Controlled Trial of a Combined Clinical Treatment for First-Episode Psychosis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7239.	1.2	7
2	Evaluaci3n a 2 a±os de un programa psicoeducativo multifamiliar (PROTEC) en la carga familiar y el pron3stico de pacientes bipolares. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2021, , .	1.0	0
3	A systematic review of suicide and suicide attempts in adolescents with psychotic disorders. <i>Schizophrenia Research</i> , 2021, 235, 80-90.	1.1	18
4	A systematic review of online interventions for families of patients with severe mental disorders. <i>Journal of Affective Disorders</i> , 2020, 263, 147-154.	2.0	17
5	M103. PSYCHOLOGICAL ONLINE INTERVENTION FOR PSYCHOSIS: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S174-S174.	2.3	0
6	Cannabis use and nonuse in patients with first-episode psychosis: A systematic review and meta-analysis of studies comparing neurocognitive functioning. <i>European Psychiatry</i> , 2020, 63, e6.	0.1	17
7	F20. THINK APP: A MOBILE APPá€BASED INTERVENTION FOR ADOLESCENTS WITH FIRST-EPISEODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S261-S262.	2.3	0
8	Mobile Appá€Based Intervention for Adolescents With First-Episode Psychosis: Study Protocol for a Pilot Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 27.	1.3	17
9	F92. COMPARISONS BETWEEN CANNABIS USERS AND NON-USERS PATIENTS WITH FIRST-EPISEODE PSYCHOSIS IN NEUROCOGNITIVE FUNCTIONING: A META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S255-S256.	2.3	1
10	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.	0.3	26
11	Mindfulness effects on cognition: Preliminary results. <i>European Psychiatry</i> , 2017, 41, S421-S421.	0.1	0
12	A Revision of Preventive Web-based Psychotherapies in Subjects at Risk of Mental Disorders. <i>International Journal of Interactive Multimedia and Artificial Intelligence</i> , 2017, 4, 50.	1.0	2
13	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.	2.2	103
14	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301.	2.7	43
15	Psychometric properties and validation of a four-item version of the Straussá€Carpenter scale in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 22.	0.8	6
16	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93.	1.7	95
17	Spanish version of the Link's Perceived Devaluation and Discrimination scale. <i>Psicothema</i> , 2016, 28, 201-6.	0.7	2
18	Cannabis and bipolar disorder: does quitting cannabis use during manic/mixed episode improve clinical/functional outcomes?. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 100-110.	2.2	40

#	ARTICLE	IF	CITATIONS
19	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015, 164, 65-73.	1.1	92
20	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.	0.3	52
21	Integrated treatment of first episode psychosis with online training (e-learning): study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 416.	0.7	12
22	Mindfulness-based cognitive therapy versus psychoeducational intervention in bipolar outpatients with sub-threshold depressive symptoms: a randomized controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 215.	1.1	19
23	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 160, 50-54.	2.0	71
24	Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. <i>BMC Psychiatry</i> , 2013, 13, 27.	1.1	34
25	Cannabis use and involuntary admission may mediate long-term adherence in first-episode psychosis patients: a prospective longitudinal study. <i>BMC Psychiatry</i> , 2013, 13, 326.	1.1	33
26	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.	4.0	269
27	Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses. <i>Psychological Medicine</i> , 2013, 43, 757-768.	2.7	56
28	P.3.e.003 Involuntary admission of first-episode psychotic patients and evolution up to 8 years of follow up. <i>European Neuropsychopharmacology</i> , 2012, 22, S351-S352.	0.3	0
29	Poster #186 INVOLUNTARY ADMISSION IN FEP AND EVOLUTION AFTER 8 YEARS OF FOLLOW UP. <i>Schizophrenia Research</i> , 2012, 136, S347-S348.	1.1	0
30	Development of the insight scale for affective disorders (ISAD): Modification from the scale to assess unawareness of mental disorder. <i>Journal of Affective Disorders</i> , 2012, 142, 65-71.	2.0	30
31	The role of white matter damage in late onset bipolar disorder. <i>Maturitas</i> , 2011, 70, 160-163.	1.0	10
32	Bipolar Disorder Differences between Genders: Special Considerations for Women. <i>Women's Health</i> , 2011, 7, 663-676.	0.7	38
33	Cannabis and First-Episode Psychosis: Different Long-term Outcomes Depending on Continued or Discontinued Use. <i>Schizophrenia Bulletin</i> , 2011, 37, 631-639.	2.3	112
34	Poor Long-Term Prognosis in Mixed Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 671-676.	1.1	59
35	Increase in brain-derived neurotrophic factor in first episode psychotic patients after treatment with atypical antipsychotics. <i>International Clinical Psychopharmacology</i> , 2010, 25, 241-245.	0.9	54
36	Inflammatory biomarker profile in children with cystic fibrosis: preliminary study. <i>Proceedings of the Nutrition Society</i> , 2010, 69, 354-356.	0.4	5

#	ARTICLE	IF	CITATIONS
37	Validation and Use of the Functioning Assessment Short Test in First Psychotic Episodes. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 836-840.	0.5	37
38	In-patient care costs of patients with bipolar I disorder: A comparison between two European centers. <i>Journal of Affective Disorders</i> , 2010, 121, 152-155.	2.0	36
39	Different profile of substance abuse in relation to predominant polarity in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 124, 250-255.	2.0	62
40	Expression of oligodendrocyte and myelin genes is not altered in peripheral blood cells of patients with first-episode schizophrenia and bipolar disorder. <i>Bipolar Disorders</i> , 2010, 12, 107-109.	1.1	10
41	Manic and depressive symptoms and insight in first episode psychosis. <i>Psychiatry Research</i> , 2010, 178, 480-486.	1.7	13
42	Implicaciones clínicas de la edad de inicio del trastorno bipolar I: dos subgrupos con diferente pronóstico. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009, 2, 29-34.	1.0	6
43	Age at onset in bipolar I disorder: two may be better than three subgroups. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2009, 2, 29-34.	0.2	2
44	Validity and Reliability of the Hamilton Depression Rating Scale (5 Items) for Manic and Mixed Bipolar Disorders. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 682-686.	0.5	22
45	Validity and reliability of the Spanish versions of the Bech-Rafaelsen's mania and melancholia scales for bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 207-215.	2.2	6
46	P.7.d.002 Positive family environment as a protective factor in the development of psychosis. <i>European Neuropsychopharmacology</i> , 2008, 18, S564-S565.	0.3	0
47	Impact of Cannabis and Other Drugs on Age at Onset of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1210-1216.	1.1	87