

Zhi-Min Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/649704/publications.pdf>

Version: 2024-02-01

11
papers

235
citations

1163117

8
h-index

1281871

11
g-index

13
all docs

13
docs citations

13
times ranked

483
citing authors

#	ARTICLE	IF	CITATIONS
1	Methylation of ER β 5'UTR untranslated region attenuates its inhibitory effect on ER α gene transcription and promotes the initiation and progression of papillary thyroid cancer. <i>FASEB Journal</i> , 2021, 35, e21516.	0.5	3
2	PES1 promotes the occurrence and development of papillary thyroid cancer by upregulating the ER α /ER β protein ratio. <i>Scientific Reports</i> , 2019, 9, 1032.	3.3	16
3	Concomitant high expression of ER α 36, GRP78 and GRP94 is associated with aggressive papillary thyroid cancer behavior. <i>Cellular Oncology (Dordrecht)</i> , 2018, 41, 269-282.	4.4	10
4	GPER/ERK&AKT/NF- κ B pathway is involved in cadmium-induced proliferation, invasion and migration of GPER-positive thyroid cancer cells. <i>Molecular and Cellular Endocrinology</i> , 2017, 442, 68-80.	3.2	47
5	Concomitant high expression of ER α 36, EGFR and HER2 is associated with aggressive behaviors of papillary thyroid carcinomas. <i>Scientific Reports</i> , 2017, 7, 12279.	3.3	20
6	Concomitant high expression of <sc>BRAFV</sc>600E, P&cadherin and cadherin 6 is associated with High <sc>TNM</sc> stage and lymph node metastasis in conventional papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2016, 84, 748-755.	2.4	9
7	Up-regulation of Hsp27 by ER α /Sp1 facilitates proliferation and confers resistance to apoptosis in human papillary thyroid cancer cells. <i>Molecular and Cellular Endocrinology</i> , 2016, 431, 71-87.	3.2	24
8	Expression of TGF- β 1, SNAI1 and MMP-9 is associated with lymph node metastasis in papillary thyroid carcinoma. <i>Journal of Molecular Histology</i> , 2014, 45, 391-399.	2.2	30
9	17 β -Estradiol promotes the invasion and migration of nuclear estrogen receptor-negative breast cancer cells through cross-talk between GPER1 and CXCR1. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013, 138, 314-324.	2.5	36
10	Overexpression of HIF-2 α , TWIST, and CXCR4 Is Associated with Lymph Node Metastasis in Papillary Thyroid Carcinoma. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-9.	3.3	35
11	Carcinogenesis and Therapeutic Strategies in Thyroid Cancer. <i>Current Drug Targets</i> , 2010, 11, 716-732.	2.1	5