

# Norifumi Nakamura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6663720/publications.pdf>

Version: 2024-02-01

48  
papers

800  
citations

687220

13  
h-index

501076

28  
g-index

48  
all docs

48  
docs citations

48  
times ranked

660  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of long-term results between different approaches to ameloblastoma. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2002, 93, 13-20.	1.6	161
2	Marsupialization for odontogenic keratocysts: Long-term follow-up analysis of the effects and changes in growth characteristics. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2002, 94, 543-553.	1.6	157
3	Immunohistochemical demonstration of bcl-2 protein in ameloblastoma. <i>Journal of Oral Pathology and Medicine</i> , 1997, 26, 345-348.	1.4	54
4	Establishment of ameloblastoma cell line, AM-1. <i>Journal of Oral Pathology and Medicine</i> , 1998, 27, 207-212.	1.4	53
5	Ameloblastoma induces osteoclastogenesis: a possible role of ameloblastoma in expanding in the bone. <i>Oral Oncology</i> , 2005, 41, 637-644.	0.8	40
6	Clinical study of octacalcium phosphate and collagen composite in oral and maxillofacial surgery. <i>Journal of Tissue Engineering</i> , 2020, 11, 204173141989644.	2.3	34
7	Secondary correction of bilateral cleft lip nose deformity – Clinical and three-dimensional observations on pre- and postoperative outcome. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2011, 39, 305-312.	0.7	28
8	3-Dimensional Analyses of Outcomes Following Secondary Treatment of Unilateral Cleft Lip Nose Deformity. <i>Journal of Oral and Maxillofacial Surgery</i> , 2011, 69, 322-332.	0.5	28
9	Surgical Technique for Secondary Correction of Unilateral Cleft Lip-Nose Deformity: Clinical and 3-Dimensional Observations of Preoperative and Postoperative Nasal Forms. <i>Journal of Oral and Maxillofacial Surgery</i> , 2010, 68, 2248-2257.	0.5	27
10	A novel ameloblastoma cell line (AM-3) secretes MMP-9 in response to Wnt-3a and induces osteoclastogenesis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013, 115, 780-788.	0.2	25
11	Molecular biological findings of ameloblastoma. <i>Japanese Dental Science Review</i> , 2021, 57, 27-32.	2.0	21
12	Aerodynamic and Cephalometric Analyses of Velopharyngeal Structure and Function following Re-Pushback Surgery for Secondary Correction in Cleft Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2003, 40, 46-53.	0.5	20
13	Three-Dimensional Analyses of Nasal Forms After Secondary Treatment of Bilateral Cleft Lip-Nose Deformity in Comparison to Those of Healthy Young Adults. <i>Journal of Oral and Maxillofacial Surgery</i> , 2011, 69, e469-e481.	0.5	18
14	Fibroblasts promote the collective invasion of ameloblastoma tumor cells in a 3D coculture model. <i>FEBS Open Bio</i> , 2017, 7, 2000-2007.	1.0	17
15	Cephalometric Comparison of Craniofacial Morphology between Primary Bone Grafted and Nongrafted Complete Unilateral Cleft Lip and Palate Adults. <i>Cleft Palate-Craniofacial Journal</i> , 1996, 33, 429-435.	0.5	13
16	An Alternative Method for Vermilion Reconstruction After Resection of Hemangiomas of the Lip. <i>Journal of Oral and Maxillofacial Surgery</i> , 2005, 63, 1239-1243.	0.5	12
17	Clinical and 3-Dimensional Analyses of Nasal Forms After Secondary Correction of Cleft Lip-Nose Deformities Using Extended Spreader Cartilage Graft With a Cross-Lap Joint Technique. <i>Journal of Oral and Maxillofacial Surgery</i> , 2016, 74, 1465.e1-1465.e21.	0.5	12
18	Intraoperative frozen section histological analysis of resection samples is useful for the control of primary lesions in patients with oral squamous cell carcinoma. <i>Molecular and Clinical Oncology</i> , 2015, 3, 55-62.	0.4	8

#	ARTICLE	IF	CITATIONS
19	Difference in the Effects of Lidocaine With Epinephrine and Prilocaine With Felypressin on the Autonomic Nervous System During Extraction of the Impacted Mandibular Third Molar: A Randomized Controlled Trial. <i>Journal of Oral and Maxillofacial Surgery</i> , 2020, 78, 215.e1-215.e8.	0.5	8
20	Using three-dimensional nasal forms to compare definitive unilateral cleft lip nose correction with/without a cross-lap joint cartilage graft technique. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2020, 48, 1035-1044.	0.7	7
21	In Vivo Analyses of Osteogenic Activity and Bone Regeneration Capacity of Demineralized Freeze-Dried Bovine Bone Xenograft: A Potential Candidate for Alveolar Bone Fillers. <i>International Journal of Dentistry</i> , 2021, 2021, 1-10.	0.5	6
22	A Follow-Up Study on the Clinical Outcomes of Alveolar Reconstruction Using Octacalcium Phosphate Granules and Atelocollagen Complex. <i>Journal of Oral and Maxillofacial Surgery</i> , 2021, 79, 2462-2471.	0.5	6
23	Changes in Grafted Autogenous Bone during Edgewise Treatment in Patients with Unilateral Cleft Lip/Palate or Alveolus. <i>Cleft Palate-Craniofacial Journal</i> , 2014, 51, 525-532.	0.5	5
24	Clinical and histopathological studies of ameloblastoma - Ameloblastoma in the alveolar region.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1986, 32, 829-836.	0.0	5
25	Immunohistochemical evaluation on expression of proliferating cell nuclear antigen in ameloblastomas.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1994, 40, 509-513.	0.0	5
26	Cytotoxic Effects of Betel Quid and Areca Nut Aqueous Extracts on Mouse Fibroblast, Human Mouth-Ordinary-Epithelium 1 and Human Oral Squamous Cell Carcinoma Cell Lines. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020, 21, 1005-1009.	0.5	5
27	Immunohistochemical expression profiles of mucin antigens in salivary gland mucoepidermoid carcinoma: MUC4- and MUC6-negative expression predicts a shortened survival in the early postoperative phase. <i>Histology and Histopathology</i> , 2018, 33, 201-213.	0.5	4
28	Clinical study of the odontogenic tumors.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1990, 36, 1699-1706.	0.0	3
29	Comparison of recurrence rate and speech outcome between two different techniques for cleft palatal fistula closure: A retrospective cohort study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2022, 50, 86-92.	0.7	3
30	Ameloblastoma cell lines derived from different subtypes demonstrate distinct developmental patterns in a novel animal experimental model. <i>Journal of Applied Oral Science</i> , 2020, 28, e20190558.	0.7	2
31	Foreign bodies in temporal and infratemporal fossa. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1983, 29, 1268-1272.	0.0	2
32	Clinical and histopathological studies of the osteosarcoma of the jaws.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1984, 30, 1575-1586.	0.0	2
33	Clinical and histopathological studies of the cementoma. Periapical cemental dysplasia and massive cemental lesion.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1986, 32, 1884-1894.	0.0	2
34	Clinical and histopathological studies of the cementoma. Benign cementoblastoma.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1988, 34, 888-894.	0.0	2
35	Postoperative resorption of transplanted bone after secondary bone grafting in alveolar cleft. Bone resorption along tooth roots adjacent to the alveolar cleft.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 2000, 46, 416-422.	0.0	2
36	Time to Recovery of Feeding After Alveolar Bone Graft Is Associated With Postoperative Nausea and Vomiting Within 2 Hours in Children. <i>Clinical Medicine Insights Pediatrics</i> , 2019, 13, 117955651985538.	0.7	1

#	ARTICLE	IF	CITATIONS
37	Reliability of Americleft Yardstick Nasolabial Appearance Assessment With/Without Basal View for Japanese Children With Unilateral Complete Cleft Lip and Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2019, 56, 953-959.	0.5	1
38	A postoperative case of oral cancer in which widening of the esophageal entrance with a balloon catheter enabled oral intake. <i>Nihon Koku Geka Gakkai Zasshi</i> , 2006, 52, 542-546.	0.0	1
39	Image analysis of cleft lip from moire image based on symmetry analysis. , 2017, , .		0
40	An adolescent patient with bilateral cleft lip and palate treated with late bone grafting and edgewise appliance for mesial movement of the maxillary molars and improvement of the retroclined maxillary central incisor. <i>AJO-DO Clinical Companion</i> , 2021, 1, 55-72.	0.1	0
41	Closure of Oronasal Fistulae Post Palatoraphy with Tongue Flap in Bilateral Complete Cleft Lip Palate Patient: A Case Report. <i>Archives of Orofacial Sciences</i> , 2021, 16, 59-65.	0.1	0
42	Clinical and histopathological studies of unicystic ameloblastoma diagnosed as odontogenic cyst.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1985, 31, 2194-2200.	0.0	0
43	Bone graft with titanium mesh in the treatment of the fractured atrophic edentulous mandible: Report of a case.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1988, 34, 337-343.	0.0	0
44	Clinical and histopathological studies of the cementoma. Cementifying fibroma.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1988, 34, 116-122.	0.0	0
45	Lymphadenopathic toxoplasmosis of the neck: Report of two cases.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1989, 35, 1993-1998.	0.0	0
46	Clinical and histopathological studies of the cysts of the jaws. Primordial cyst and odontogenic keratocyst.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1991, 37, 1313-1322.	0.0	0
47	Factors influencing craniofacial characteristics at four years in children with isolated cleft palate.. <i>Nihon Koku Geka Gakkai Zasshi</i> , 1996, 42, 893-901.	0.0	0
48	Combination of hydroxyurea and tranilast suppresses gemcitabine resistance induced by ribonucleotide reductase M1 in gemcitabine-resistant cells. <i>Oral Science International</i> , 2021, 18, 169-177.	0.3	0