

Marivane Lemos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6676115/publications.pdf>

Version: 2024-02-01

23
papers

1,048
citations

430442

18
h-index

676716

22
g-index

23
all docs

23
docs citations

23
times ranked

1534
citing authors

#	ARTICLE	IF	CITATIONS
1	Antinociceptive and anti-inflammatory activities of <i>Copaifera pubiflora</i> Benth oleoresin and its major metabolite ent-hardwickiic acid. <i>Journal of Ethnopharmacology</i> , 2021, 271, 113883.	2.0	13
2	Reliable Methods for Analyses of Volatile Compounds of <i>Copaifera</i> Oleoresins Combining Headspace and Gas Chromatography. <i>Chemistry and Biodiversity</i> , 2020, 17, e1900440.	1.0	5
3	In vivo study of anti-inflammatory and antinociceptive activities of <i>Copaifera pubiflora</i> Benth oleoresin. <i>Natural Product Research</i> , 2020, , 1-7.	1.0	3
4	Artepillin C, drupanin, aromadendrin-4-O-methyl-ether and kaempferide from Brazilian green propolis promote gastroprotective action by diversified mode of action. <i>Journal of Ethnopharmacology</i> , 2018, 226, 82-89.	2.0	41
5	Galloylquinic acid derivatives from <i>Copaifera langsdorffii</i> leaves display gastroprotective activity. <i>Chemico-Biological Interactions</i> , 2017, 261, 145-155.	1.7	27
6	Skin Wound Healing Potential and Mechanisms of the Hydroalcoholic Extract of Leaves and Oleoresin of <i>Copaifera langsdorffii</i> Desf. Kuntze in Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-16.	0.5	23
7	Gastroprotective activity of the hydroethanolic extract and isolated compounds from the leaves of <i>Solanum cernuum</i> Vell.. <i>Journal of Ethnopharmacology</i> , 2015, 172, 421-429.	2.0	19
8	<i>Copaifera langsdorffii</i> : evaluation of potential gastroprotective of extract and isolated compounds obtained from leaves. <i>Revista Brasileira De Farmacognosia</i> , 2015, 25, 238-245.	0.6	41
9	Role of gastric mucus secretion, oxinitrergic system and sulfhydryl groups on the gastroprotection elicited by <i>Polygala cyparissias</i> (Polygalaceae) in mice. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 767-776.	1.2	11
10	<i>Copaifera langsdorffii</i> leaves extract and its isolated compounds display gastric antiulcer activity. <i>Planta Medica</i> , 2013, 79, .	0.7	0
11	Evaluation of the genotoxic and antigenotoxic potential of <i>Brassica oleracea</i> L. var. <i>acephala</i> D.C. in different cells of mice. <i>Journal of Ethnopharmacology</i> , 2012, 143, 740-745.	2.0	20
12	Gastroprotective activity of hydroalcoholic extract obtained from the leaves of <i>Brassica oleracea</i> var. <i>acephala</i> DC in different animal models. <i>Journal of Ethnopharmacology</i> , 2011, 138, 503-507.	2.0	41
13	Gastroprotective activity of methanol extract and marrubiin obtained from leaves of <i>Marrubium vulgare</i> L. (Lamiaceae). <i>Journal of Pharmacy and Pharmacology</i> , 2011, 63, 1230-1237.	1.2	52
14	Gastroprotective activity of essential oil of the <i>Syzygium aromaticum</i> and its major component eugenol in different animal models. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2011, 383, 149-158.	1.4	74
15	Anti-inflammatory and antinociceptive properties of blueberry extract (<i>Vaccinium corymbosum</i>). <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 591-596.	1.2	40
16	<i>Baccharis dracunculifolia</i> , the main botanical source of Brazilian green propolis, displays antiulcer activity. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 603-608.	1.2	70
17	Antiulcerogenic activity of extract, fractions, and some compounds obtained from <i>Polygala cyparissias</i> St. Hillaire & Moquin (Polygalaceae). <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2010, 381, 121-126.	1.4	74
18	Antiulcer effects of <i>Achyrocline satureoides</i> (Lam.) DC (Asteraceae) (Marcela), a folk medicine plant, in different experimental models. <i>Journal of Ethnopharmacology</i> , 2010, 130, 334-339.	2.0	61

#	ARTICLE	IF	CITATIONS
19	Gastroprotective activity of alkaloid extract and 2-phenylquinoline obtained from the bark of <i>Galipea longiflora</i> Krause (Rutaceae). <i>Chemico-Biological Interactions</i> , 2009, 180, 312-317.	1.7	34
20	Antiulcerogenic activity of the essential oil of <i>Baccharis dracunculifolia</i> on different experimental models in rats. <i>Phytotherapy Research</i> , 2009, 23, 1355-1360.	2.8	65
21	Evaluation of antiulcer activity of the main phenolic acids found in Brazilian Green Propolis. <i>Journal of Ethnopharmacology</i> , 2008, 120, 372-377.	2.0	168
22	Nerolidol, an Antiulcer Constituent from the Essential Oil of <i>Baccharis dracunculifolia</i> DC (Asteraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007, 62, 537-542.	0.6	106
23	Evaluation of the antiulcerogenic activity of <i>Maytenus robusta</i> (Celastraceae) in different experimental ulcer models. <i>Journal of Ethnopharmacology</i> , 2007, 113, 252-257.	2.0	60