

Alfred Forchel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6882602/publications.pdf>

Version: 2024-02-01

159
papers

6,192
citations

81743

39
h-index

69108

77
g-index

162
all docs

162
docs citations

162
times ranked

6428
citing authors

#	ARTICLE	IF	CITATIONS
1	Superradiance of quantum dots. <i>Nature Physics</i> , 2007, 3, 106-110.	6.5	432
2	Quantum-dot spin-photon entanglement via frequency downconversion to telecom wavelength. <i>Nature</i> , 2012, 491, 421-425.	13.7	423
3	An electrically pumped polariton laser. <i>Nature</i> , 2013, 497, 348-352.	13.7	420
4	Atomically flat single-crystalline gold nanostructures for plasmonic nanocircuitry. <i>Nature Communications</i> , 2010, 1, 150.	5.8	374
5	Photon Antibunching from a Single Quantum-Dot-Microcavity System in the Strong Coupling Regime. <i>Physical Review Letters</i> , 2007, 98, 117402.	2.9	309
6	Ultrafast optical spin echo in a single quantum dot. <i>Nature Photonics</i> , 2010, 4, 367-370.	15.6	298
7	Room Temperature Lasing at Blue Wavelengths in Gallium Nitride Microcavities. <i>Science</i> , 1999, 285, 1905-1906.	6.0	237
8	Ultrafast coherent control and suppressed nuclear feedback of a single quantum dot hole qubit. <i>Nature Physics</i> , 2011, 7, 872-878.	6.5	205
9	Single vortex-antivortex pair in an exciton-polariton condensate. <i>Nature Physics</i> , 2011, 7, 129-133.	6.5	192
10	Direct comparison of catalyst-free and catalyst-induced GaN nanowires. <i>Nano Research</i> , 2010, 3, 528-536.	5.8	161
11	Mode Imaging and Selection in Strongly Coupled Nanoantennas. <i>Nano Letters</i> , 2010, 10, 2105-2110.	4.5	136
12	Two-dimensional photonic crystal coupled-defect laser diode. <i>Applied Physics Letters</i> , 2003, 82, 4-6.	1.5	134
13	Dynamical d-wave condensation of exciton-polaritons in a two-dimensional square-lattice potential. <i>Nature Physics</i> , 2011, 7, 681-686.	6.5	134
14	Photonic crystal tapers for ultracompact mode conversion. <i>Optics Letters</i> , 2001, 26, 1102.	1.7	120
15	Polarization-independent active metamaterial for high-frequency terahertz modulation. <i>Optics Express</i> , 2009, 17, 819.	1.7	116
16	Power-law decay of the spatial correlation function in exciton-polariton condensates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6467-6472.	3.3	112
17	Properties of GaN Nanowires Grown by Molecular Beam Epitaxy. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2011, 17, 878-888.	1.9	104
18	Exciton-polariton condensates with flat bands in a two-dimensional kagome lattice. <i>New Journal of Physics</i> , 2012, 14, 065002.	1.2	97

#	ARTICLE	IF	CITATIONS
19	Photonic crystal optical filter based on contra-directional waveguide coupling. Applied Physics Letters, 2003, 83, 5121-5123.	1.5	81
20	Quantum key distribution using quantum dot single-photon emitting diodes in the red and near infrared spectral range. New Journal of Physics, 2012, 14, 083001.	1.2	80
21	Optimization of photonic crystal cavity for chemical sensing. Optics Express, 2008, 16, 11709.	1.7	78
22	InAs/InP Quantum-Dash Lasers and Amplifiers. Proceedings of the IEEE, 2007, 95, 1779-1790.	16.4	76
23	Observing chaos for quantum-dot microlasers with external feedback. Nature Communications, 2011, 2, 366.	5.8	68
24	From polariton condensates to highly photonic quantum degenerate states of bosonic matter. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 1804-1809.	3.3	68
25	Gain-Induced Trapping of Microcavity Exciton Polariton Condensates. Physical Review Letters, 2010, 104, 126403.	2.9	66
26	Downconversion quantum interface for a single quantum dot spin and 1550-nm single-photon channel. Optics Express, 2012, 20, 27510.	1.7	57
27	Characterization of two-threshold behavior of the emission from a GaAs microcavity. Physical Review B, 2012, 85, .	1.1	56
28	Unconventional Growth Mechanism for Monolithic Integration of III-V on Silicon. ACS Nano, 2013, 7, 100-107.	7.3	53
29	Algebraic order and the Berezinskii-Kosterlitz-Thouless transition in an exciton-polariton gas. Physical Review B, 2014, 90, .	1.1	53
30	Pulsed Nuclear Pumping and Spin Diffusion in a Single Charged Quantum Dot. Physical Review Letters, 2010, 105, 107401.	2.9	51
31	Fourier Transformed Photorefectance and Photoluminescence of Mid Infrared GaSb-Based Type II Quantum Wells. Applied Physics Express, 2009, 2, 126505.	1.1	50
32	Influence of the strain on the formation of GaInAs/GaAs quantum structures. Journal of Crystal Growth, 2006, 286, 6-10.	0.7	49
33	Bright single photon source based on self-aligned quantum dot-cavity systems. Optics Express, 2014, 22, 8136.	1.7	46
34	Scalable fabrication of optical resonators with embedded site-controlled quantum dots. Optics Letters, 2008, 33, 1759.	1.7	44
35	Ultra-high-quality photonic crystal cavity in GaAs. Optics Letters, 2006, 31, 1229.	1.7	42
36	Enhanced transmission through photonic-crystal-based bent waveguides by bend engineering. Applied Physics Letters, 2001, 79, 3579-3581.	1.5	41

#	ARTICLE	IF	CITATIONS
37	Free space quantum key distribution over 500 meters using electrically driven quantum dot single-photon sources—a proof of principle experiment. <i>New Journal of Physics</i> , 2014, 16, 043003.	1.2	41
38	CdSe quantum dot microdisk laser. <i>Applied Physics Letters</i> , 2006, 89, 231104.	1.5	39
39	Ultra-high-Q photonic crystal cavity created by modulating air hole radius of a waveguide. <i>Optics Express</i> , 2008, 16, 4605.	1.7	39
40	Single photon emission from InGaN/GaN quantum dots up to 50%K. <i>Applied Physics Letters</i> , 2012, 100, .	1.5	39
41	Ultrafast tracking of second-order photon correlations in the emission of quantum-dot microresonator lasers. <i>Physical Review B</i> , 2010, 81, .	1.1	38
42	Higher order coherence of exciton-polariton condensates. <i>Physical Review B</i> , 2010, 81, .	1.1	38
43	Numerical and Experimental Study of the Q Factor of High-Q Micropillar Cavities. <i>IEEE Journal of Quantum Electronics</i> , 2010, 46, 1470-1483.	1.0	37
44	Tapered quantum cascade lasers. <i>Applied Physics Letters</i> , 2007, 91, 181122.	1.5	35
45	Fabrication of quantum point contacts by imprint lithography and transport studies. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2000, 18, 3561.	1.6	33
46	Single-mode operation of coupled-cavity lasers based on two-dimensional photonic crystals. <i>Applied Physics Letters</i> , 2001, 79, 4091-4093.	1.5	32
47	Complete tomography of a high-fidelity solid-state entangled spin-photon qubit pair. <i>Nature Communications</i> , 2013, 4, 2228.	5.8	31
48	Widely tunable quantum cascade lasers with coupled cavities for gas detection. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	30
49	Stochastic formation of polariton condensates in two degenerate orbital states. <i>Physical Review B</i> , 2013, 87, .	1.1	30
50	High-energy side-peak emission of exciton-polariton condensates in high density regime. <i>Scientific Reports</i> , 2016, 6, 25655.	1.6	27
51	Ghost Branch Photoluminescence From a Polariton Fluid Under Nonresonant Excitation. <i>Physical Review Letters</i> , 2015, 115, 186401.	2.9	26
52	Switching light with light. <i>Nature Materials</i> , 2003, 2, 13-14.	18.3	25
53	Single mode quantum cascade lasers with shallow-etched distributed Bragg reflector. <i>Optics Express</i> , 2012, 20, 3890.	1.7	24
54	Recent advances in semiconductor quantum-dot lasers. <i>Comptes Rendus Physique</i> , 2003, 4, 611-619.	0.3	21

#	ARTICLE	IF	CITATIONS
55	High Performance 1.3 μm Quantum-Dot Lasers. Japanese Journal of Applied Physics, 2002, 41, 1158-1161.	0.8	20
56	High brightness GaInAs/(Al)GaAs quantum-dot tapered lasers at 980 nm with high wavelength stability. Applied Physics Letters, 2004, 84, 2238-2240.	1.5	19
57	In(Ga)As/GaAs site-controlled quantum dots with tailored morphology and high optical quality. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 2379-2386.	0.8	19
58	Transmission spectroscopy of photonic crystal based waveguides with resonant cavities. Journal of Applied Physics, 2002, 91, 4791-4794.	1.1	18
59	Single-photon emitters based on epitaxial isolated InP/InGaP quantum dots. Applied Physics Letters, 2012, 100, .	1.5	18
60	Temperature Dependence of Highly Excited Exciton Polaritons in Semiconductor Microcavities. Journal of the Physical Society of Japan, 2013, 82, 084709.	0.7	18
61	Highly excited exciton-polariton condensates. Physical Review B, 2017, 95, .	1.1	18
62	Preamplified planar microcoil on GaAs substrates for microspectroscopy. Review of Scientific Instruments, 2003, 74, 4855-4857.	0.6	17
63	Electrically Driven Quantum Dot Micropillar Light Sources. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 1670-1680.	1.9	17
64	Site-controlled InP/GaInP quantum dots emitting single photons in the red spectral range. Applied Physics Letters, 2012, 100, .	1.5	17
65	Height-driven linear polarization of the surface emission from quantum dashes. Semiconductor Science and Technology, 2012, 27, 105022.	1.0	17
66	Microthermography of diode lasers: The impact of light propagation on image formation. Journal of Applied Physics, 2009, 105, 014502.	1.1	16
67	Frequency-Dependent Linewidth Enhancement Factor of Quantum-Dot Lasers. IEEE Photonics Technology Letters, 2008, 20, 1736-1738.	1.3	14
68	2- μm Mode-Locked Semiconductor Disk Laser Synchronously Pumped Using an Amplified Diode Laser. IEEE Photonics Technology Letters, 2008, 20, 1332-1334.	1.3	14
69	High-Performance Short-Wavelength (~ 760 nm) AlGaInAs Quantum-Dot Lasers. IEEE Photonics Technology Letters, 2007, 19, 1380-1382.	1.3	13
70	Temperature dependence of pulsed polariton lasing in a GaAs microcavity. New Journal of Physics, 2012, 14, 083014.	1.2	13
71	Spatial photon trapping: tailoring the optical properties of semiconductor microcavities. Semiconductor Science and Technology, 2003, 18, S339-S350.	1.0	12
72	Gain Studies on Quantum-Dot Lasers With Temperature-Stable Emission Wavelength. IEEE Journal of Quantum Electronics, 2008, 44, 175-181.	1.0	12

#	ARTICLE	IF	CITATIONS
73	GaInNAs-Based High-Power and Tapered Laser Diodes for Pumping Applications. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 968-972.	1.9	11
74	Widely Tunable Coupled Cavity Lasers at 1.9 μm on GaSb. IEEE Photonics Technology Letters, 2007, 19, 592-594.	1.3	10
75	Elimination of cross-talk in waveguide intersections of triangular lattice photonic crystals. Optics Express, 2008, 16, 11399.	1.7	10
76	Short-Wavelength (760–920 nm) AlGaInAs Quantum Dot Lasers. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 792-798.	1.9	10
77	Extrapolation of the intensity autocorrelation function of a quantum-dot micropillar laser into the thermal emission regime. Journal of the Optical Society of America B: Optical Physics, 2011, 28, 1404.	0.9	10
78	Optical Study of Intermixing in CdTe/CdMgTe Quantum Wells. Japanese Journal of Applied Physics, 1994, 33, L247-L249.	0.8	9
79	Single mode emitting ridge waveguide quantum cascade lasers coupled to an active ring resonator filter. Applied Physics Letters, 2008, 93, 211106.	1.5	9
80	Influence of arsenic flux on the annealing properties of GaInNAs quantum wells for long wavelength laser applications around 1.6 μm . Journal of Crystal Growth, 2009, 311, 1715-1718.	0.7	9
81	Distributed feedback quantum cascade lasers at 13.8 μm on indium phosphide. Applied Physics Letters, 2011, 98, .	1.5	9
82	DFB Lasers With Deeply Etched Vertical Grating Based on InAs/InP Quantum-Dash Structures. IEEE Photonics Technology Letters, 2007, 19, 264-266.	1.3	8
83	Widely Tunable Photonic Crystal Coupled Cavity Lasers on GaSb. IEEE Photonics Technology Letters, 2008, 20, 1100-1102.	1.3	8
84	Glass supported ZnSe microring strongly coupled to a single CdSe quantum dot. Applied Physics Letters, 2008, 93, 151109.	1.5	8
85	Magnetic-field asymmetry of nonlinear transport in narrow channels with asymmetric hybrid confinement. Applied Physics Letters, 2009, 95, 062106.	1.5	8
86	Highly indistinguishable photons from a quantum dot in a microcavity. Physica Status Solidi (B): Basic Research, 2011, 248, 867-871.	0.7	8
87	Spatial dynamics of stepwise homogeneously pumped polariton condensates. Physical Review B, 2012, 86, .	1.1	8
88	f-band condensates in exciton-polariton lattice systems. Physical Review B, 2014, 89, .	1.1	8
89	Modal Analysis of Large Spot Size, Low Output Beam Divergence Quantum-Dot Lasers. IEEE Photonics Technology Letters, 2007, 19, 916-918.	1.3	7
90	First-order gain-coupled (Ga,In)As/(Al,Ga)As distributed feedback lasers by focused ion beam implantation and in situ overgrowth. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 1995, 13, 2714.	1.6	6

#	ARTICLE	IF	CITATIONS
91	Planar High Index-Contrast Photonic Crystals for Telecom Applications. , 2006, , 308-328.		6
92	2 watt 2 $\hat{1}$ / ₄ m Tm/Ho fiber laser system passively Q-switched by antimonide semiconductor saturable absorber. , 2008, , .		6
93	Immersion Layer in Columnar Quantum Dash Structure as a Polarization Insensitive Light Emitter at 1.55 \hat{A} m. Applied Physics Express, 0, 2, 061102.	1.1	6
94	Structural and optical properties of position-retrievable low-density GaAs droplet epitaxial quantum dots for application to single photon sources with plasmonic optical coupling. Nanoscale Research Letters, 2015, 10, 114.	3.1	6
95	Spatial correlation of two-dimensional bosonic multimode condensates. Physical Review A, 2016, 93, .	1.0	6
96	High-Power Frequency Stabilized GaSb DBR Tapered Laser. IEEE Photonics Technology Letters, 2008, 20, 2162-2164.	1.3	5
97	Investigation of Random and Channeling Ar+Implantation-Induced Damage in Al(In)GaAs/GaAs Quantum Wells. Japanese Journal of Applied Physics, 1992, 31, 4428-4432.	0.8	4
98	Many-Body Effects in the Magnetoplasma of In _{0.13} Ga _{0.87} As/GaAs Quantum Wires. Japanese Journal of Applied Physics, 1995, 34, 4408-4410.	0.8	4
99	Low-loss photonic crystal and monolithic InP integration: bands, bends, lasers, and filters. , 2004, 5360, 119.		4
100	High-power and low-noise 1.55 $\hat{1}$ / ₄ m InP-based quantum dash lasers. , 2004, 5452, 22.		4
101	Quantum Cascade Microlasers With Two-Dimensional Photonic Crystal Reflectors. IEEE Photonics Technology Letters, 2007, 19, 1937-1939.	1.3	4
102	Exciton-Polariton Condensates in Zero-, One-, and Two-Dimensional Lattices. Springer Series in Solid-state Sciences, 2013, , 157-175.	0.3	4
103	Codirectional couplers in GaAs-based planar photonic crystals. Applied Physics Letters, 2005, 86, 081108.	1.5	3
104	Optical characterization of ZnSe/ZnMgSse microdisks with embedded CdSe quantum dots. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 3289-3296.	0.8	3
105	Mode-Controlled Tapered Lasers Based on Quantum Dots. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 780-784.	1.9	3
106	Transient Oscillatory Behaviors of Polariton Condensates. Journal of the Physical Society of Japan, 2018, 87, 094401.	0.7	3
107	Microcavity mode structure investigations with high spatial resolution. Physica Status Solidi C: Current Topics in Solid State Physics, 2011, 8, 1239-1241.	0.8	2
108	Recent advances in GaSb-based structures for mid-infrared emitting lasers: spectroscopic study. , 2013, , .		2

#	ARTICLE	IF	CITATIONS
109	Spatial and temporal dynamics of the crossover from exciton-polariton condensation to photon lasing. Japanese Journal of Applied Physics, 2015, 54, 092801.	0.8	2
110	Ballistic transport in nanoscale field effect transistors revealed by four-terminal DC characterization. Superlattices and Microstructures, 2003, 34, 271-275.	1.4	1
111	High-brightness (1 W with M ₂ =2.9) GaInAs/(Al)GaAs index-guided quantum-dot tapered lasers at 980 nm with a high-wavelength stability. , 2004, 5452, 1.		1
112	Integration of active and passive photonic-crystal-based optoelectronic components. , 2004, , .		1
113	High-contrast planar photonic crystals. , 2004, , .		1
114	System performance of a modern hollow-core optical fiber coupled to a quantum cascade laser: transmission efficiency and relative intensity noise. , 2005, , .		1
115	Ultra-low noise over wide-bandwidth of 1.55 μ m InP-based quantum-cascade Fabry-Perot lasers for microwave systems. , 2005, , .		1
116	GaAs/AlGaAs-Quantenkaskaden-Laser (GaAs/AlGaAs Quantum Cascade Lasers). TM Technisches Messen, 2005, 72, .	0.3	1
117	Photonic Crystal Based Active Optoelectronic Devices. , 2006, , 329-346.		1
118	Nanostructured semiconductors for optoelectronic applications. , 2006, , .		1
119	Recent advances in nanophotonics-From physics to devices. Current Applied Physics, 2006, 6, e166-e171.	1.1	1
120	Mastering matter at the nanoscale. Nanotechnology, 2009, 20, 430204-430204.	1.3	1
121	Design and Continuous-Wave Room-Temperature Performance of Ga(AlInAs)Sb DFB Lasers at 2.8 μ m. IEEE Photonics Technology Letters, 2009, 21, 36-38.	1.3	1
122	Magnetic-field asymmetry of nonlinear mesoscopic transport in channels coupled to a single metallic gate. Physica E: Low-Dimensional Systems and Nanostructures, 2010, 42, 2055-2057.	1.3	1
123	Tunable Long Wavelength (\sim 2.8 μ m) GaInAsSb GaSb Quantum-Well Binary Superimposed Grating Lasers. IEEE Photonics Technology Letters, 2010, , .	1.3	1
124	AlGaInAs Quantum Dots for Intermediate Band Formation in Solar Cell Devices. Lecture Notes in Nanoscale Science and Technology, 2014, , 167-186.	0.4	1
125	An electrically pumped polariton laser. , 2015, , .		1
126	Strained InAs/Al _x Ga _{0.48-x} In _{0.52} As heterostructures: a tunable quantum well materials system for light emission from the near-IR to the mid-IR. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1993, 21, 288-292.	1.7	0

#	ARTICLE	IF	CITATIONS
127	High-brightness GaInAs/(Al)GaAs quantum dot tapered lasers at 980 nm with a high wavelength stability. , 2004, 5365, 60.		0
128	Technology and properties of photonic-crystal-based active and passive optoelectronic devices. , 2004, , .		0
129	Dynamical properties of quantum dash lasers. , 2005, , .		0
130	980-nm small-aperture tapered laser (1W CW, M2~3) and tapered arrays (>3W CW): comparison between GaInAs/(Al)GaAs quantum dot and quantum well structures. , 2005, , .		0
131	Optical properties of semiconductor quantum dots and pillar microcavities. AIP Conference Proceedings, 2005, , .	0.3	0
132	GaInAsSb/GaSb type-II distributed feedback lasers emitting in the 2.8 μm range. , 2006, , .		0
133	Time-Resolved Luminescence of Epitaxial InP Nanowires on (111)Si. , 2007, , .		0
134	Tapered Quantum Cascade Lasers. , 2007, , .		0
135	Frequency dependent Henry-factor measurements of quantum dot distributed feedback lasers. , 2008, , .		0
136	Coherence length of high- \hat{I}^2 semiconductor microcavity lasers. Physica Status Solidi C: Current Topics in Solid State Physics, 2009, 6, 568-571.	0.8	0
137	Engineered quantum dot structures: fabrication and applications. Proceedings of SPIE, 2009, , .	0.8	0
138	Non-resonant cavity-quantum dot coupling. Journal of Physics: Conference Series, 2010, 210, 012058.	0.3	0
139	Experimental approach to ultrafast optical spin echo of a single quantum dot electron spin. Proceedings of SPIE, 2010, , .	0.8	0
140	Site-controlled In(Ga)As quantum dots with narrow emission linewidth for integration into nanophotonic devices. , 2011, , .		0
141	Nuclear feedback in a single electron-charged quantum dot under pulsed optical control. , 2011, , .		0
142	Towards intermediate-band formation in solar cells with AlGaInAs quantum dots. , 2012, , .		0
143	Relaxation dynamics of optically imprinted polariton wires. , 2012, , .		0
144	Quantum dot microlasers with external feedback: a chaotic system close to the quantum limit. Proceedings of SPIE, 2012, , .	0.8	0

#	ARTICLE	IF	CITATIONS
145	Optical properties of well-isolated single InP/InGaP quantum dots. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 1288-1291.	0.8	0
146	Single spins in semiconductor quantum dot microcavities. , 2013, , .		0
147	New lasing from exciton-polariton condensates in high excitation regime. , 2013, , .		0
148	Degenerate high-orbital microcavity exciton-polariton condensates in a lattice. , 2013, , .		0
149	Free space quantum key distribution over 500 meters using electrically driven quantum dot single photon sources. , 2013, , .		0
150	Bloch-wave engineered submicron-diameter quantum-dot micropillars for cavity QED experiments. Proceedings of SPIE, 2013, , .	0.8	0
151	Ultrafast optical control of individual electron and hole spin qubits: entanglement between a single quantum dot electron spin and a downconverted 1560-nm single photon. Proceedings of SPIE, 2013, , .	0.8	0
152	Bright quantum dot single photon source based on a low Q defect cavity. , 2014, , .		0
153	Free Space Quantum Key Distribution over 500 Meters using Electrically Triggered Quantum Dot Single-Photon Sources. , 2014, , .		0
154	Optical Properties of Quantum Dashes. Solid State Phenomena, 2014, 213, 3-11.	0.3	0
155	From single laser diodes to integrated active and passive optoelectronic components based on photonic crystals. , 2005, , .		0
156	MICROCAVITIES WITH QUANTUM DOTS: WEAK AND STRONG COUPLING REGIMES. , 2007, , 115-134.		0
157	Nonlinear Transport Properties of Electron Y-Branch Switches. Advances in Solid State Physics, 2009, , 305-316.	0.8	0
158	Ultrafast downconversion quantum interface for a single quantum dot spin and 1550-nm single-photon channel. , 2013, , .		0
159	Observation of BKT Transition in BEC of Exciton-Polaritons in a Semiconductor Microcavity. , 2013, , .		0