

# Carla Andrea Alonso

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6940027/publications.pdf>

Version: 2024-02-01

34  
papers

1,111  
citations

430874

18  
h-index

414414

32  
g-index

37  
all docs

37  
docs citations

37  
times ranked

1618  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanisms of Linezolid Resistance Among Clinical Staphylococcus spp. in Spain: Spread of Methicillin- and Linezolid-Resistant <i>S. epidermidis</i> ST2. <i>Microbial Drug Resistance</i> , 2021, 27, 145-153.	2.0	17
2	Genomic Insights into Drug Resistance and Virulence Platforms, CRISPR-Cas Systems and Phylogeny of Commensal <i>E. coli</i> from Wildlife. <i>Microorganisms</i> , 2021, 9, 999.	3.6	4
3	First Report of KPC-2 and KPC-3-Producing Enterobacteriaceae in Wild Birds in Africa. <i>Microbial Ecology</i> , 2020, 79, 30-37.	2.8	21
4	Extended-Spectrum Beta-Lactamase-Producing <i>Klebsiella pneumoniae</i> Isolated from Healthy and Sick Dogs in Portugal. <i>Microbial Drug Resistance</i> , 2020, 26, 709-715.	2.0	20
5	Mechanisms of Linezolid Resistance Among Enterococci of Clinical Origin in Spain—Detection of <i>oprA</i> - and <i>cfr(D)</i> -Carrying <i>E. faecalis</i> . <i>Microorganisms</i> , 2020, 8, 1155.	3.6	28
6	Frequency and Characterization of Antimicrobial Resistance and Virulence Genes of Coagulase-Negative Staphylococci from Wild Birds in Spain. Detection of <i>tst</i> -Carrying <i>S. sciuri</i> Isolates. <i>Microorganisms</i> , 2020, 8, 1317.	3.6	24
7	Detection of MRSA of Lineages CC130- <i>mecC</i> and CC398- <i>mecA</i> and <i>Staphylococcus delphini</i> - <i>Inu(A)</i> in Magpies and Cinereous Vultures in Spain. <i>Microbial Ecology</i> , 2019, 78, 409-415.	2.8	33
8	Epidemiology of MRSA CC398 in hospitals located in Spanish regions with different pig-farming densities: a multicentre study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 2157-2161.	3.0	29
9	NDM-1- and OXA-23-producing <i>Acinetobacter baumannii</i> isolated from intensive care unit patients in Tunisia. <i>International Journal of Antimicrobial Agents</i> , 2018, 52, 910-915.	2.5	26
10	Emergence of plasmid-mediated colistin-resistance in CMY-2-producing <i>Escherichia coli</i> of lineage ST2197 in a Tunisian poultry farm. <i>International Journal of Food Microbiology</i> , 2018, 269, 60-63.	4.7	42
11	Molecular diversity and conjugal transferability of class 2 integrons among <i>Escherichia coli</i> isolates from food, animal and human sources. <i>International Journal of Antimicrobial Agents</i> , 2018, 51, 905-911.	2.5	10
12	Identification of Enterococci, Staphylococci, and Enterobacteriaceae from Slurries and Air in and around Two Pork Farms. <i>Journal of Food Protection</i> , 2018, 81, 1776-1782.	1.7	6
13	Detection and molecular characterisation of extended-spectrum $\beta$ -lactamase-producing enteric bacteria from pigs and chickens in Nsukka, Nigeria. <i>Journal of Global Antimicrobial Resistance</i> , 2018, 15, 36-40.	2.2	28
14	Antimicrobial Resistance in <i>Enterococcus</i> spp. of animal origin. <i>Microbiology Spectrum</i> , 2018, 6, .	3.0	147
15	Metallo- $\beta$ -lactamases and class D carbapenemases in south-east Tunisia: Implication of mobile genetic elements in their dissemination. <i>International Journal of Antimicrobial Agents</i> , 2018, 52, 871-877.	2.5	19
16	Community fecal carriage of broad-spectrum cephalosporin-resistant <i>Escherichia coli</i> in Tunisian children. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 87, 188-192.	1.8	23
17	Persistencia de un clon ST6 de <i>Enterococcus faecalis</i> con genotipo van B2 en dos hospitales de Aragón. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2017, 35, 578-581.	0.5	4
18	Molecular characterization of antibiotic resistance in <i>Escherichia coli</i> strains from a dairy cattle farm and its surroundings. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 362-365.	3.5	25

#	ARTICLE	IF	CITATIONS
19	Occurrence and characterization of stx and/or eae-positive <i>Escherichia coli</i> isolated from wildlife, including a typical EPEC strain from a wild boar. <i>Veterinary Microbiology</i> , 2017, 207, 69-73.	1.9	48
20	High frequency of B2 phylogroup among non-clonally related fecal <i>Escherichia coli</i> isolates from wild boars, including the lineage ST131. <i>FEMS Microbiology Ecology</i> , 2017, 93, .	2.7	18
21	Extended-spectrum $\hat{2}$ -lactamase-producing <i>Escherichia coli</i> isolated from healthy humans in Mexico, including subclone ST131-B2-O25:H4-H30-Rx. <i>Journal of Global Antimicrobial Resistance</i> , 2017, 9, 130-134.	2.2	10
22	Analysis of blaSHV-12-carrying <i>Escherichia coli</i> clones and plasmids from human, animal and food sources. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 1589-1596.	3.0	51
23	Diversity of <i>Ochrobactrum</i> species in food animals, antibiotic resistance phenotypes and polymorphisms in the blaOCH gene. <i>FEMS Microbiology Letters</i> , 2017, 364, .	1.8	20
24	Optical Control of Antimicrobial Activity in Quinolone Derivatives. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 4719-4725.	2.4	9
25	Novel sequence types of extended-spectrum and acquired AmpC beta-lactamase producing <i>Escherichia coli</i> and <i>Escherichia</i> clade V isolated from wild mammals. <i>FEMS Microbiology Ecology</i> , 2017, 93, .	2.7	17
26	First Description of KPC-2-Producing <i>Escherichia coli</i> and ST15 OXA-48-Positive <i>Klebsiella pneumoniae</i> in Tunisia. <i>Microbial Drug Resistance</i> , 2017, 23, 365-375.	2.0	38
27	Clonal diversity of extended-spectrum beta-lactamase producing <i>Escherichia coli</i> isolates in fecal samples of wild animals. <i>FEMS Microbiology Letters</i> , 2017, 364, .	1.8	21
28	High prevalence of extended-spectrum and plasmidic AmpC beta-lactamase-producing <i>Escherichia coli</i> from poultry in Tunisia. <i>International Journal of Food Microbiology</i> , 2016, 231, 69-75.	4.7	53
29	Characterization of extended-spectrum $\hat{2}$ -lactamase (ESBL)-producing <i>Klebsiella</i> , <i>Enterobacter</i> , and <i>Citrobacter</i> obtained in environmental samples of a Tunisian hospital. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 86, 190-193.	1.8	16
30	Characteristics of extended-spectrum $\hat{2}$ -lactamase (ESBL)- and pAmpC beta-lactamase-producing <i>Enterobacteriaceae</i> of water samples in Tunisia. <i>Science of the Total Environment</i> , 2016, 550, 1103-1109.	8.0	69
31	Detection of CTX-M-15-Producing <i>Escherichia coli</i> Isolates of Lineages ST131-B2 and ST167-A in Environmental Samples of a Tunisian Hospital. <i>Microbial Drug Resistance</i> , 2016, 22, 399-403.	2.0	17
32	Wild Birds, Frequent Carriers of Extended-Spectrum $\hat{2}$ -Lactamase (ESBL) Producing <i>Escherichia coli</i> of CTX-M and SHV-12 Types. <i>Microbial Ecology</i> , 2016, 72, 861-869.	2.8	95
33	Detection of extended-spectrum beta-lactamase (ESBL)-producing <i>Enterobacteriaceae</i> in vegetables, soil and water of the farm environment in Tunisia. <i>International Journal of Food Microbiology</i> , 2015, 203, 86-92.	4.7	111
34	Antimicrobial Resistance in <i>Enterococcus</i> spp. of animal origin. , 0, , 185-227.		11