

Ewa Āukaszewicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6943483/publications.pdf>

Version: 2024-02-01

31
papers

492
citations

933264

10
h-index

713332

21
g-index

31
all docs

31
docs citations

31
times ranked

450
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of cryopreservation on sperm parameters, lipid peroxidation and antioxidant enzymes activity in fowl semen. <i>Theriogenology</i> , 2012, 77, 1497-1504.	0.9	113
2	Evaluation of fresh and frozen-thawed fowl semen by flow cytometry. <i>Theriogenology</i> , 2010, 74, 1019-1027.	0.9	80
3	Selected prebiotics and synbiotics administered in ovo can modify innate immunity in chicken broilers. <i>BMC Veterinary Research</i> , 2019, 15, 105.	0.7	34
4	Evaluation of fresh and frozen-thawed semen of individual ganders by assessment of spermatozoa motility and morphology. <i>Theriogenology</i> , 2003, 59, 1627-1640.	0.9	32
5	Simple and Effective Methods of Freezing Capercaillie (<i>Tetrao urogallus</i> L.) Semen. <i>PLoS ONE</i> , 2015, 10, e0116797.	1.1	22
6	Impact of Prebiotics and Synbiotics Administered in ovo on the Immune Response against Experimental Antigens in Chicken Broilers. <i>Animals</i> , 2020, 10, 643.	1.0	22
7	Flow cytometric assessment of fresh and frozen-thawed Canada goose (<i>Branta canadensis</i>) semen. <i>Theriogenology</i> , 2011, 76, 843-850.	0.9	21
8	Successful preservation of capercaillie (<i>Tetrao urogallus</i> L.) semen in liquid and frozen states. <i>Theriogenology</i> , 2012, 77, 899-907.	0.9	21
9	Characteristics of fresh semen of captive-bred capercaillie <i>Tetrao urogallus</i> L. <i>Zoo Biology</i> , 2011, 30, 672-680.	0.5	16
10	Protective effects of levamisole, acetylsalicylic acid, and α -tocopherol against dioxin toxicity measured as the expression of AhR and COX-2 in a chicken embryo model. <i>Histochemistry and Cell Biology</i> , 2017, 147, 523-536.	0.8	14
11	The possibility of obtaining intergeneric hybrids via White KoÅ¸uda (<i>Anser anser</i> L.) goose insemination with fresh and frozen-thawed Canada goose (<i>Branta canadensis</i> L.) gander semen. <i>Theriogenology</i> , 2012, 77, 507-513.	0.9	10
12	Reintroduction of the European Capercaillie from the Capercaillie Breeding Centre in WisÅ¸a Forest District: Genetic Assessments of Captive and Reintroduced Populations. <i>PLoS ONE</i> , 2015, 10, e0145433.	1.1	10
13	Speckled and plain regions of avian eggshells differ in maternal deposition of calcium and metals: A hitherto overlooked chemical aspect of egg maculation. <i>Auk</i> , 2017, 134, 721-731.	0.7	9
14	Eggshell resorption, and embryonic mobilization and accumulation of calcium and metals in eggs of wild and captive Capercaillies <i>Tetrao urogallus</i> . <i>Environmental Pollution</i> , 2019, 249, 152-162.	3.7	8
15	Effects of Selected Prebiotics or Synbiotics Administered in ovo on Lymphocyte Subsets in Bursa of the Fabricius, Thymus, and Spleen in Non-Immunized and Immunized Chicken Broilers. <i>Animals</i> , 2021, 11, 476.	1.0	8
16	The effect of DMA level on morphology and fertilising ability of Japanese quail (<i>Coturnix japonica</i>) spermatozoa. <i>Theriogenology</i> , 2006, 65, 451-458.	0.9	7
17	Light and electron microscopic study of the eyelids, conjunctiva-associated lymphoid tissue and lacrimal gland in Bilgorajska Goose (<i>Anser anser</i>). <i>Anatomical Science International</i> , 2016, 91, 74-88.	0.5	7
18	Reproductive season and male effect on quantitative and qualitative traits of individually collected Muscovy duck (<i>Cairina moschata</i>) semen. <i>Reproduction in Domestic Animals</i> , 2020, 55, 1735-1746.	0.6	7

#	ARTICLE	IF	CITATIONS
19	Effect of semen extenders on viability of ISA Brown and Hubbard Flex roosters' sperm stored for 24h. Poultry Science, 2020, 99, 2766-2774.	1.5	7
20	Effect of semen extenders and storage time on quality of Muscovy duck (<i>Cairina moschata</i>) drake semen during the entire reproductive season. Reproduction in Domestic Animals, 2020, 55, 943-950.	0.6	7
21	Characteristics of semen collected from gander included in the genetic resources conservation program. Poultry Science, 2021, 100, 101314.	1.5	6
22	Changes of Eggshell Characteristics during Embryo Development in Western Capercaillie (<i>Tetrao urogallus</i>)	0.4	5
23	The differences in the eyelids microstructure and the conjunctiva-associated lymphoid tissue between selected ornamental and wild birds as a result of adaptation to their habitat. Acta Zoologica, 2018, 99, 367-394.	0.6	5
24	Female-Male and Female-Female Social Interactions of Captive Kept Capercaillie (<i>Tetrao urogallus</i>) and Its Consequences in Planning Breeding Programs. Animals, 2020, 10, 583.	1.0	4
25	Histological, histochemical and ultrastructural studies on Harderian and lacrimal glands of the Capercaillie (<i>Tetrao urogallus major</i> L.). Acta Biologica Hungarica, 2016, 67, 27-41.	0.7	4
26	Hissing of geese: caller identity encoded in a non-vocal acoustic signal. PeerJ, 2020, 8, e10197.	0.9	3
27	Variation in Bird Eggs—Does Female Factor, Season, and Laying Order Impact the Egg Size, Pigmentation, and Eggshell Thickness of the Eggs of Capercaillie?. Animals, 2021, 11, 3454.	1.0	3
28	Use of native chicken breeds (<i>Gallus gallus domesticus</i>) for the development of suitable methods of Cantabrian capercaillie (<i>Tetrao urogallus cantabricus</i>) semen cryopreservation. Veterinary Medicine and Science, 2022, 8, 1311-1318.	0.6	3
29	Supporting dataset and methods for egg sizes, eggshell thicknesses and metal concentrations measured in the shells and contents of eggs of Capercaillies <i>Tetrao urogallus</i> . Data in Brief, 2019, 24, 103903.	0.5	2
30	Characteristics of capercaillie (<i>Tetrao urogallus</i>) semen analysed with flow cytometry combined with fertility results. Reproduction in Domestic Animals, 2020, 55, 984-991.	0.6	1
31	Semen characteristics of ganders kept as genetic resources conservation programme. Reproduction in Domestic Animals, 2022, 57, 815-828.	0.6	1