

Yanjun Hua

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/699046/publications.pdf>

Version: 2024-02-01

18
papers

422
citations

933447

10
h-index

839539

18
g-index

19
all docs

19
docs citations

19
times ranked

474
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comparison between Scheimpflug Imaging and Optical Coherence Tomography in Measuring Corneal Thickness. <i>Ophthalmology</i> , 2013, 120, 1951-1958.	5.2	88
2	A Comprehensive Assessment of the Precision and Agreement of Anterior Corneal Power Measurements Obtained Using 8 Different Devices. <i>PLoS ONE</i> , 2012, 7, e45607.	2.5	84
3	Anterior chamber depth measurements using Scheimpflug imaging and optical coherence tomography: Repeatability, reproducibility, and agreement. <i>Journal of Cataract and Refractive Surgery</i> , 2015, 41, 178-185.	1.5	42
4	Reliability of Corneal Dynamic Scheimpflug Analyser Measurements in Virgin and Post-PRK Eyes. <i>PLoS ONE</i> , 2014, 9, e109577.	2.5	36
5	Precision (repeatability and reproducibility) of ocular parameters obtained by the Tomey OA-2000 biometer compared to the IOLMaster in healthy eyes. <i>PLoS ONE</i> , 2018, 13, e0193023.	2.5	31
6	Precision and agreement of higher order aberrations measured with ray tracing and Hartmann-Shack aberrometers. <i>BMC Ophthalmology</i> , 2018, 18, 18.	1.4	23
7	Central and Midperipheral Corneal Thickness Measured with Scheimpflug Imaging and Optical Coherence Tomography. <i>PLoS ONE</i> , 2014, 9, e98316.	2.5	20
8	Corneal Power Measurement Obtained by Fourier-Domain Optical Coherence Tomography. <i>Cornea</i> , 2015, 34, 1266-1271.	1.7	19
9	Precision (Repeatability and Reproducibility) and Agreement of Corneal Power Measurements Obtained by Topcon KR-1W and iTrace. <i>PLoS ONE</i> , 2016, 11, e0147086.	2.5	13
10	Choroidal Variations in Diabetic Macular Edema: Fluorescein Angiography and Optical Coherence Tomography. <i>Current Eye Research</i> , 2018, 43, 102-108.	1.5	12
11	Comprehensive evaluation of total corneal refractive power by ray tracing in predicting corneal power in eyes after small incision lenticule extraction. <i>PLoS ONE</i> , 2019, 14, e0217478.	2.5	10
12	Evaluation of the Ocular Surface Disease Index Questionnaire as a Discriminative Test for Clinical Findings in Dry Eye Disease Patients. <i>Current Eye Research</i> , 2019, 44, 941-947.	1.5	10
13	Corneal Power Measurement With the Dual Scheimpflug-Placido Topographer After Myopic Excimer Laser Surgery. <i>Journal of Refractive Surgery</i> , 2016, 32, 182-186.	2.3	9
14	Keratometric Index Obtained by Fourier-Domain Optical Coherence Tomography. <i>PLoS ONE</i> , 2015, 10, e0122441.	2.5	8
15	Evaluation of Equivalent Keratometry Readings Obtained by Pentacam HR (High Resolution). <i>PLoS ONE</i> , 2016, 11, e0150121.	2.5	8
16	A Comparative Study of Total Corneal Power Using a Ray Tracing Method Obtained from 3 Different Scheimpflug Camera Devices. <i>American Journal of Ophthalmology</i> , 2020, 216, 90-98.	3.3	7
17	Corneal power measurement with a new aberrometer/corneal topographer in eyes after small incision lenticule extraction for myopia. <i>International Ophthalmology</i> , 2019, 39, 2815-2824.	1.4	1
18	Assessment of total corneal power after myopic corneal refractive surgery in Chinese eyes. <i>International Ophthalmology</i> , 2019, 39, 2467-2475.	1.4	1