

Lisa J Ware

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7067076/publications.pdf>

Version: 2024-02-01

60
papers

1,033
citations

471371

17
h-index

501076

28
g-index

65
all docs

65
docs citations

65
times ranked

1587
citing authors

#	ARTICLE	IF	CITATIONS
1	Early evidence for the effectiveness of South Africa's legislation on salt restriction in foods: the African-PREDICT study. <i>Journal of Human Hypertension</i> , 2023, 37, 42-49.	1.0	11
2	A comparison of paediatric hypertension clinical practice guidelines and their ability to predict adult hypertension in an African birth cohort. <i>Journal of Human Hypertension</i> , 2023, 37, 455-462.	1.0	2
3	Pulse wave velocity in South African women and children: comparison between the Mobil-O-Graph and SphygmoCor XCEL devices. <i>Journal of Hypertension</i> , 2022, 40, 65-75.	0.3	2
4	Socioeconomic and gendered inequities in travel behaviour in Africa: Mixed-method systematic review and meta-ethnography. <i>Social Science and Medicine</i> , 2022, 292, 114545.	1.8	15
5	Twenty-Four-Hour Central (Aortic) Systolic Blood Pressure: Reference Values and Dipping Patterns in Untreated Individuals. <i>Hypertension</i> , 2022, 79, 251-260.	1.3	13
6	Prevalence and socio-structural determinants of tobacco exposure in young women: Data from the Healthy Trajectories Initiative (HeLTI) study in urban Soweto, South Africa.. <i>Drug and Alcohol Dependence</i> , 2022, 232, 109300.	1.6	2
7	Paediatric Hypertension in Africa: A Systematic Review and Meta-Analysis. <i>EClinicalMedicine</i> , 2022, 43, 101229.	3.2	13
8	Building knowledge, optimising physical and mental health and setting up healthier life trajectories in South African women (<i>Bukhali</i>): a preconception randomised control trial part of the Healthy Life Trajectories Initiative (HeLTI). <i>BMJ Open</i> , 2022, 12, e059914.	0.8	17
9	Rural-Urban Differences in Diabetes Care and Control in 42 Low- and Middle-Income Countries: A Cross-sectional Study of Nationally Representative Individual-Level Data. <i>Diabetes Care</i> , 2022, 45, 1961-1970.	4.3	12
10	Cross-sectional associations between mental health indicators and social vulnerability, with physical activity, sedentary behaviour and sleep in urban African young women. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, .	2.0	5
11	Implementation of Healthy Conversation Skills to support behaviour change in the Bukhali trial in Soweto, South Africa: A process evaluation. <i>SSM Mental Health</i> , 2022, 2, 100132.	0.9	10
12	Stunting in infancy, pubertal trajectories and adult body composition: the Birth to Twenty Plus cohort, South Africa. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 189-197.	1.3	8
13	Integrating gestational diabetes and type 2 diabetes care into primary health care: Lessons from prevention of mother-to-child transmission of HIV in South Africa - A mixed methods study. <i>PLoS ONE</i> , 2021, 16, e0245229.	1.1	5
14	Bivariate Joint Spatial Modeling to Identify Shared Risk Patterns of Hypertension and Diabetes in South Africa: Evidence from WHO SAGE South Africa Wave 2. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 359.	1.2	6
15	Identifying co-occurrence and clustering of chronic diseases using latent class analysis: cross-sectional findings from SAGE South Africa Wave 2. <i>BMJ Open</i> , 2021, 11, e041604.	0.8	11
16	Determinants of change in blood pressure in Ghana: Longitudinal data from WHO-SAGE Waves 1-3. <i>PLoS ONE</i> , 2021, 16, e0244807.	1.1	4
17	Food insecurity, diet quality and body composition: data from the Healthy Life Trajectories Initiative (HeLTI) pilot survey in urban Soweto, South Africa. <i>Public Health Nutrition</i> , 2021, 24, 1629-1637.	1.1	20
18	Social vulnerability, parity and food insecurity in urban South African young women: the healthy life trajectories initiative (HeLTI) study. <i>Journal of Public Health Policy</i> , 2021, 42, 373-389.	1.0	16

#	ARTICLE	IF	CITATIONS
19	Questioning a South African hypertension threshold of 150 mm Hg. <i>The Lancet Healthy Longevity</i> , 2021, 2, e247.	2.0	0
20	Effect of South Africa's interim mandatory salt reduction programme on urinary sodium excretion and blood pressure. <i>Preventive Medicine Reports</i> , 2021, 23, 101469.	0.8	19
21	Prediction of 24-hour sodium excretion from spot urine samples in South African adults: a comparison of four equations. <i>Journal of Human Hypertension</i> , 2020, 34, 24-33.	1.0	18
22	Material and Relational Difficulties: The Impact of the Household Environment on the Emotional Well-Being of Young Black Women Living in Soweto, South Africa. <i>Journal of Family Issues</i> , 2020, 41, 1307-1332.	1.0	11
23	Salt and potassium intake among adult Ghanaians: WHO-SAGE Ghana Wave 3. <i>BMC Nutrition</i> , 2020, 6, 54.	0.6	10
24	Correcting for Intra-Individual Variability in Sodium Excretion in Spot Urine Samples Does Not Improve the Ability to Predict 24 h Urinary Sodium Excretion. <i>Nutrients</i> , 2020, 12, 2026.	1.7	10
25	Adjusting Haemoglobin Values for Altitude Maximizes Combined Sensitivity and Specificity to Detect Iron Deficiency among Women of Reproductive Age in Johannesburg, South Africa. <i>Nutrients</i> , 2020, 12, 633.	1.7	10
26	Integrating the prevention of mother-to-child transmission of HIV into primary healthcare services after AIDS denialism in South Africa: perspectives of experts and health care workers - a qualitative study. <i>BMC Health Services Research</i> , 2020, 20, 582.	0.9	15
27	Team-based care for hypertensive patients is essential in low- and middle-income countries. <i>Journal of Clinical Hypertension</i> , 2019, 21, 1210-1211.	1.0	1
28	Environmental, Social, and Structural Constraints for Health Behavior: Perceptions of Young Urban Black Women During the Preconception Period—A Healthy Life Trajectories Initiative. <i>Journal of Nutrition Education and Behavior</i> , 2019, 51, 946-957.	0.3	39
29	Urban young women's preferences for intervention strategies to promote physical and mental health preconception: A Healthy Life Trajectories Initiative (HeLTI). <i>Preventive Medicine Reports</i> , 2019, 14, 100846.	0.8	20
30	Assessing tobacco use in an African population: Serum and urine cotinine cut-offs from South Africa. <i>Drug and Alcohol Dependence</i> , 2019, 195, 82-89.	1.6	14
31	Predictors of hypertension awareness, treatment and control in South Africa: results from the WHO-SAGE population survey (Wave 2). <i>Journal of Human Hypertension</i> , 2019, 33, 157-166.	1.0	35
32	How will South Africa's mandatory salt reduction policy affect its salt iodisation programme? A cross-sectional analysis from the WHO-SAGE Wave 2 Salt & Tobacco study. <i>BMJ Open</i> , 2018, 8, e020404.	0.8	28
33	Monitoring physical activity after a cardiovascular event: What is "fit" for purpose?. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 220-222.	0.8	2
34	Dietary sodium intake and its relationship to adiposity in young black and white adults: The African PREDICT study. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1193-1202.	1.0	10
35	Iodine Status Assessment in South African Adults According to Spot Urinary Iodine Concentrations, Prediction Equations, and Measured 24-h Iodine Excretion. <i>Nutrients</i> , 2018, 10, 736.	1.7	12
36	Recent advances in understanding hypertension development in sub-Saharan Africa. <i>Journal of Human Hypertension</i> , 2017, 31, 491-500.	1.0	39

#	ARTICLE	IF	CITATIONS
37	Pulse pressure amplification and its relationship with age in young, apparently healthy black and white adults: The African-PREDICT study. <i>International Journal of Cardiology</i> , 2017, 249, 387-391.	0.8	13
38	Urinary sodium-to-potassium ratio: it may be SMART, but is it easy?. <i>Public Health Nutrition</i> , 2017, 20, 758-760.	1.1	3
39	Associations between dietary salt, potassium and blood pressure in South African adults: WHO SAGE Wave 2 Salt & Tobacco. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 784-791.	1.1	29
40	The Sodium Content of Processed Foods in South Africa during the Introduction of Mandatory Sodium Limits. <i>Nutrients</i> , 2017, 9, 404.	1.7	48
41	Salt Use Behaviours of Ghanaians and South Africans: A Comparative Study of Knowledge, Attitudes and Practices. <i>Nutrients</i> , 2017, 9, 939.	1.7	27
42	Masked hypertension and its associated cardiovascular risk in young individuals: the African-PREDICT study. <i>Hypertension Research</i> , 2016, 39, 158-165.	1.5	27
43	Leveraging ongoing research to evaluate the health impacts of South Africa's salt reduction strategy: a prospective nested cohort within the WHO-SAGE multicountry, longitudinal study. <i>BMJ Open</i> , 2016, 6, e013316.	0.8	32
44	The relationship of nitric oxide synthesis capacity, oxidative stress, and albumin-to-creatinine ratio in black and white men: the SABPA study. <i>Age</i> , 2016, 38, 9.	3.0	17
45	Masked Hypertension in Low Income South African Adults. <i>Journal of Clinical Hypertension</i> , 2016, 18, 396-404.	1.0	18
46	6A.08. <i>Journal of Hypertension</i> , 2015, 33, e75.	0.3	1
47	Psychological Distress and the Development of Hypertension Over 5 Years in Black South Africans. <i>Journal of Clinical Hypertension</i> , 2015, 17, 126-133.	1.0	15
48	Leptin is Positively Associated with Blood Pressure in African Men with a Low Body Mass Index: The SAfrEIC Study. <i>Hormone and Metabolic Research</i> , 2015, 47, 145-151.	0.7	8
49	Cornell product relates to albuminuria in hypertensive black adults independently of blood pressure: the SABPA study. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 115-122.	2.3	2
50	Effect of a Web-Based Behavior Change Program on Weight Loss and Cardiovascular Risk Factors in Overweight and Obese Adults at High Risk of Developing Cardiovascular Disease: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e177.	2.1	41
51	Urinary Albumin Excretion From Spot Urine Samples Predict All-Cause and Stroke Mortality in Africans. <i>American Journal of Hypertension</i> , 2014, 27, 811-818.	1.0	11
52	Evaluation of waist-to-height ratio to predict 5 year cardiometabolic risk in sub-Saharan African adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 900-907.	1.1	48
53	Randomised controlled feasibility trial of a web-based weight management intervention with nurse support for obese patients in primary care. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 67.	2.0	65
54	Exploring weight loss services in primary care and staff views on using a web-based programme. <i>Journal of Innovation in Health Informatics</i> , 2013, 20, 283-288.	0.9	10

#	ARTICLE	IF	CITATIONS
55	Liquid chromatography–mass spectrometry methods for urinary biomarker detection in metabonomic studies with application to nutritional studies. <i>Biomedical Chromatography</i> , 2010, 24, 737-743.	0.8	36
56	Antiretroviral therapy with or without protease inhibitors impairs postprandial TAG hydrolysis in HIV-infected men. <i>British Journal of Nutrition</i> , 2009, 102, 1038-1046.	1.2	7
57	Rates and Determinants of Uptake and Use of an Internet Physical Activity and Weight Management Program in Office and Manufacturing Work Sites in England: Cohort Study. <i>Journal of Medical Internet Research</i> , 2008, 10, e56.	2.1	54
58	The paradox of improved antiretroviral therapy in HIV: potential for nutritional modulation?. <i>Proceedings of the Nutrition Society</i> , 2002, 61, 131-136.	0.4	5
59	Endogenous glycine and tyrosine production is maintained in adults consuming a marginal-protein diet. <i>American Journal of Clinical Nutrition</i> , 2002, 75, 511-518.	2.2	49
60	Contextualising individual, household and community level factors associated with sugar-sweetened beverage intake and screen time in Soweto, South Africa. <i>Journal of Hunger and Environmental Nutrition</i> , 0, , 1-17.	1.1	2