

# Dao Wen Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7072982/publications.pdf>

Version: 2024-02-01

185  
papers

8,925  
citations

41627

51  
h-index

60403

85  
g-index

186  
all docs

186  
docs citations

186  
times ranked

15850  
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of CD36 in cardiovascular disease. <i>Cardiovascular Research</i> , 2022, 118, 115-129.	1.8	74
2	Whole-exome sequencing reveals genetic risks of early-onset sporadic dilated cardiomyopathy in the Chinese Han population. <i>Science China Life Sciences</i> , 2022, 65, 770-780.	2.3	7
3	Overexpression of MFN2 alleviates sorafenib-induced cardiomyocyte necroptosis via the MAM-CaMKII $\beta$ pathway <i>in vitro</i> and <i>in vivo</i> . <i>Theranostics</i> , 2022, 12, 1267-1285.	4.6	27
4	Overexpression of cytosolic long noncoding RNA cytb protects against pressure-overload-induced heart failure via sponging microRNA-103-3p. <i>Molecular Therapy - Nucleic Acids</i> , 2022, 27, 1127-1145.	2.3	6
5	Mdivi-1 alleviates cardiac fibrosis post myocardial infarction at infarcted border zone, possibly via inhibition of Drp1-Activated mitochondrial fission and oxidative stress. <i>Archives of Biochemistry and Biophysics</i> , 2022, 718, 109147.	1.4	19
6	Neuraminidase inhibitor treatment is associated with decreased mortality in COVID-19 patients: a retrospective analysis. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 392-401.	1.4	4
7	Gut microbiota production of trimethyl-5-aminovaleric acid reduces fatty acid oxidation and accelerates cardiac hypertrophy. <i>Nature Communications</i> , 2022, 13, 1757.	5.8	35
8	Soluble ST2 Is a Sensitive and Specific Biomarker for Fulminant Myocarditis. <i>Journal of the American Heart Association</i> , 2022, 11, e024417.	1.6	16
9	Comparison of Net Clinical Benefit Between Clopidogrel and Ticagrelor Following Percutaneous Coronary Intervention in Patients in China With Acute Coronary Syndrome. <i>Advances in Therapy</i> , 2022, 39, 754-766.	1.3	3
10	Hyperglycemic memory in diabetic cardiomyopathy. <i>Frontiers of Medicine</i> , 2022, 16, 25-38.	1.5	7
11	â†šŠ†âŠ•è,,%â³¼®â³¼çŽ•é†œž,,ăŽâj fèj€ç®iç—³¼ç—.... <i>Scientia Sinica Vitae</i> , 2022, , .	0.1	0
12	Multivariable prognostic model for heart failure in Chinese Han populationâ€based setting. <i>ESC Heart Failure</i> , 2022, 9, 2388-2398.	1.4	3
13	MicroRNAs in cardiovascular diseases. <i>Medical Review</i> , 2022, 2, 140-168.	0.3	1
14	CYP450 Epoxygenase Metabolites, Epoxyeicosatrienoic Acids, as Novel Anti-Inflammatory Mediators. <i>Molecules</i> , 2022, 27, 3873.	1.7	14
15	Epoxyeicosatrienoic acid: A potential therapeutic target of heart failure with preserved ejection fraction. <i>Biomedicine and Pharmacotherapy</i> , 2022, 153, 113326.	2.5	4
16	Update on acute myocarditis. <i>Trends in Cardiovascular Medicine</i> , 2021, 31, 370-379.	2.3	66
17	The experience of treating patients with acute myocardial infarction under the <sc>COVID</sc>â€19 epidemic. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E244-E248.	0.7	9
18	Insulin Treatment Is Associated with Increased Mortality in Patients with COVID-19 and Type 2 Diabetes. <i>Cell Metabolism</i> , 2021, 33, 65-77.e2.	7.2	108

#	ARTICLE	IF	CITATIONS
19	Mortality and pre-hospitalization use of low-dose aspirin in COVID-19 patients with coronary artery disease. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 1263-1273.	1.6	43
20	Management perspectives from the 2019 Wuhan international workshop on fulminant myocarditis. <i>International Journal of Cardiology</i> , 2021, 324, 131-138.	0.8	24
21	The role of miR-320 in glucose and lipid metabolism disorder-associated diseases. <i>International Journal of Biological Sciences</i> , 2021, 17, 402-416.	2.6	35
22	Low-density lipoprotein receptor-related protein 6 regulates cardiomyocyte-derived paracrine signaling to ameliorate cardiac fibrosis. <i>Theranostics</i> , 2021, 11, 1249-1268.	4.6	6
23	Increased lipoxygenase and decreased cytochrome P450s metabolites correlated with the incidence of diabetic nephropathy: Potential role of eicosanoids from metabolomics in type 2 diabetic patients. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2021, 48, 679-685.	0.9	3
24	Metabolism pathways of arachidonic acids: mechanisms and potential therapeutic targets. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 94.	7.1	406
25	Rationale and Design of a Cluster Randomized Trial of a Village Doctor-Led Intervention on Hypertension Control in China. <i>American Journal of Hypertension</i> , 2021, 34, 831-839.	1.0	7
26	The double face of miR-320: cardiomyocytes-derived miR-320 deteriorated while fibroblasts-derived miR-320 protected against heart failure induced by transverse aortic constriction. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 69.	7.1	23
27	Optimizing Management to Reduce the Mortality of COVID-19: Experience From a Designated Hospital for Severely and Critically Ill Patients in China. <i>Frontiers in Medicine</i> , 2021, 8, 582764.	1.2	4
28	Association of glycosylated haemoglobin HbA1c levels with outcome in patients with COVID-19: A Retrospective Study. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3484-3497.	1.6	12
29	Prediction of HF-Related Mortality Risk Using Genetic Risk Score Alone and in Combination With Traditional Risk Factors. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 634966.	1.1	6
30	Effects of Shuanghuanglian oral liquids on patients with COVID-19: a randomized, open-label, parallel-controlled, multicenter clinical trial. <i>Frontiers of Medicine</i> , 2021, 15, 704-717.	1.5	33
31	Soluble epoxide hydrolase deficiency attenuates lipotoxic cardiomyopathy via upregulation of AMPK-mTORC mediated autophagy. <i>Journal of Molecular and Cellular Cardiology</i> , 2021, 154, 80-91.	0.9	15
32	LncRNA ZNF593-AS Alleviates Contractile Dysfunction in Dilated Cardiomyopathy. <i>Circulation Research</i> , 2021, 128, 1708-1723.	2.0	25
33	LARP7 Protects Against Heart Failure by Enhancing Mitochondrial Biogenesis. <i>Circulation</i> , 2021, 143, 2007-2022.	1.6	35
34	COL5A1 Variants Cause Aortic Dissection by Activating TGF $\beta$ Signaling Pathway. <i>Journal of the American Heart Association</i> , 2021, 10, e019276.	1.6	6
35	Focus on Autoimmune Myocarditis in Graves' Disease: A Case-Based Review. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 678645.	1.1	5
36	Long-term cardiac remodeling associated with heart failure following left-ventricular valve replacement surgery. <i>Medicine (United States)</i> , 2021, 100, e26594.	0.4	1

#	ARTICLE	IF	CITATIONS
37	Follistatin Attenuates Myocardial Fibrosis in Diabetic Cardiomyopathy via the TGF- $\beta$ 1-Smad3 Pathway. <i>Frontiers in Pharmacology</i> , 2021, 12, 683335.	1.6	8
38	Roles of MicroRNAs in Glucose and Lipid Metabolism in the Heart. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 716213.	1.1	8
39	Expression Profiles and Potential Functions of Long Non-Coding RNAs in the Heart of Mice With Coxsackie B3 Virus-Induced Myocarditis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 704919.	1.8	7
40	Macrophage MST1/2 Disruption Impairs Post-Infarction Cardiac Repair via LTB4. <i>Circulation Research</i> , 2021, 129, 909-926.	2.0	18
41	Untargeted metabolomics identifies succinate as a biomarker and therapeutic target in aortic aneurysm and dissection. <i>European Heart Journal</i> , 2021, 42, 4373-4385.	1.0	65
42	ATPAF1 deficiency impairs ATP synthase assembly and mitochondrial respiration. <i>Mitochondrion</i> , 2021, 60, 129-141.	1.6	9
43	Cardiovascular involvement in patients with 2019 novel coronavirus disease. <i>Journal of Translational Internal Medicine</i> , 2021, 9, 152-160.	1.0	5
44	San1 deficiency leads to cardiomyopathy due to excessive R-loop-associated DNA damage and cardiomyocyte hypoplasia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166237.	1.8	6
45	miR-320a induces pancreatic $\beta$ cells dysfunction in diabetes by inhibiting MafF. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 26, 444-457.	2.3	11
46	Prognostic Value of Elevated Levels of Plasma N-Acetylneuraminic Acid in Patients With Heart Failure. <i>Circulation: Heart Failure</i> , 2021, 14, e008459.	1.6	13
47	Functional Deletion/Insertion Promoter Variants in SCARB1 Associated With Increased Susceptibility to Lipid Profile Abnormalities and Coronary Heart Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 800873.	1.1	2
48	Case Report: COVID-19 Vaccination Associated Fulminant Myocarditis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 769616.	1.1	12
49	Distal myopathy induced arrhythmogenic right ventricular cardiomyopathy in a pedigree carrying novel DSG2 null variant. <i>International Journal of Cardiology</i> , 2020, 298, 25-31.	0.8	5
50	DDAH1 promoter $\approx$ 396 4N insertion variant is associated with increased risk of type 2 diabetes in a gender-dependent manner. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2020, 8, e1011.	0.6	3
51	Genetic risk scores to predict the prognosis of chronic heart failure patients in Chinese Han. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 285-293.	1.6	11
52	Nuclear miR-665 aggravates heart failure via suppressing phosphatase and tensin homolog transcription. <i>Science China Life Sciences</i> , 2020, 63, 724-736.	2.3	19
53	Delayed-onset adrenal hypoplasia congenita and hypogonadotropic hypogonadism caused by a novel mutation in <i>DAX1</i> . <i>Journal of International Medical Research</i> , 2020, 48, 030006051988215.	0.4	2
54	The progress and controversial of the use of beta blockers in patients with heart failure with a preserved ejection fraction. <i>IJC Heart and Vasculature</i> , 2020, 26, 100451.	0.6	10

#	ARTICLE	IF	CITATIONS
55	Identification of ncRNA-Mediated Functions of Nucleus-Localized miR-320 in Cardiomyocytes. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 19, 132-143.	2.3	14
56	Adenosine 2A Receptor Activation Contributes to Ang II-Induced Aortic Remodeling by Promoting Macrophage Retention. <i>Hypertension</i> , 2020, 75, 119-130.	1.3	8
57	Temporal echocardiography findings in patients with fulminant myocarditis: beyond ejection fraction decline. <i>Frontiers of Medicine</i> , 2020, 14, 284-292.	1.5	16
58	Personnel protection strategy for healthcare workers in Wuhan during the COVID-19 epidemic. <i>Precision Clinical Medicine</i> , 2020, 3, 169-174.	1.3	7
59	PPAR $\alpha$ Ameliorates Doxorubicin-Induced Cardiotoxicity by Reducing Mitochondria-Dependent Apoptosis via Regulating MEOX1. <i>Frontiers in Pharmacology</i> , 2020, 11, 528267.	1.6	13
60	A Key GWAS-Identified Genetic Variant Contributes to Hyperlipidemia by Upregulating miR-320a. <i>IScience</i> , 2020, 23, 101788.	1.9	4
61	Extensive eye-oral-bronchial mucosal nodules with eosinophilia: a rare case report and literature review. <i>BMC Pulmonary Medicine</i> , 2020, 20, 296.	0.8	0
62	The potential effects of DPP4 inhibitors on cardiovascular system in COVID-19 patients. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 10274-10278.	1.6	29
63	Trimetazidine Inhibits Renal Tubular Epithelial Cells to Mesenchymal Transition in Diabetic Rats via Upregulation of Sirt1. <i>Frontiers in Pharmacology</i> , 2020, 11, 1136.	1.6	24
64	Acyl-CoA thioesterase 1 prevents cardiomyocytes from Doxorubicin-induced ferroptosis via shaping the lipid composition. <i>Cell Death and Disease</i> , 2020, 11, 756.	2.7	63
65	Mortality and Pre-Hospitalization Use of Renin-Angiotensin System Inhibitors in Patients with Hypertension and Coronavirus Disease 2019 (COVID-19). <i>Journal of the American Heart Association</i> , 2020, 9, e017736.	1.6	24
66	Longitudinal correlation of biomarkers of cardiac injury, inflammation, and coagulation to outcome in hospitalized COVID-19 patients. <i>Journal of Molecular and Cellular Cardiology</i> , 2020, 147, 74-87.	0.9	67
67	The Cell Type-Specific Functions of miR-21 in Cardiovascular Diseases. <i>Frontiers in Genetics</i> , 2020, 11, 563166.	1.1	27
68	Fulminant myocarditis: a comprehensive review from etiology to treatments and outcomes. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 287.	7.1	72
69	Cardiac injuries in coronavirus disease 2019 (COVID-19). <i>Journal of Molecular and Cellular Cardiology</i> , 2020, 145, 25-29.	0.9	26
70	Combination of western medicine and Chinese traditional patent medicine in treating a family case of COVID-19. <i>Frontiers of Medicine</i> , 2020, 14, 210-214.	1.5	91
71	SARS-CoV-2: a potential novel etiology of fulminant myocarditis. <i>Herz</i> , 2020, 45, 230-232.	0.4	288
72	Circulating miR-4763-3p Is a Novel Potential Biomarker Candidate for Human Adult Fulminant Myocarditis. <i>Molecular Therapy - Methods and Clinical Development</i> , 2020, 17, 1079-1087.	1.8	21

#	ARTICLE	IF	CITATIONS
73	Good or bad: Application of RAAS inhibitors in COVID-19 patients with cardiovascular comorbidities. , 2020, 215, 107628.		41
74	Elevated serum levels of S100A8/A9 and HMGB1 at hospital admission are correlated with inferior clinical outcomes in COVID-19 patients. Cellular and Molecular Immunology, 2020, 17, 992-994.	4.8	202
75	COVID-19 and the cardiovascular system: implications for risk assessment, diagnosis, and treatment options. Cardiovascular Research, 2020, 116, 1666-1687.	1.8	1,074
76	A Common Missense Variant in OMA1 Associated with the Prognosis of Heart Failure. Cardiovascular Drugs and Therapy, 2020, 34, 345-356.	1.3	6
77	Integrated Analysis of Summary Statistics to Identify Pleiotropic Genes and Pathways for the Comorbidity of Schizophrenia and Cardiometabolic Disease. Frontiers in Psychiatry, 2020, 11, 256.	1.3	24
78	The novel long noncoding RNA Lnc19959.2 modulates triglyceride metabolism-associated genes through the interaction with Purb and hnRNPA2B1. Molecular Metabolism, 2020, 37, 100996.	3.0	10
79	Cardiovascular molecular mechanisms of disease with COVID-19. Journal of Molecular and Cellular Cardiology, 2020, 141, 107.	0.9	4
80	Transmembrane tumor necrosis factor alpha attenuates pressure-overload cardiac hypertrophy via tumor necrosis factor receptor 2. PLoS Biology, 2020, 18, e3000967.	2.6	23
81	Subcellular microRNAs in diabetic cardiomyopathy. Annals of Translational Medicine, 2020, 8, 1602-1602.	0.7	6
82	Abstract 15223: Comparison of Net Clinical Benefit Between Clopidogrel-based and Ticagrelor-based Dual Antiplatelet Therapy in Acute Coronary Syndrome Patients Undergoing Percutaneous Coronary Intervention in China. Circulation, 2020, 142, .	1.6	0
83	Regulation of YAP by Mammalian Target of Rapamycin Complex 1 in Endothelial Cells Controls Blood Pressure Through COX-2/mPGES-1/PGE <sub>2</sub> Cascade. Hypertension, 2019, 74, 936-946.	1.3	23
84	The Different Roles of miRNA-92a-2-5p and let-7b-5p in Mitochondrial Translation in db/db Mice. Molecular Therapy - Nucleic Acids, 2019, 17, 424-435.	2.3	43
85	Nuclear miR-320 Mediates Diabetes-Induced Cardiac Dysfunction by Activating Transcription of Fatty Acid Metabolic Genes to Cause Lipotoxicity in the Heart. Circulation Research, 2019, 125, 1106-1120.	2.0	127
86	A common variant of RIP3 promoter region is associated with poor prognosis in heart failure patients by influencing SOX17 binding. Journal of Cellular and Molecular Medicine, 2019, 23, 5317-5328.	1.6	17
87	Aspirin reduced recurrent stroke risk in patients with lacunar stroke. Acta Neurologica Scandinavica, 2019, 140, 78-83.	1.0	6
88	A life support-based comprehensive treatment regimen dramatically lowers the in-hospital mortality of patients with fulminant myocarditis: a multiple center study. Science China Life Sciences, 2019, 62, 369-380.	2.3	51
89	Amlodipine induces vasodilation via Akt2/Sp1-activated miR-21 in smooth muscle cells. British Journal of Pharmacology, 2019, 176, 2306-2320.	2.7	17
90	PPAR $\delta$ ligand, AVE8134, and cyclooxygenase inhibitor therapy synergistically suppress lung cancer growth and metastasis. BMC Cancer, 2019, 19, 1166.	1.1	16

#	ARTICLE	IF	CITATIONS
91	MiR-30c/PGC-1 $\beta$ protects against diabetic cardiomyopathy via PPAR $\alpha$ . Cardiovascular Diabetology, 2019, 18, 7.	2.7	76
92	Chinese society of cardiology expert consensus statement on the diagnosis and treatment of adult fulminant myocarditis. Science China Life Sciences, 2019, 62, 187-202.	2.3	82
93	Ranolazine prevents pressure overload-induced cardiac hypertrophy and heart failure by restoring aberrant Na <sup>+</sup> and Ca <sup>2+</sup> handling. Journal of Cellular Physiology, 2019, 234, 11587-11601.	2.0	46
94	MiR-320a induces diabetic nephropathy via inhibiting MafB. Aging, 2019, 11, 3055-3079.	1.4	43
95	Genome-Wide Association and Functional Studies Identify <i>SCML4</i> and <i>THSD7A</i> as Novel Susceptibility Genes for Coronary Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2018, 38, 964-975.	1.1	32
96	Cardioprotective Role of Myeloid-Derived Suppressor Cells in Heart Failure. Circulation, 2018, 138, 181-197.	1.6	64
97	CYP2J2-derived EETs attenuated ethanol-induced myocardial dysfunction through inducing autophagy and reducing apoptosis. Free Radical Biology and Medicine, 2018, 117, 168-179.	1.3	43
98	Plasma metabolic profile reveals PGF $2\alpha$ protecting against non-proliferative diabetic retinopathy in patients with type 2 diabetes. Biochemical and Biophysical Research Communications, 2018, 496, 1276-1283.	1.0	12
99	Identification of cardiac long non-coding RNA profile in human dilated cardiomyopathy. Cardiovascular Research, 2018, 114, 747-758.	1.8	43
100	AMPK $\beta$ 2 Protects Against the Development of Heart Failure by Enhancing Mitophagy via PINK1 Phosphorylation. Circulation Research, 2018, 122, 712-729.	2.0	250
101	Endothelium-specific CYP2J2 overexpression attenuates age-related insulin resistance. Aging Cell, 2018, 17, e12718.	3.0	18
102	Recombinant Adeno-Associated Virus-Mediated Delivery of MicroRNA-21-3p Lowers Hypertension. Molecular Therapy - Nucleic Acids, 2018, 11, 354-366.	2.3	17
103	MiR-124 aggravates failing hearts by suppressing CD151-facilitated angiogenesis in heart. Oncotarget, 2018, 9, 14382-14396.	0.8	32
104	ADRB2 polymorphism Arg16Gly modifies the natural outcome of heart failure and dictates therapeutic response to $\beta$ -blockers in patients with heart failure. Cell Discovery, 2018, 4, 57.	3.1	26
105	MiR-21 protected against diabetic cardiomyopathy induced diastolic dysfunction by targeting gelsolin. Cardiovascular Diabetology, 2018, 17, 123.	2.7	67
106	miR-217 Promotes Cardiac Hypertrophy and Dysfunction by Targeting PTEN. Molecular Therapy - Nucleic Acids, 2018, 12, 254-266.	2.3	101
107	Glucagon-like peptide-1 ameliorates cardiac lipotoxicity in diabetic cardiomyopathy via the PPAR $\alpha$ pathway. Aging Cell, 2018, 17, e12763.	3.0	64
108	miR-1322 regulates ChREBP expression via binding a 3'UTR variant (rs1051943). Journal of Cellular and Molecular Medicine, 2018, 22, 5322-5332.	1.6	5

#	ARTICLE	IF	CITATIONS
109	Forkhead box C1 promotes colorectal cancer metastasis through transactivating ITGA7 and FGFR4 expression. <i>Oncogene</i> , 2018, 37, 5477-5491.	2.6	56
110	MiR-665 aggravates heart failure via suppressing CD34-mediated coronary microvessel angiogenesis. <i>Aging</i> , 2018, 10, 2459-2479.	1.4	38
111	Profile and clinical implication of circular RNAs in human papillary thyroid carcinoma. <i>PeerJ</i> , 2018, 6, e5363.	0.9	25
112	MiR-30c protects diabetic nephropathy by suppressing epithelial-to-mesenchymal transition in db/db mice. <i>Aging Cell</i> , 2017, 16, 387-400.	3.0	84
113	Mir30c Is Involved in Diabetic Cardiomyopathy through Regulation of Cardiac Autophagy via BECN1. <i>Molecular Therapy - Nucleic Acids</i> , 2017, 7, 127-139.	2.3	51
114	CYP2J2 and Its Metabolites EETs Attenuate Insulin Resistance via Regulating Macrophage Polarization in Adipose Tissue. <i>Scientific Reports</i> , 2017, 7, 46743.	1.6	30
115	CYP2J2 metabolites, epoxyeicosatrienoic acids, attenuate Ang II-induced cardiac fibrotic response by targeting GÎ±12/13. <i>Journal of Lipid Research</i> , 2017, 58, 1338-1353.	2.0	29
116	P2y12 Receptor Promotes Pressure Overload-Induced Cardiac Remodeling via Platelet-Driven Inflammation in Mice. <i>Hypertension</i> , 2017, 70, 759-769.	1.3	31
117	Increased Cathepsin D Correlates with Clinical Parameters in Newly Diagnosed Type 2 Diabetes. <i>Disease Markers</i> , 2017, 2017, 1-6.	0.6	30
118	Involvement of DDAH/ADMA/NOS/cGMP and COX-2/PTGIS/cAMP Pathways in Human Tissue Kallikrein 1 Protecting Erectile Function in Aged Rats. <i>PLoS ONE</i> , 2017, 12, e0170427.	1.1	5
119	MiR-30c-5p ameliorates hepatic steatosis in leptin receptor-deficient (db/db) mice via down-regulating FASN. <i>Oncotarget</i> , 2017, 8, 13450-13463.	0.8	29
120	miR-320a mediates doxorubicin-induced cardiotoxicity by targeting VEGF signal pathway. <i>Aging</i> , 2016, 8, 192-207.	1.4	76
121	The effects of a 50-Hz magnetic field on the cardiovascular system in rats. <i>Journal of Radiation Research</i> , 2016, 57, 627-636.	0.8	10
122	<sc>CYP</sc> 2J2 and its metabolites (epoxyeicosatrienoic acids) attenuate cardiac hypertrophy by activating <sc>AMPK</sc> Î±2 and enhancing nuclear translocation of Akt1. <i>Aging Cell</i> , 2016, 15, 940-952.	3.0	33
123	MicroRNA-21 Lowers Blood Pressure in Spontaneous Hypertensive Rats by Upregulating Mitochondrial Translation. <i>Circulation</i> , 2016, 134, 734-751.	1.6	134
124	Preserved Erectile Function in the Aged Transgenic Rat Harboring Human Tissue Kallikrein 1. <i>Journal of Sexual Medicine</i> , 2016, 13, 1311-1322.	0.3	13
125	CYP2J2-Derived EETs Attenuated Angiotensin II-Induced Adventitial Remodeling via Reduced Inflammatory Response. <i>Cellular Physiology and Biochemistry</i> , 2016, 39, 721-739.	1.1	22
126	Efficacy and safety of fenofibrate as an add-on in patients with elevated triglyceride despite receiving statin treatment. <i>International Journal of Cardiology</i> , 2016, 221, 832-836.	0.8	15



#	ARTICLE	IF	CITATIONS
127	The Role of Cytochrome P450 Epoxygenases, Soluble Epoxide Hydrolase, and Epoxyeicosatrienoic Acids in Metabolic Diseases. <i>Advances in Nutrition</i> , 2016, 7, 1122-1128.	2.9	44
128	Common variants in IL-17A/IL-17RA axis contribute to predisposition to and progression of congestive heart failure. <i>Medicine (United States)</i> , 2016, 95, e4105.	0.4	19
129	Trimetazidine prevents macrophage-mediated septic myocardial dysfunction via activation of the histone deacetylase sirtuin 1. <i>British Journal of Pharmacology</i> , 2016, 173, 545-561.	2.7	102
130	Novel and Practical Scoring Systems for the Diagnosis of Thyroid Nodules. <i>PLoS ONE</i> , 2016, 11, e0163039.	1.1	3
131	Identification of cardiac-related circulating microRNA profile in human chronic heart failure. <i>Oncotarget</i> , 2016, 7, 33-45.	0.8	76
132	NPR-C gene polymorphism is associated with increased susceptibility to coronary artery disease in Chinese Han population: a multicenter study. <i>Oncotarget</i> , 2016, 7, 33662-33674.	0.8	15
133	Cardiomyocyte-specific expression of CYP2J2 prevents development of cardiac remodelling induced by angiotensin II. <i>Cardiovascular Research</i> , 2015, 105, 304-317.	1.8	59
134	Involvement of Endoplasmic Reticulum Stress-mediated C/EBP Homologous Protein Activation in Cocksackievirus B-induced Acute Viral Myocarditis. <i>Circulation: Heart Failure</i> , 2015, 8, 809-818.	1.6	31
135	Interleukin-8 Induces Expression of FOXC1 to Promote Transactivation of CXCR1 and CCL2 in Hepatocellular Carcinoma Cell Lines and Formation of Metastases in Mice. <i>Gastroenterology</i> , 2015, 149, 1053-1067.e14.	0.6	114
136	Sox12, a direct target of FoxQ1, promotes hepatocellular carcinoma metastasis through up-regulating Twist1 and FGFBP1. <i>Hepatology</i> , 2015, 61, 1920-1933.	3.6	110
137	Epoxyeicosatrienoic Acids Regulate Macrophage Polarization and Prevent LPS-induced Cardiac Dysfunction. <i>Journal of Cellular Physiology</i> , 2015, 230, 2108-2119.	2.0	71
138	Cytochrome P450-CYP2 Family-Epoxygenase Role in Inflammation and Cancer. <i>Advances in Pharmacology</i> , 2015, 74, 193-221.	1.2	15
139	Costs for Hospitalized Patients With Diabetes Mellitus in China. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP925-NP935.	0.4	7
140	Elaiophylin, a novel autophagy inhibitor, exerts antitumor activity as a single agent in ovarian cancer cells. <i>Autophagy</i> , 2015, 11, 1849-1863.	4.3	99
141	CYP2J2 overexpression attenuates nonalcoholic fatty liver disease induced by high-fat diet in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E97-E110.	1.8	39
142	Mir-320a contributes to atherogenesis by augmenting multiple risk factors and down-regulating SRF. <i>Journal of Cellular and Molecular Medicine</i> , 2015, 19, 970-985.	1.6	89
143	miR-21-3p regulates cardiac hypertrophic response by targeting histone deacetylase-8. <i>Cardiovascular Research</i> , 2015, 105, 340-352.	1.8	109
144	Diagnostic Power of Longitudinal Strain at Rest for the Detection of Obstructive Coronary Artery Disease in Patients with Type 2 Diabetes Mellitus. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 89-98.	0.7	23

#	ARTICLE	IF	CITATIONS
145	Targeted Inhibitory Effect of Lenti-SM22alpha-p27-EGFP Recombinant Lentiviral Vectors on Proliferation of Vascular Smooth Muscle Cells without Compromising Re-Endothelialization in a Rat Carotid Artery Balloon Injury Model. <i>PLoS ONE</i> , 2015, 10, e0118826.	1.1	3
146	CYP2J2 and EETs Protect against Oxidative Stress and Apoptosis <i>in Vivo</i> and <i>in Vitro</i> Following Lung Ischemia/Reperfusion. <i>Cellular Physiology and Biochemistry</i> , 2014, 33, 1663-1680.	1.1	49
147	Assessment of type 2 diabetes risk conferred by SNPs rs2241766 and rs1501299 in the ADIPOQ gene, a case/control study combined with meta-analyses. <i>Molecular and Cellular Endocrinology</i> , 2014, 396, 1-9.	1.6	26
148	A Functional Variant in APOA5/A4/C3/A1 Gene Cluster Contributes to Elevated Triglycerides and Severity of CAD by Interfering With MicroRNA 3201 Binding Efficiency. <i>Journal of the American College of Cardiology</i> , 2014, 64, 267-277.	1.2	55
149	Rapid molecular genetic diagnosis of hypertrophic cardiomyopathy by semiconductor sequencing. <i>Journal of Translational Medicine</i> , 2014, 12, 173.	1.8	21
150	CYP2J2-Derived Epoxyeicosatrienoic Acids Suppress Endoplasmic Reticulum Stress in Heart Failure. <i>Molecular Pharmacology</i> , 2014, 85, 105-115.	1.0	78
151	A potential therapeutic effect of CYP2C8 overexpression on anti-TNF- $\alpha$ activity. <i>International Journal of Molecular Medicine</i> , 2014, 34, 725-732.	1.8	18
152	SDF-1 $\alpha$ reduces fibronectin expression in rat mesangial cells induced by TGF- $\beta$ 1 and high glucose through PI3K/Akt pathway. <i>Experimental Cell Research</i> , 2013, 319, 1796-1803.	1.2	13
153	Cardiac-Specific Overexpression of CYP2J2 Attenuates Diabetic Cardiomyopathy in Male Streptozotocin-Induced Diabetic Mice. <i>Endocrinology</i> , 2013, 154, 2843-2856.	1.4	58
154	Endoplasmic Reticulum Stress Participates in Aortic Valve Calcification in Hypercholesterolemic Animals. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2345-2354.	1.1	65
155	CYP2J2 overexpression increases EETs and protects against angiotensin II-induced abdominal aortic aneurysm in mice. <i>Journal of Lipid Research</i> , 2013, 54, 1448-1456.	2.0	52
156	CYP Epoxygenase Derived EETs: From Cardiovascular Protection to Human Cancer Therapy. <i>Current Topics in Medicinal Chemistry</i> , 2013, 13, 1454-1469.	1.0	28
157	Epoxyeicosatrienoic acids protect rat hearts against tumor necrosis factor- $\alpha$ -induced injury. <i>Journal of Lipid Research</i> , 2012, 53, 456-466.	2.0	50
158	Delivery of AAV2-CYP2J2 Protects Remnant Kidney in the 5/6-Nephrectomized Rat via Inhibition of Apoptosis and Fibrosis. <i>Human Gene Therapy</i> , 2012, 23, 688-699.	1.4	56
159	Cytochrome P450 2J2 is protective against global cerebral ischemia in transgenic mice. <i>Prostaglandins and Other Lipid Mediators</i> , 2012, 99, 68-78.	1.0	40
160	Pioglitazone attenuates progression of aortic valve calcification via down-regulating receptor for advanced glycation end products. <i>Basic Research in Cardiology</i> , 2012, 107, 306.	2.5	51
161	Central nervous system toxicity of sodium nitroprusside in treatment of patients with aortic dissection. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 927-930.	1.0	4
162	Let-7b Inhibits Human Cancer Phenotype by Targeting Cytochrome P450 Epoxygenase 2J2. <i>PLoS ONE</i> , 2012, 7, e39197.	1.1	54

#	ARTICLE	IF	CITATIONS
163	Protective Effects of Acyl-coA Thioesterase 1 on Diabetic Heart via PPAR $\alpha$ /PGC1 $\alpha$ Signaling. <i>PLoS ONE</i> , 2012, 7, e50376.	1.1	39
164	The roles of CYP450 epoxygenases and metabolites, epoxyeicosatrienoic acids, in cardiovascular and malignant diseases. <i>Advanced Drug Delivery Reviews</i> , 2011, 63, 597-609.	6.6	178
165	EET signaling in cancer. <i>Cancer and Metastasis Reviews</i> , 2011, 30, 525-540.	2.7	110
166	Telmisartan protects against insulin resistance by attenuating inflammatory response in rats. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2011, 31, 317-323.	1.0	7
167	Epoxyeicosatrienoic Acids Attenuate Reactive Oxygen Species Level, Mitochondrial Dysfunction, Caspase Activation, and Apoptosis in Carcinoma Cells Treated with Arsenic Trioxide. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 339, 451-463.	1.3	73
168	Cytochrome P450 2J2 Is Highly Expressed in Hematologic Malignant Diseases and Promotes Tumor Cell Growth. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 336, 344-355.	1.3	87
169	$\beta$ -AR Blockers Suppresses ER Stress in Cardiac Hypertrophy and Heart Failure. <i>PLoS ONE</i> , 2011, 6, e27294.	1.1	65
170	Overexpression of Cytochrome P450 Epoxygenases Prevents Development of Hypertension in Spontaneously Hypertensive Rats by Enhancing Atrial Natriuretic Peptide. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 334, 784-794.	1.3	47
171	A Novel Loss-of-Function <i>DDAH1</i> Promoter Polymorphism Is Associated With Increased Susceptibility to Thrombosis Stroke and Coronary Heart Disease. <i>Circulation Research</i> , 2010, 106, 1145-1152.	2.0	72
172	Selective Inhibitors of CYP2J2 Related to Terfenadine Exhibit Strong Activity against Human Cancers in Vitro and in Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 329, 908-918.	1.3	96
173	Elevated C-reactive protein levels predict worsening prognosis in Chinese patients with first-onset stroke. <i>Frontiers of Medicine in China</i> , 2009, 3, 30-35.	0.1	2
174	Effect of atorvastatin on tumor growth and metastasis in a breast cancer cell xenograft model and its mechanism. <i>Frontiers of Medicine in China</i> , 2009, 3, 443-446.	0.1	1
175	Construction and humoral immune response of Epstein-Barr virus latent membrane protein 2 DNA vaccine in mice. <i>Frontiers of Medicine in China</i> , 2009, 3, 390-395.	0.1	0
176	Diagnostic evaluation of plasma aldosterone concentration to plasma renin activity ratio in primary aldosteronism. <i>Frontiers of Medicine in China</i> , 2008, 2, 11-14.	0.1	0
177	Effects of RNA interference targeting angiotensin 1a receptor on blood pressure and cardiac hypertrophy of rats with renovascular hypertension. <i>Frontiers of Medicine in China</i> , 2008, 2, 19-24.	0.1	0
178	Predication of increased plasma homocysteine level on the prognosis of Chinese patients with first-onset ischemic stroke. <i>Frontiers of Medicine in China</i> , 2008, 2, 352-355.	0.1	0
179	CytochromeP-450 epoxygenases protect endothelial cells from apoptosis induced by tumor necrosis factor- $\alpha$ via MAPK and PI3K/Akt signaling pathways. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H142-H151.	1.5	115
180	Cytochrome <i>P</i> 450 Epoxygenase Promotes Human Cancer Metastasis. <i>Cancer Research</i> , 2007, 67, 6665-6674.	0.4	192

#	ARTICLE	IF	CITATIONS
181	Cytochrome P450 2J2 Promotes the Neoplastic Phenotype of Carcinoma Cells and Is Up-regulated in Human Tumors. <i>Cancer Research</i> , 2005, 65, 4707-4715.	0.4	252
182	Arachidonic Acid Epoxygenase Metabolites Stimulate Endothelial Cell Growth and Angiogenesis via Mitogen-Activated Protein Kinase and Phosphatidylinositol 3-Kinase/Akt Signaling Pathways. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 314, 522-532.	1.3	177
183	Up-Regulation of Endothelial Nitric-Oxide Synthase by Endothelium-Derived Hyperpolarizing Factor Involves Mitogen-Activated Protein Kinase and Protein Kinase C Signaling Pathways. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 307, 753-764.	1.3	85
184	Gene Therapy With Human Tissue Kallikrein Reduces Hypertension and Hyperinsulinemia in Fructose-Induced Hypertensive Rats. <i>Hypertension</i> , 2003, 42, 1026-1033.	1.3	55
185	Insights Into Platelet-Derived MicroRNAs in Cardiovascular and Oncologic Diseases: Potential Predictor and Therapeutic Target. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	4