Lipika Goyal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7074516/publications.pdf

Version: 2024-02-01

131	7,793	38	83
papers	citations	h-index	g-index
135	135	135	8905
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Ivosidenib in IDH1-mutant, chemotherapy-refractory cholangiocarcinoma (ClarIDHy): a multicentre, randomised, double-blind, placebo-controlled, phase 3 study. Lancet Oncology, The, 2020, 21, 796-807.	10.7	620
2	Phase II Study of BGJ398 in Patients With FGFR-Altered Advanced Cholangiocarcinoma. Journal of Clinical Oncology, 2018, 36, 276-282.	1.6	524
3	Hepatobiliary Cancers, Version 2.2021, NCCN Clinical Practice Guidelines in Oncology. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, 19, 541-565.	4.9	477
4	Total Neoadjuvant Therapy With FOLFIRINOX Followed by Individualized Chemoradiotherapy for Borderline Resectable Pancreatic Adenocarcinoma. JAMA Oncology, 2018, 4, 963.	7.1	426
5	New Horizons for Precision Medicine in Biliary Tract Cancers. Cancer Discovery, 2017, 7, 943-962.	9.4	419
6	Polyclonal Secondary <i>FGFR2</i> Mutations Drive Acquired Resistance to FGFR Inhibition in Patients with FGFR2 Fusion–Positive Cholangiocarcinoma. Cancer Discovery, 2017, 7, 252-263.	9.4	384
7	Multi-Institutional Phase II Study of High-Dose Hypofractionated Proton Beam Therapy in Patients With Localized, Unresectable Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma. Journal of Clinical Oncology, 2016, 34, 460-468.	1.6	363
8	Liquid versus tissue biopsy for detecting acquired resistance and tumor heterogeneity in gastrointestinal cancers. Nature Medicine, 2019, 25, 1415-1421.	30.7	359
9	Total Neoadjuvant Therapy With FOLFIRINOX in Combination With Losartan Followed by Chemoradiotherapy for Locally Advanced Pancreatic Cancer. JAMA Oncology, 2019, 5, 1020.	7.1	353
10	Targeting the HGF/c-MET Pathway in Hepatocellular Carcinoma. Clinical Cancer Research, 2013, 19, 2310-2318.	7.0	276
11	TAS-120 Overcomes Resistance to ATP-Competitive FGFR Inhibitors in Patients with FGFR2 Fusion–Positive Intrahepatic Cholangiocarcinoma. Cancer Discovery, 2019, 9, 1064-1079.	9.4	254
12	Infigratinib (BGJ398) in previously treated patients with advanced or metastatic cholangiocarcinoma with FGFR2 fusions or rearrangements: mature results from a multicentre, open-label, single-arm, phase 2 study. The Lancet Gastroenterology and Hepatology, 2021, 6, 803-815.	8.1	205
13	Final Overall Survival Efficacy Results of Ivosidenib for Patients With Advanced Cholangiocarcinoma With <i>IDH1</i> Mutation. JAMA Oncology, 2021, 7, 1669.	7.1	194
14	PD-L1 and HLA Class I Antigen Expression and Clinical Course of the Disease in Intrahepatic Cholangiocarcinoma. Clinical Cancer Research, 2016, 22, 470-478.	7.0	168
15	Safety and activity of ivosidenib in patients with IDH1-mutant advanced cholangiocarcinoma: a phase 1 study. The Lancet Gastroenterology and Hepatology, 2019, 4, 711-720.	8.1	161
16	An RNA-based signature enables high specificity detection of circulating tumor cells in hepatocellular carcinoma. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 1123-1128.	7.1	133
17	Isocitrate Dehydrogenase Mutations Confer Dasatinib Hypersensitivity and SRC Dependence in Intrahepatic Cholangiocarcinoma. Cancer Discovery, 2016, 6, 727-739.	9.4	126
18	Futibatinib, an Irreversible FGFR1–4 Inhibitor, in Patients with Advanced Solid Tumors Harboring <i>FGF</i> /i>FGFRAberrations: A Phase I Dose-Expansion Study. Cancer Discovery, 2022, 12, 402-415.	9.4	119

#	Article	IF	Citations
19	Prognosis and Clinicopathologic Features of Patients With Advanced Stage Isocitrate Dehydrogenase (IDH) Mutant and IDH Wild-Type Intrahepatic Cholangiocarcinoma. Oncologist, 2015, 20, 1019-1027.	3.7	112
20	Radiation therapy enhances immunotherapy response in microsatellite stable colorectal and pancreatic adenocarcinoma in a phase II trial. Nature Cancer, 2021, 2, 1124-1135.	13.2	112
21	Protons versus Photons for Unresectable Hepatocellular Carcinoma: Liver Decompensation and Overall Survival. International Journal of Radiation Oncology Biology Physics, 2019, 105, 64-72.	0.8	99
22	A phase 2 and biomarker study of cabozantinib in patients with advanced cholangiocarcinoma. Cancer, 2017, 123, 1979-1988.	4.1	92
23	Regorafenib combined with PD1 blockade increases CD8 T-cell infiltration by inducing CXCL10 expression in hepatocellular carcinoma. , 2020, 8, e001435.		87
24	Targeting FGFR inhibition in cholangiocarcinoma. Cancer Treatment Reviews, 2021, 95, 102170.	7.7	85
25	Phase II Study of Proton-Based Stereotactic Body Radiation Therapy for Liver Metastases: Importance of Tumor Genotype. Journal of the National Cancer Institute, 2017, 109, .	6.3	82
26	The Ability to Diagnose Intrahepatic Cholangiocarcinoma Definitively Using Novel Branched DNA-Enhanced Albumin RNA In Situ Hybridization Technology. Annals of Surgical Oncology, 2016, 23, 290-296.	1.5	80
27	Final results from a phase II study of infigratinib (BGJ398), an FGFR-selective tyrosine kinase inhibitor, in patients with previously treated advanced cholangiocarcinoma harboring an <i>FGFR2</i> gene fusion or rearrangement Journal of Clinical Oncology, 2021, 39, 265-265.	1.6	70
28	Clinical pharmacokinetics and pharmacodynamics of ivosidenib, an oral, targeted inhibitor of mutant IDH1, in patients with advanced solid tumors. Investigational New Drugs, 2020, 38, 433-444.	2.6	69
29	Serial ctDNA Monitoring to Predict Response to Systemic Therapy in Metastatic Gastrointestinal Cancers. Clinical Cancer Research, 2020, 26, 1877-1885.	7.0	67
30	Safety and Efficacy of 70–150 μm and 100–300 μm Drug-Eluting Bead Transarterial Chemoembolization f Hepatocellular Carcinoma. Journal of Vascular and Interventional Radiology, 2015, 26, 516-522.	for 0.5	62
31	A Phase II and Biomarker Study of Sorafenib Combined with Modified FOLFOX in Patients with Advanced Hepatocellular Carcinoma. Clinical Cancer Research, 2019, 25, 80-89.	7.0	62
32	Infigratinib in patients with advanced cholangiocarcinoma with <i>FGFR2</i> gene fusions/translocations: the PROOF 301 trial. Future Oncology, 2020, 16, 2375-2384.	2.4	62
33	FOENIX-CCA2: A phase II, open-label, multicenter study of futibatinib in patients (pts) with intrahepatic cholangiocarcinoma (iCCA) harboring <i>FGFR2</i> gene fusions or other rearrangements Journal of Clinical Oncology, 2020, 38, 108-108.	1.6	61
34	Multicenter randomized phase II trial of atezolizumab with or without cobimetinib in biliary tract cancers. Journal of Clinical Investigation, 2021, 131, .	8.2	56
35	Mutant IDH Inhibits IFNγ–TET2 Signaling to Promote Immunoevasion and Tumor Maintenance in Cholangiocarcinoma. Cancer Discovery, 2022, 12, 812-835.	9.4	55
36	<i>FGFR2</i> Extracellular Domain In-Frame Deletions Are Therapeutically Targetable Genomic Alterations That Function as Oncogenic Drivers in Cholangiocarcinoma. Cancer Discovery, 2021, 11, 2488-2505.	9.4	46

#	Article	IF	Citations
37	Y-90 Radioembolization Combined with a PD-1 Inhibitor for Advanced Hepatocellular Carcinoma. CardioVascular and Interventional Radiology, 2018, 41, 1799-1802.	2.0	45
38	Society for Immunotherapy of Cancer (SITC) clinical practice guideline on immunotherapy for the treatment of hepatocellular carcinoma., 2021, 9, e002794.		43
39	Profiling of 3,634 cholangiocarcinomas (CCA) to identify genomic alterations (GA), tumor mutational burden (TMB), and genomic loss of heterozygosity (gLOH) Journal of Clinical Oncology, 2019, 37, 4087-4087.	1.6	42
40	A phase I and pharmacokinetic study of ganetespib (STA-9090) in advanced hepatocellular carcinoma. Investigational New Drugs, 2015, 33, 128-137.	2.6	40
41	Phase I and Biomarker Study of the Wnt Pathway Modulator DKN-01 in Combination with Gemcitabine/Cisplatin in Advanced Biliary Tract Cancer. Clinical Cancer Research, 2020, 26, 6158-6167.	7.0	37
42	Cell-free DNA captures tumor heterogeneity and driver alterations in rapid autopsies with pre-treated metastatic cancer. Nature Communications, 2021, 12, 3199.	12.8	33
43	EGFR Inhibition Potentiates FGFR Inhibitor Therapy and Overcomes Resistance in FGFR2 Fusion–Positive Cholangiocarcinoma. Cancer Discovery, 2022, 12, 1378-1395.	9.4	33
44	Updated results of the FOENIX-CCA2 trial: Efficacy and safety of futibatinib in intrahepatic cholangiocarcinoma (iCCA) harboring <i>FGFR2</i> fusions/rearrangements Journal of Clinical Oncology, 2022, 40, 4009-4009.	1.6	33
45	Management implications of fluorodeoxyglucose positron emission tomography/magnetic resonance in untreated intrahepatic cholangiocarcinoma. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 1871-1884.	6.4	32
46	The Role of Immunotherapy in Hepatocellular Carcinoma: A Systematic Review and Pooled Analysis of 2,402 Patients. Oncologist, 2021, 26, e1036-e1049.	3.7	30
47	Circulating Tumor DNA Predicts Pathologic and Clinical Outcomes Following Neoadjuvant Chemoradiation and Surgery for Patients With Locally Advanced Rectal Cancer. JCO Precision Oncology, 2021, 5, 123-132.	3.0	30
48	Reverse Transcriptase Inhibition Disrupts Repeat Element Life Cycle in Colorectal Cancer. Cancer Discovery, 2022, 12, 1462-1481.	9.4	30
49	Hypofractionated Radiation Therapy for Unresectable/Locally Recurrent Intrahepatic Cholangiocarcinoma. Annals of Surgical Oncology, 2020, 27, 1122-1129.	1.5	29
50	Abstract CT010: Primary results of phase 2 FOENIX-CCA2: The irreversible FGFR1-4 inhibitor futibatinib in intrahepatic cholangiocarcinoma (iCCA) with FGFR2 fusions/rearrangements. Cancer Research, 2021, 81, CT010-CT010.	0.9	28
51	Final results from the phase I study expansion cohort of the selective FGFR inhibitor Debio 1,347 in patients with solid tumors harboring an FGFR gene fusion Journal of Clinical Oncology, 2020, 38, 3603-3603.	1.6	23
52	Primary tumor sidedness is an independent prognostic marker for survival in metastatic colorectal cancer: Results from a large retrospective cohort with mutational analysis. Cancer Medicine, 2018, 7, 2934-2942.	2.8	21
53	FUZE clinical trial: a phase 2 study of Debio 1347 in FGFR fusion-positive advanced solid tumors irrespectively of tumor histology Journal of Clinical Oncology, 2019, 37, TPS3157-TPS3157.	1.6	18
54	Liver reirradiation for patients with hepatocellular carcinoma and liver metastasis. Practical Radiation Oncology, 2018, 8, 414-421.	2.1	17

#	Article	IF	Citations
55	NUC-1031/cisplatin versus gemcitabine/cisplatin in untreated locally advanced/metastatic biliary tract cancer (NuTide:121). Future Oncology, 2020, 16, 1069-1081.	2.4	15
56	FOLFOX plus zivâ€aflibercept or placebo in firstâ€line metastatic esophagogastric adenocarcinoma: A doubleâ€blind, randomized, multicenter phase 2 trial. Cancer, 2019, 125, 2213-2221.	4.1	14
57	Cholangiolar pattern and albumin in situ hybridisation enable a diagnosis of intrahepatic cholangiocarcinoma. Journal of Clinical Pathology, 2020, 73, 23-29.	2.0	14
58	Molecular and morphological changes induced by ivosidenib correlate with efficacy in mutant- $\langle i \rangle$ IDH1 $\langle j \rangle$ cholangiocarcinoma. Future Oncology, 2021, 17, 2057-2074.	2.4	14
59	A phase 2 clinical trial of the heat shock protein 90 (HSP 90) inhibitor ganetespib in patients with refractory advanced esophagogastric cancer. Investigational New Drugs, 2020, 38, 1533-1539.	2.6	13
60	Pancreatic acinar cell carcinoma: A multi-center series on clinical characteristics and treatment outcomes. Pancreatology, 2021, 21, 1119-1126.	1.1	13
61	TGF-B1 inhibition with losartan in combination with FOLFIRINOX (F-NOX) in locally advanced pancreatic cancer (LAPC): Preliminary feasibility and R0 resection rates from a prospective phase II study Journal of Clinical Oncology, 2017, 35, 386-386.	1.6	13
62	Intra-pancreatic Distal Bile Duct Carcinoma is Morphologically, Genetically, and Clinically Distinct from Pancreatic Ductal Adenocarcinoma. Journal of Gastrointestinal Surgery, 2016, 20, 953-959.	1.7	12
63	First-in-human study of highly selective FGFR2 inhibitor, RLY-4008, in patients with intrahepatic cholangiocarcinoma and other advanced solid tumors Journal of Clinical Oncology, 2021, 39, TPS4165-TPS4165.	1.6	11
64	A pilot study of durvalumab/tremelimumab (durva/treme) and radiation (XRT) for metastatic biliary tract cancer (mBTC): Preliminary safety and efficacy Journal of Clinical Oncology, 2020, 38, 547-547.	1.6	10
65	Treatment of Gemcitabine-Induced Thrombotic Microangiopathy Followed by Gemcitabine Rechallenge With Eculizumab. Kidney International Reports, 2021, 6, 1464-1468.	0.8	9
66	A phase II trial of cabozantinib (XL-184) in patients with advanced cholangiocarcinoma Journal of Clinical Oncology, 2015, 33, 800-800.	1.6	9
67	Potentially curative combination of TGF-b1 inhibitor losartan and FOLFIRINOX (FFX) for locally advanced pancreatic cancer (LAPC): R0 resection rates and preliminary survival data from a prospective phase II study Journal of Clinical Oncology, 2018, 36, 4116-4116.	1.6	9
68	Evolving Landscape of Systemic Therapy for Hepatocellular Carcinoma: Breakthroughs, Toxicities, and Future Frontiers. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2019, 39, 248-260.	3.8	8
69	Associations of baseline patientâ€reported outcomes with treatment outcomes in advanced gastrointestinal cancer. Cancer, 2021, 127, 619-627.	4.1	7
70	Overcoming Resistance to Targeted Therapies in Gastrointestinal Cancers: Progress to Date and Progress to Come. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2020, 40, 161-173.	3.8	7
71	Phase Ib study of neoadjuvant chemoradiation (CRT) with midostaurin, 5-fluorouracil (5-FU) and radiation (XRT) for locally advanced rectal cancer: Sensitization of RAS mutant tumors Journal of Clinical Oncology, 2018, 36, e15674-e15674.	1.6	7
72	Using circulating tumor DNA (ctDNA) to predict surgical outcome after neoadjuvant chemoradiation for locally advanced pancreatic cancer (LAPC) Journal of Clinical Oncology, 2018, 36, 272-272.	1.6	7

#	Article	IF	CITATIONS
73	Randomized trial of a hospice video educational tool for patients with advanced cancer and their caregivers. Cancer, 2020, 126, 3569-3578.	4.1	6
74	Mismatch repair protein loss and microsatellite instability in cholangiocarcinoma Journal of Clinical Oncology, 2014, 32, 237-237.	1.6	6
75	Phase I study of DKN-01, an anti-DKK1 antibody, in combination with gemcitabine (G) and cisplatin (C) in patients (pts) with advanced biliary cancer Journal of Clinical Oncology, 2016, 34, e15603-e15603.	1.6	6
76	FOENIX-101: A phase II trial of TAS-120 in patients with intrahepatic cholangiocarcinoma harboring <i>FGFR2</i> gene rearrangements Journal of Clinical Oncology, 2019, 37, TPS468-TPS468.	1.6	6
77	PROOF 301: A multicenter, open-label, randomized, phase 3 trial of infigratinib versus gemcitabine plus cisplatin in patients with advanced cholangiocarcinoma with an <i>FGFR2</i> gene fusion/rearrangement Journal of Clinical Oncology, 2022, 40, TPS4171-TPS4171.	1.6	6
78	Clinical and molecular features of patients with cholangiocarcinoma harboring FGFR genetic alterations Journal of Clinical Oncology, 2019, 37, 4084-4084.	1.6	5
79	A retrospective analysis of post second-line chemotherapy treatment outcomes for patients with advanced or metastatic cholangiocarcinoma and FGFR2 fusions Journal of Clinical Oncology, 2020, 38, 4591-4591.	1.6	5
80	Patterns of Failure and the Need for Biliary Intervention in Resected Biliary Tract Cancers After Chemoradiation. Annals of Surgical Oncology, 2020, 27, 5161-5172.	1.5	4
81	Targets for therapy in biliary tract cancers: the new horizon of personalized medicine. Chinese Clinical Oncology, 2020, 9, 7-7.	1.2	4
82	FOENIX-CCA2 quality of life data for futibatinib-treated intrahepatic cholangiocarcinoma (iCCA) patients with <i>FGFR2</i> fusions/rearrangements Journal of Clinical Oncology, 2021, 39, 4097-4097.	1.6	4
83	Phase Ib study of gemcitabine, nab-paclitaxel, and ficlatuzumab in patients with advanced pancreatic cancer Journal of Clinical Oncology, 2020, 38, 693-693.	1.6	4
84	Integration of Systemic and Liver-Directed Therapies for Locally Advanced Hepatocellular Cancer: Harnessing Potential Synergy for New Therapeutic Horizons. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, 19, 567-576.	4.9	4
85	Phase III study of NUC-1031 + cisplatin vs gemcitabine + cisplatin for first-line treatment of patients with advanced biliary tract cancer (NuTide:121) Journal of Clinical Oncology, 2021, 39, TPS351-TPS351.	1.6	3
86	A phase II study of atezolizumab (ATEZO) and bevacizumab (Bev) in combination with Y90 TARE in patients (Pts) with hepatocellular carcinoma (HCC) Journal of Clinical Oncology, 2021, 39, TPS358-TPS358.	1.6	3
87	Effect of molecular genotyping to predict outcomes in patients with metastatic pancreatic cancer Journal of Clinical Oncology, 2014, 32, 4128-4128.	1.6	3
88	Gemcitabine (G) + nab-paclitaxel (nab-P) versus G in patients (pts) with advanced pancreatic cancer (PDAC) after FOLFIRINOX: A single center, retrospective review Journal of Clinical Oncology, 2016, 34, 348-348.	1.6	3
89	A phase lb/II study of olutasidenib in patients with relapsed/refractory IDH1 mutant solid tumors: Safety and efficacy as single agent Journal of Clinical Oncology, 2020, 38, e16643-e16643.	1.6	3
90	Clinical and genomic factors associated with outcome following ablative radiotherapy for oligometastatic and oligoprogressive liver tumors Journal of Clinical Oncology, 2020, 38, 515-515.	1.6	3

#	Article	IF	Citations
91	Chemotherapy and antiangiogenics in biliary tract cancer. Lancet Oncology, The, 2015, 16, 882-883.	10.7	2
92	Another Treatment Option for Advanced Hepatocellular Carcinoma With Portal Vein Thrombosis in China. JAMA Oncology, 2019, 5, 938.	7.1	2
93	The Tipping Point: Key Oncologic Imaging Findings Resulting in Critical Changes in the Management of Malignant Tumors of the Gastrointestinal Tract. Current Problems in Diagnostic Radiology, 2019, 48, 61-74.	1.4	2
94	Palliative External Beam Radiation Therapy for Hepatocellular Carcinoma With Right Atrial Tumor Thrombus. Practical Radiation Oncology, 2020, 10, e183-e187.	2.1	2
95	Case 8-2021: A 34-Year-Old Woman with Cholangiocarcinoma. New England Journal of Medicine, 2021, 384, 1054-1064.	27.0	2
96	Using circulating tumor DNA (ctDNA) to predict surgical outcome and postoperative recurrence following neoadjuvant chemoradiation (CRT) for borderline resectable/locally advanced rectal cancer (LARC) Journal of Clinical Oncology, 2019, 37, 562-562.	1.6	2
97	Combining systemic and local therapies for hepatocellular carcinoma. The Lancet Gastroenterology and Hepatology, 2021, 6, 976-978.	8.1	2
98	Dose intensity of neoadjuvant FOLFIRINOX (FFX) in borderline and locally advanced pancreatic cancer (LAPC): A comparison to the adjuvant benchmark Journal of Clinical Oncology, 2019, 37, 392-392.	1.6	2
99	Aggressiveness of care and overall survival in young metastatic colorectal cancer patients Journal of Clinical Oncology, 2019, 37, 3563-3563.	1.6	2
100	NUC-1031 in combination with cisplatin for first-line treatment of patients with advanced biliary tract cancer (NuTide:121) Journal of Clinical Oncology, 2020, 38, TPS602-TPS602.	1.6	2
101	Phase II study of lamivudine in p53 mutant metastatic colorectal cancer (mCRC) Journal of Clinical Oncology, 2020, 38, 149-149.	1.6	2
102	Clinical and mutational profile of ARID1A-mutated gastrointestinal cancers: Duration of response to platinum-based chemotherapy Journal of Clinical Oncology, 2021, 39, e15611-e15611.	1.6	1
103	Phase III study of NUC-1031 + cisplatin versus gemcitabine + cisplatin for first-line treatment of patients with advanced biliary tract cancer (NuTide:121) Journal of Clinical Oncology, 2021, 39, TPS4164-TPS4164.	1.6	1
104	P024â€KEYNOTE-937 trial in progress: adjuvant pembrolizumab for hepatocellular carcinoma and complete radiologic response after surgical resection or local ablation. , 2021, , .		1
105	A comparative study of circulating biomarkers of anti-VEGF therapy in phase II trials in advanced hepatocellular carcinoma (HCC) patients (pts) Journal of Clinical Oncology, 2014, 32, 2543-2543.	1.6	1
106	FOLFIRINOX (F-NOX) followed by individualized radiation for borderline-resectable pancreatic cancer: Preliminary toxicity and RO resection rates from a prospective phase II study Journal of Clinical Oncology, 2017, 35, 368-368.	1.6	1
107	Changes in alpha-fetoprotein (AFP) and systemic therapy outcomes in advanced hepatocellular carcinoma (HCC): A multicenter retrospective analysis Journal of Clinical Oncology, 2019, 37, 346-346.	1.6	1
108	Hypofractionated radiation therapy for unresectable/locally recurrent intrahepatic cholangiocarcinoma Journal of Clinical Oncology, 2019, 37, 412-412.	1.6	1

#	Article	IF	CITATIONS
109	Therapeutic targeting of extracellular FGFR2 activating deletions in intrahepatic cholangiocarcinoma Journal of Clinical Oncology, 2020, 38, 567-567.	1.6	1
110	A phase I study of ganetespib in advanced hepatocellular carcinoma (HCC) Journal of Clinical Oncology, 2013, 31, 259-259.	1.6	1
111	External beam radiotherapy for hepatocellular carcinoma with right atrium tumor thrombus Journal of Clinical Oncology, 2019, 37, 328-328.	1.6	1
112	Circulating free DNA (cfDNA) and tissue next-generation sequencing analysis in a phase II study of infigratinib (BGJ398) for cholangiocarcinoma with FGFR2 fusions Journal of Clinical Oncology, 2020, 38, 579-579.	1.6	1
113	A multicenter, observational, phase 4 study (STELLAR) to evaluate the safety and tolerability of lenvatinib (LEN) in patients with advanced or unresectable hepatocellular carcinoma (uHCC) Journal of Clinical Oncology, 2022, 40, TPS485-TPS485.	1.6	1
114	Bridging the Gap Between Sorafinib Efficacy and Effectiveness in Advanced Hepatocellular Carcinoma. Oncologist, 2016, 21, 1283-1285.	3.7	0
115	Patterns of Care and Outcomes of Definitive External Beam Radiotherapy and Radioembolization for Localized Hepatocellular Carcinoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 2019, 42, 564-572.	1.3	0
116	Changes in patient-reported outcomes (PROs) and tumor markers (TMs) to predict treatment response and survival outcomes in patients with metastatic gastrointestinal (GI) cancer Journal of Clinical Oncology, 2021, 39, 6560-6560.	1.6	0
117	Pancreatic acinar cell carcinoma: A multi-center series on clinical characteristics and treatment outcomes Journal of Clinical Oncology, 2021, 39, e16253-e16253.	1.6	0
118	Paving a pathway for drug development in HER2-positive biliary tract cancer. Lancet Oncology, The, 2021, 22, 1204-1206.	10.7	0
119	Changes in patient-reported outcomes (PROs) and tumor markers (TMs) to predict treatment response and survival in patients with metastatic gastrointestinal (GI) cancer Journal of Clinical Oncology, 2021, 39, 154-154.	1.6	0
120	A phase I study ofÂDENSPM (N1, N11-diethylnorspermine) in patients with advanced hepatocellular carcinoma (HCC) Journal of Clinical Oncology, 2013, 31, 260-260.	1.6	0
121	Effect of baseline characteristics, including antihypertensive therapy, on survival and hypertension during treatment with vascular endothelial growth factor (VEGF) signaling pathway inhibitors (VSP-ls) Journal of Clinical Oncology, 2014, 32, 9639-9639.	1.6	0
122	A phase II trial of cabozantinib in patients with carcinoid and pancreatic neuroendocrine tumors Journal of Clinical Oncology, 2014, 32, TPS4157-TPS4157.	1.6	0
123	Preoperative chemoradiotherapy versus postoperative chemoradiotherapy for local advanced gastric or Siewert II/III GEJ cancer: A retrospective analysis Journal of Clinical Oncology, 2018, 36, 115-115.	1.6	0
124	Frequency and feasibility of detecting FGFR mRNA expression in archival samples of patients with cholangiocarcinoma (CCA) Journal of Clinical Oncology, 2019, 37, 281-281.	1.6	0
125	Patterns of care and outcomes of definitive external beam radiotherapy and radioembolization for localized hepatocellular carcinoma: A propensity score-adjusted analysis Journal of Clinical Oncology, 2019, 37, 329-329.	1.6	0
126	The role of circulating tumor DNA (ctDNA), tumor markers (TMs), and patient-reported outcomes (PROs) in predicting treatment response in patients with metastatic gastrointestinal (GI) cancer Journal of Clinical Oncology, 2020, 38, 833-833.	1.6	0

#	Article	IF	CITATIONS
127	Comparing clinicopathologic feature and treatment outcome of patients who underwent surgical resection or liver transplant for nonalcoholic fatty liver disease (NAFLD)-related and non-NAFLD related hepatocellular carcinoma (HCC) Journal of Clinical Oncology, 2020, 38, e16675-e16675.	1.6	O
128	Comparison of the clinical features, treatment patterns, and tumor mutations of patients with intrahepatic (ICC) and extrahepatic (ECC) cholangiocarcinoma Journal of Clinical Oncology, 2020, 38, 580-580.	1.6	0
129	Use of patient-reported outcomes (PROs) to predict treatment outcomes in patients with advanced cancer Journal of Clinical Oncology, 2020, 38, 186-186.	1.6	O
130	Changes in Functional Assessment of Cancer Therapy: General (FACT-G) to predict treatment response and survival outcomes in patients with metastatic gastrointestinal (GI) cancer Journal of Clinical Oncology, 2022, 40, 6570-6570.	1.6	0
131	Design and rationale of a first-in-human (FIH) phase 1/1b study evaluating KIN-3248, a next-generation, irreversible (irrev), pan-FGFR inhibitor (FGFRi), in adult patients with solid tumors harboring FGFR2 and/or FGFR3 gene alterations (NCT05242822) Journal of Clinical Oncology, 2022, 40, TPS9601-TPS9601.	1.6	0