

# Armando D'angelo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7112663/publications.pdf>

Version: 2024-02-01

149  
papers

9,608  
citations

46918

47  
h-index

38300

95  
g-index

155  
all docs

155  
docs citations

155  
times ranked

10001  
citing authors

#	ARTICLE	IF	CITATIONS
1	Thromboembolism risk among patients with diabetes/stress hyperglycemia and COVID-19. <i>Metabolism: Clinical and Experimental</i> , 2021, 123, 154845.	1.5	22
2	Bleeding in patients with continuous-flow left ventricular assist devices: acquired von Willebrand disease or antithrombotics?. <i>European Journal of Cardio-thoracic Surgery</i> , 2021, , .	0.6	4
3	Educational Impact on Apixaban Adherence in Atrial Fibrillation (the AEGEAN STUDY): A Randomized Clinical Trial. <i>American Journal of Cardiovascular Drugs</i> , 2020, 20, 61-71.	1.0	22
4	Influence of Different Antithrombotic Regimens on Platelet-Mediated Thrombin Generation in Patients with Left Ventricular Assist Devices. <i>ASAIO Journal</i> , 2020, 66, 415-422.	0.9	16
5	Epidural Catheter Use and Further Issues in Patients With Atrial Fibrillation Receiving a Direct Oral Anticoagulant. <i>JAMA Internal Medicine</i> , 2020, 180, 332.	2.6	1
6	Lentiviral gene therapy corrects platelet phenotype and function in patients with Wiskott-Aldrich syndrome. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 825-838.	1.5	50
7	Missense changes in the catalytic domain of coagulation factor X account for minimal function preventing a perinatal lethal condition. <i>Haemophilia</i> , 2019, 25, 685-692.	1.0	10
8	May restricted specificity of commercially available plasmin inhibitor activity assays affect correct diagnosis of antiplasmin deficiency?. <i>Blood Coagulation and Fibrinolysis</i> , 2019, 30, 52-53.	0.5	3
9	Acquired haemophilia A as a secondary autoimmune disease after alemtuzumab treatment in multiple sclerosis: A case report. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 27, 403-405.	0.9	18
10	A novel allele variant of the SERPINF2 gene responsible for severe plasmin inhibitor ( $\hat{\pm}$ 2 -antiplasmin) deficiency in an Italian patient. <i>Thrombosis Research</i> , 2018, 166, 60-62.	0.8	6
11	Which Antiplatelet Therapy in Patients With Left Ventricular Assist Device and Aspirin Allergy?. <i>Annals of Thoracic Surgery</i> , 2018, 105, e47-e49.	0.7	2
12	Major adverse cardiovascular events in non-valvular atrial fibrillation with chronic obstructive pulmonary disease: the ARAPACIS study. <i>Internal and Emergency Medicine</i> , 2018, 13, 651-660.	1.0	29
13	Eculizumab in a pregnant patient with laboratory onset of catastrophic antiphospholipid syndrome. <i>Medicine (United States)</i> , 2018, 97, e12584.	0.4	28
14	Validation of the STA-Liatest DDi assay for exclusion of proximal deep vein thrombosis according to the latest Clinical and Laboratory Standards Institute/Food and Drug Administration guideline. <i>Blood Coagulation and Fibrinolysis</i> , 2018, 29, 562-566.	0.5	5
15	Platelet microparticles sustain autophagy-associated activation of neutrophils in systemic sclerosis. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	118
16	Carotid plaque detection improves the predictive value of CHA2DS2-VASc score in patients with non-valvular atrial fibrillation: The ARAPACIS Study. <i>International Journal of Cardiology</i> , 2017, 231, 143-149.	0.8	22
17	Low molecular weight heparins prevent the induction of autophagy of activated neutrophils and the formation of neutrophil extracellular traps. <i>Pharmacological Research</i> , 2017, 123, 146-156.	3.1	77
18	Italian intersociety consensus on DOAC use in internal medicine. <i>Internal and Emergency Medicine</i> , 2017, 12, 387-406.	1.0	44

#	ARTICLE	IF	CITATIONS
19	Validation of STA-Liatest D-Di assay for exclusion of pulmonary embolism according to the latest Clinical and Laboratory Standard Institute/Food and Drug Administration guideline. Results of a multicenter management study. <i>Blood Coagulation and Fibrinolysis</i> , 2017, 28, 254-260.	0.5	18
20	Low-grade endotoxemia and clotting activation in the early phase of pneumonia. <i>Respirology</i> , 2016, 21, 1465-1471.	1.3	29
21	Supportive management strategies for disseminated intravascular coagulation. <i>Thrombosis and Haemostasis</i> , 2016, 115, 896-904.	1.8	65
22	Impaired dynamics of clot formation and hypofibrinolysis in severe sepsis are coexisting and strictly related. <i>Intensive Care Medicine</i> , 2016, 42, 622-623.	3.9	1
23	High dose antithrombin supplementation in early preeclampsia: A randomized, double blind, placebo-controlled study. <i>Thrombosis Research</i> , 2016, 140, 7-13.	0.8	13
24	The management of acute venous thromboembolism in clinical practice – study rationale and protocol of the European PREFER in VTE Registry. <i>Thrombosis Journal</i> , 2015, 13, 41.	0.9	40
25	Assessment of Fibrinolysis in Sepsis Patients with Urokinase Modified Thromboelastography. <i>PLoS ONE</i> , 2015, 10, e0136463.	1.1	62
26	Liver-directed lentiviral gene therapy in a dog model of hemophilia B. <i>Science Translational Medicine</i> , 2015, 7, 277ra28.	5.8	118
27	Oral direct thrombin inhibition: a double-edged sword?. <i>Heart, Lung and Vessels</i> , 2015, 7, 191-7.	0.4	2
28	Evidence and Clinical Judgment: Vena cava filters. <i>Thrombosis and Haemostasis</i> , 2014, 111, 618-624.	1.8	12
29	Islet Transplantation Stabilizes Hemostatic Abnormalities and Cerebral Metabolism in Individuals With Type 1 Diabetes. <i>Diabetes Care</i> , 2014, 37, 267-276.	4.3	39
30	Activated platelets present high mobility group box 1 to neutrophils, inducing autophagy and promoting the extrusion of neutrophil extracellular traps. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 2074-2088.	1.9	426
31	A Case of Branch Retinal Artery Occlusion following Orbital Cavernous Hemangioma Excision. <i>European Journal of Ophthalmology</i> , 2014, 24, 972-975.	0.7	2
32	Liver gene therapy by lentiviral vectors reverses anti-factor IX pre-existing immunity in haemophilic mice. <i>EMBO Molecular Medicine</i> , 2013, 5, 1684-1697.	3.3	55
33	Evaluation of the prevalence of severe hyperhomocysteinemia in adult patients with thrombosis who underwent screening for thrombophilia. <i>Thrombosis Research</i> , 2013, 132, 681-684.	0.8	16
34	Vitreomacular traction syndrome: a comparison of treatment with intravitreal plasmin enzyme vs spontaneous vitreous separation without treatment. <i>Eye</i> , 2013, 27, 22-27.	1.1	15
35	Artificially depleted plasmas are not necessarily commutable with native patient plasmas for International Sensitivity Index calibration and International Normalized Ratio derivation: a rebuttal. <i>Journal of Thrombosis and Haemostasis</i> , 2012, 10, 1715-1716.	1.9	0
36	Diagnosis and treatment of disseminated intravascular coagulation: Guidelines of the Italian Society for Haemostasis and Thrombosis (SISET). <i>Thrombosis Research</i> , 2012, 129, e177-e184.	0.8	119

#	ARTICLE	IF	CITATIONS
37	Urinary excretion of iPF2 $\hat{I}$ -III predicts the risk of future thrombotic events. A 10-year follow-up. <i>Thrombosis Research</i> , 2012, 129, 208-211.	0.8	7
38	The protein C pathway and sepsis. <i>Thrombosis Research</i> , 2012, 129, 296-300.	0.8	27
39	The Siset incorrectly cited the JAAM DIC scoring system. <i>Thrombosis Research</i> , 2012, 129, 661.	0.8	0
40	Hyperfunctional coagulation factor IX improves the efficacy of gene therapy in hemophilic mice. <i>Blood</i> , 2012, 120, 4517-4520.	0.6	84
41	Use of INR calibrator plasmas in the routine coagulation laboratory: A study of two thrombolastin reagents. <i>Thrombosis Research</i> , 2012, 130, e158-e162.	0.8	2
42	An Intense and Short-Lasting Burst of Neutrophil Activation Differentiates Early Acute Myocardial Infarction from Systemic Inflammatory Syndromes. <i>PLoS ONE</i> , 2012, 7, e39484.	1.1	52
43	Genotype-independent in vivo oxidative stress following a methionine loading test: Maximal platelet activation in subjects with early-onset thrombosis. <i>Thrombosis Research</i> , 2011, 128, e43-e48.	0.8	14
44	Hemostasis, Bleeding, Blood- sparing Strategies, and Allogeneic Transfusions in Thoraco-Abdominal Aortic Aneurysm Surgery. , 2011, , 287-297.		0
45	PROTEIN C CONCENTRATE AS ADJUVANT TREATMENT IN NEONATES WITH SEPSIS-INDUCED COAGULOPATHY. <i>Shock</i> , 2010, 34, 341-345.	1.0	17
46	Treatment of heparin-induced thrombocytopenia after cardiac surgery: Preliminary experience with fondaparinux. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 139, 790-792.	0.4	31
47	Poor vitamin B6 status: A novel potential thrombotic factor in chronic obstructive pulmonary disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 20, e17-e18.	1.1	1
48	Membrane binding and anticoagulant properties of protein S natural variants. <i>Thrombosis Research</i> , 2010, 125, e33-e39.	0.8	9
49	Tranexamic acid for trauma. <i>Lancet, The</i> , 2010, 376, 1049-1050.	6.3	12
50	Telomere Length in Peripheral Blood Mononuclear Cells Is Associated with Folate Status in Men ., <i>Journal of Nutrition</i> , 2009, 139, 1273-1278.	1.3	66
51	Human protein C zymogen concentrate in patients with severe sepsis and multiple organ failure after adult cardiac surgery. <i>Intensive Care Medicine</i> , 2009, 35, 1959-1963.	3.9	22
52	Screening for thrombophilia and antithrombotic prophylaxis in pregnancy: Guidelines of the Italian Society for Haemostasis and Thrombosis (Siset). <i>Thrombosis Research</i> , 2009, 124, e19-e25.	0.8	48
53	Hyperhomocysteinaemia and poor vitamin B status in chronic obstructive pulmonary disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 654-659.	1.1	39
54	Thrombotic microangiopathy in pregnancy. <i>Thrombosis Research</i> , 2009, 123, S56-S62.	0.8	17

#	ARTICLE	IF	CITATIONS
55	Complex Cardiac Surgery in Jehovah's Witnesses With Chronic Renal Failure. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 453-454.	0.6	2
56	Safety of aprotinin (again). <i>Lancet, The</i> , 2008, 372, 27.	6.3	3
57	Protein S deficiency. <i>Haematologica</i> , 2008, 93, 498-501.	1.7	14
58	Perioperative management of four anaemic female Jehovah's Witnesses undergoing urgent complex cardiac surgery. <i>British Journal of Anaesthesia</i> , 2007, 99, 349-352.	1.5	14
59	A microRNA-regulated lentiviral vector mediates stable correction of hemophilia B mice. <i>Blood</i> , 2007, 110, 4144-4152.	0.6	246
60	Thrombosis after Hypothermic Circulatory Arrest for Cardiovascular Surgery, Antifibrinolytic Drugs, and Thrombophilia. <i>Anesthesiology</i> , 2007, 106, 874-874.	1.3	3
61	Phosphorylcholine Coating May Limit Thrombin Formation During High-Risk Cardiac Surgery: A Randomized Controlled Trial. <i>Annals of Thoracic Surgery</i> , 2006, 81, 886-891.	0.7	42
62	Disappearance of anti-PF4/heparin antibodies under prolonged fondaparinux administration in a patient with DVT associated with LMWH-induced thrombocytopenia. <i>Thrombosis and Haemostasis</i> , 2006, 95, 573-575.	1.8	17
63	MODERATE HYPERHOMOCYSTEINEMIA AND EARLY-ONSET CENTRAL RETINAL VEIN OCCLUSION. <i>Retina</i> , 2006, 26, 65-70.	1.0	43
64	Perioperative Management of a Heterozygous Carrier of Glanzmann's Thrombasthenia Submitted to Coronary Artery Bypass Grafting With Cardiopulmonary Bypass. <i>Anesthesia and Analgesia</i> , 2006, 103, 309-311.	1.1	7
65	Aprotinin and renal risk in cardiac surgery. <i>Transfusion</i> , 2006, 46, 2207-2207.	0.8	2
66	Molecular bases of type II protein S deficiency: the I203-D204 deletion in the EGF4 domain alters GLA domain function. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 186-191.	1.9	12
67	Low ankle-brachial index predicts an adverse 1-year outcome after acute coronary and cerebrovascular events. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 2599-2606.	1.9	113
68	About the activation of the coagulation system during on-pump and off-pump coronary surgery and the use of antifibrinolytic drugs. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006, 132, 733-734.	0.4	2
69	A randomized clinical trial of high-intensity warfarin vs. conventional antithrombotic therapy for the prevention of recurrent thrombosis in patients with the antiphospholipid syndrome (WAPS)1. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 848-853.	1.9	534
70	Morphological and functional differences in haemostatic axis between kidney transplanted and end-stage renal disease patients. <i>Transplant International</i> , 2005, 18, 1036-1047.	0.8	4
71	Reduced in vivo oxidative stress following 5-methyltetrahydrofolate supplementation in patients with early-onset thrombosis and 677TT methylenetetrahydrofolate reductase genotype. <i>British Journal of Haematology</i> , 2005, 131, 100-108.	1.2	17
72	Intrasurgical Plasmin Enzyme in Diabetic Macular Edema. <i>American Journal of Ophthalmology</i> , 2005, 139, 949.	1.7	2

#	ARTICLE	IF	CITATIONS
73	Normalization of Multiple Hemostatic Abnormalities in Uremic Type 1 Diabetic Patients After Kidney-Pancreas Transplantation. <i>Diabetes</i> , 2004, 53, 2291-2300.	0.3	20
74	Tissue Factor and CCL2/Monocyte Chemoattractant Protein-1 Released by Human Islets Affect Islet Engraftment in Type 1 Diabetic Recipients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 5724-5728.	1.8	60
75	Intraoperative Moderate Acute Normovolemic Hemodilution Associated with a Comprehensive Blood-Sparing Protocol in Off-Pump Coronary Surgery. <i>Anesthesia and Analgesia</i> , 2004, 98, 1217-1223.	1.1	25
76	A novel long-acting synthetic factor Xa inhibitor (SanOrg34006) to replace warfarin for secondary prevention in deep vein thrombosis. A Phase II evaluation. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 47-53.	1.9	112
77	Effects of tranexamic acid on postoperative bleeding and related hematochemical variables in coronary surgery: Comparison between on-pump and off-pump techniques. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004, 128, 83-91.	0.4	80
78	Soluble CD154 plasma levels in patients with systemic lupus erythematosus: Modulation by antiphospholipid antibodies. <i>Arthritis and Rheumatism</i> , 2004, 50, 1693-1694.	6.7	15
79	Intrasurgical plasmin enzyme in diabetic macular edema. <i>American Journal of Ophthalmology</i> , 2004, 138, 560-566.	1.7	67
80	Gene-Gene and Gene-Environment Interactions in Mild Hyperhomocysteinemia. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2003, 33, 337-341.	0.5	17
81	Islet transplantation improves vascular diabetic complications in patients with diabetes who underwent kidney transplantation: a comparison between kidney-pancreas and kidney-alone transplantation <sup>1</sup> . <i>Transplantation</i> , 2003, 75, 1296-1301.	0.5	98
82	Plasma levels of endothelial protein C receptor respond to anticoagulant treatment. <i>Blood</i> , 2002, 99, 526-530.	0.6	60
83	No association between the MTHFR A1298C and transcobalamin C776G genetic polymorphisms and hyperhomocysteinemia in thrombotic disease. <i>Thrombosis Research</i> , 2002, 108, 127-131.	0.8	33
84	Moderate Hyperhomocysteinemia and Central Retinal Vein Occlusion. <i>Thrombosis and Haemostasis</i> , 2002, 87, 1078-1079.	1.8	7
85	Risk of Deep Vein Thrombosis Recurrence: High Negative Predictive Value of D-dimer Performed during Oral Anticoagulation. <i>Thrombosis and Haemostasis</i> , 2002, 88, 162-163.	1.8	34
86	Comment on "increased frequency of combined methylenetetrahydrofolate reductase C677T and A1298C mutated alleles in spontaneously aborted embryos" <sup>TM</sup> . <i>European Journal of Human Genetics</i> , 2002, 10, 578-579.	1.4	5
87	Reply to "MTHFR C677T and A1298C polymorphisms and mutated sequences occurring in cis" <sup>TM</sup> . <i>European Journal of Human Genetics</i> , 2002, 10, 579-582.	1.4	8
88	Relationship between international normalized ratio values, vitamin K-dependent clotting factor levels and in vivo prothrombin activation during the early and steady phases of oral anticoagulant treatment. <i>Haematologica</i> , 2002, 87, 1074-80.	1.7	30
89	Discrepant sensitivity of thromboplastin reagents to clotting factor levels explored by the prothrombin time in patients on stable oral anticoagulant treatment: impact on the international normalized ratio system. <i>Haematologica</i> , 2002, 87, 1265-73.	1.7	28
90	Tranexamic acid in off-pump coronary surgery: a preliminary, randomized, double-blind, placebo-controlled study. <i>Annals of Thoracic Surgery</i> , 2001, 72, 470-475.	0.7	55

#	ARTICLE	IF	CITATIONS
91	Activation of Coagulation and Fibrinolysis during Coronary Surgery. <i>Anesthesiology</i> , 2001, 95, 1103-1109.	1.3	119
92	The Role of Vitamin B12 in Fasting Hyperhomocysteinemia and Its Interaction with the Homozygous C677T Mutation of the Methylenetetrahydrofolate Reductase (MTHFR) Gene. <i>Thrombosis and Haemostasis</i> , 2000, 83, 563-570.	1.8	97
93	A Comparison of the Safety and Efficacy of Oral Anticoagulation for the Treatment of Venous Thromboembolic Disease in Patients with or without Malignancy. <i>Thrombosis and Haemostasis</i> , 2000, 84, 805-810.	1.8	208
94	Determination of Total Plasma Homocysteine: Comparison of a New Enzyme Immunoassay and a HPLC Method. <i>Thrombosis and Haemostasis</i> , 2000, 83, 968-969.	1.8	9
95	Contribution of the Cystathionine $\beta$ -Synthase Gene (844ins68) Polymorphism to the Risk of Early-onset Venous and Arterial Occlusive Disease and of Fasting Hyperhomocysteinemia. <i>Thrombosis and Haemostasis</i> , 2000, 84, 576-582.	1.8	54
96	Oral Anticoagulation Treatment in the Elderly. <i>Archives of Internal Medicine</i> , 2000, 160, 470.	4.3	119
97	Mild Hyperhomocysteinemia and Fibrinolytic Factors in Patients with History of Venous Thromboembolism. <i>Thrombosis Research</i> , 2000, 100, 271-278.	0.8	14
98	Determining sulfur-containing amino acids by capillary electrophoresis: A fast novel method for total homocyst(e)ine human plasma. <i>Electrophoresis</i> , 1999, 20, 569-574.	1.3	46
99	High Levels of Circulating Thrombomodulin in Human Foetuses and Children. <i>Thrombosis and Haemostasis</i> , 1999, 81, 906-909.	1.8	15
100	Antithrombin III (ATIII) replacement therapy in patients with sepsis and/or postsurgical complications: a controlled double-blind, randomized, multicenter study. <i>Intensive Care Medicine</i> , 1998, 24, 336-342.	3.9	241
101	High-performance liquid chromatographic method for measuring total plasma homocysteine levels. <i>Biomedical Applications</i> , 1998, 719, 31-36.	1.7	62
102	Enoxaparin plus Compression Stockings Compared with Compression Stockings Alone in the Prevention of Venous Thromboembolism after Elective Neurosurgery. <i>New England Journal of Medicine</i> , 1998, 339, 80-85.	13.9	522
103	Predictive Value of Plasma Thrombomodulin in Preeclampsia and Gestational Hypertension. <i>Thrombosis and Haemostasis</i> , 1998, 79, 1092-1095.	1.8	61
104	Relationship Between Homocysteine and Thrombotic Disease. <i>American Journal of the Medical Sciences</i> , 1998, 316, 129-141.	0.4	61
105	Homocysteine and Thrombotic Disease. <i>Blood</i> , 1997, 90, 1-11.	0.6	386
106	Hyperhomocysteinemia and Thrombosis: Acquired Conditions. <i>Thrombosis and Haemostasis</i> , 1997, 78, 527-531.	1.8	41
107	Thrombotic Events during Oral Anticoagulant Treatment: Results of the Inception-cohort, Prospective, Collaborative ISCOAT Study. <i>Thrombosis and Haemostasis</i> , 1997, 78, 1438-1443.	1.8	77
108	Homocysteine and Thrombotic Disease. <i>Blood</i> , 1997, 90, 1-11.	0.6	9

#	ARTICLE	IF	CITATIONS
109	Natural history and risk factors for thrombosis in 360 patients with antiphospholipid antibodies: A four-year prospective study from the Italian registry. <i>American Journal of Medicine</i> , 1996, 100, 530-536.	0.6	426
110	Bleeding complications of oral anticoagulant treatment: an inception-cohort, prospective collaborative study (ISCOAT). <i>Lancet</i> , The, 1996, 348, 423-428.	6.3	1,270
111	Thrombophilia, Homocystinuria, and Mutation of the Factor V Gene. <i>New England Journal of Medicine</i> , 1996, 335, 289-290.	13.9	32
112	The Effect of Cigarette-Smoking on Cardiovascular Risk Factors: a Study of Monozygotic Twins Discordant for Smoking. <i>Thrombosis and Haemostasis</i> , 1996, 75, 014-018.	1.8	16
113	Evaluation of a New Rapid Quantitative D-dimer Assay in Patients with Clinically Suspected Deep Vein Thrombosis. <i>Thrombosis and Haemostasis</i> , 1996, 75, 412-416.	1.8	97
114	Methionine Loading, Vitamin B <sub>6</sub> Status, and Premature Thromboembolic Disease. <i>Annals of Internal Medicine</i> , 1996, 125, 419.	2.0	3
115	Central retinal vein and branch artery occlusion associated with inherited plasminogen deficiency and high lipoprotein(a) levels: A case report. <i>Thrombosis Research</i> , 1995, 80, 327-331.	0.8	26
116	Unusual bleeding manifestations in a case of primary amyloidosis with factor X deficiency but elevations of in vivo markers of thrombin formation and activity. <i>Thrombosis Research</i> , 1995, 80, 333-337.	0.8	8
117	Variable interference of activated protein C resistance in the measurement of protein S activity by commercial assays. <i>Thrombosis Research</i> , 1995, 77, 375-378.	0.8	20
118	A recombination event in the closely linked plasminogen and apolipoprotein(a) gene loci. <i>Clinical Genetics</i> , 1995, 47, 285-289.	1.0	0
119	Diagnostic Value of Compression Ultrasonography and Fibrinogen-related Parameters for the Detection of Postoperative Deep Vein Thrombosis following Elective Hip Replacement: a Pilot Study. <i>Thrombosis and Haemostasis</i> , 1995, 74, 1235-1239.	1.8	18
120	Disseminated intravascular coagulation and severe peripheral neuropathy complicating ketoacidosis in a newly diagnosed diabetic child. <i>Acta Diabetologica</i> , 1994, 31, 173-174.	1.2	18
121	Protein S and protein C anticoagulant activity in acute and chronic cardiac ischemic syndromes. Relationship to inflammation, complement activation and in vivo thrombin activity. <i>Thrombosis Research</i> , 1994, 75, 133-142.	0.8	11
122	Antiphospholipid antibodies and risk of intrauterine late fetal death. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1994, 73, 389-392.	1.3	28
123	Hypercoagulability and High Lipoprotein(a) Levels in Patients with Central Retinal Vein Occlusion. <i>Thrombosis and Haemostasis</i> , 1994, 72, 039-043.	1.8	62
124	Relation between lupus anticoagulant and splanchnic venous thrombosis in cirrhosis of the liver. <i>BMJ: British Medical Journal</i> , 1994, 309, 239-240.	2.4	50
125	Total plasma homocysteine: influence of some common physiological variables. <i>Amino Acids</i> , 1993, 5, 17-21.	1.2	10
126	Primary antiphospholipid syndrome and neurologic events. <i>Pediatric Neurology</i> , 1993, 9, 473-475.	1.0	15



#	ARTICLE	IF	CITATIONS
127	Autoimmune Protein S Deficiency in a Boy with Severe Thromboembolic Disease. <i>New England Journal of Medicine</i> , 1993, 328, 1753-1757.	13.9	102
128	Autoimmune Protein S Deficiency. <i>New England Journal of Medicine</i> , 1993, 329, 1898-1898.	13.9	6
129	Venous Thromboembolism in Acute Stroke. <i>Archives of Neurology</i> , 1992, 49, 279.	4.9	72
130	Determination of serum levels of complement component C4b-binding protein: influence of age and inflammation. <i>International Journal of Clinical and Laboratory Research</i> , 1992, 21, 171-175.	1.0	25
131	Monoclonal Antibody-Based Enzyme-Linked Immunosorbent Assays (ELISA) for the Measurement of Vitamin K-Dependent Protein S: The Effect of Antibody Immunoreactivity on Plasma Protein S Antigen Determinations. <i>Thrombosis and Haemostasis</i> , 1992, 67, 631-638.	1.8	13
132	Prognostic significance of fibrinopeptide A in survivors of cerebral infarction.. <i>Stroke</i> , 1990, 21, 424-427.	1.0	18
133	Effect of Clot-Detection Methods and Reagents on Activated Partial Thromboplastin Time (APTT): Implications in Heparin Monitoring by APTT.. <i>American Journal of Clinical Pathology</i> , 1990, 94, 297-306.	0.4	69
134	Familial Protein S Deficiency Presenting as Deep Vein Thrombosis Occurring During Pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1990, 69, 537-539.	1.3	3
135	Hypercoagulability during l-asparaginase treatment: the effect of antithrombin III supplementation in vivo. <i>British Journal of Haematology</i> , 1990, 74, 465-470.	1.2	59
136	L-asparaginase treatment reduces the anticoagulant potential of the protein C system without affecting vitamin K-dependent carboxylation. <i>Thrombosis Research</i> , 1990, 59, 985-994.	0.8	29
137	Evaluation of Coagulometric Assays in the Assessment of Protein C Anticoagulant Activity; Variable Sensitivity of Commercial APTT Reagents to the Cofactor Effect of Protein S. <i>Thrombosis and Haemostasis</i> , 1989, 62, 861-867.	1.8	13
138	Comparison of Two Automated Coagulometers and the Manual Tilt-Tube Method for the Determination of Prothrombin Time. <i>American Journal of Clinical Pathology</i> , 1989, 92, 321-328.	0.4	56
139	Anticoagulation Proteins C and S. , 1987, 214, 47-54.		36
140	Protein C prevents the coagulopathic and lethal effects of <i>Escherichia coli</i> infusion in the baboon.. <i>Journal of Clinical Investigation</i> , 1987, 79, 918-925.	3.9	777
141	High Plasma Levels of Protein C Activity and Antigen in the Nephrotic Syndrome. <i>Thrombosis and Haemostasis</i> , 1986, 55, 031-033.	1.8	32
142	Congenital plasminogen deficiency associated with venous thromboembolism: therapeutic trial with stanozolol. <i>British Journal of Haematology</i> , 1986, 63, 753-759.	1.2	39
143	The Significance of Protein C Antigen in Acute and Chronic Liver Biliary Disease. <i>American Journal of Clinical Pathology</i> , 1985, 84, 454-458.	0.4	26
144	Î²-thromboglobulin and fibrinopeptide a in diabetes mellitus as markers of vascular damage. <i>Acta Diabetologica Latina</i> , 1985, 22, 39-45.	0.2	12

#	ARTICLE	IF	CITATIONS
145	Fibrinolytic shut-down after surgery: impairment of the balance between tissue-type plasminogen activator and its specific inhibitor. <i>European Journal of Clinical Investigation</i> , 1985, 15, 308-312.	1.7	92
146	Postoperative changes of protein C, a recently described inhibitor of blood coagulation. <i>Research in Clinic and Laboratory</i> , 1984, 14, 485-490.	0.3	1
147	Chlorpropamide-alcohol flushing in non insulin-dependent diabetes: Prevalence of small and large vessel disease and of risk factors for angiopathy. <i>Acta Diabetologica Latina</i> , 1982, 19, 141-149.	0.2	9
148	Inherited deficiency of antithrombin III in an Italian kindred. <i>Research in Clinic and Laboratory</i> , 1980, 10, 521-531.	0.3	10
149	CONGENITAL DEFICIENCY OF THROMBOXANE AND PROSTACYCLIN. <i>Lancet, The</i> , 1980, 315, 898-901.	6.3	60