

Mei Feng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7119563/publications.pdf>

Version: 2024-02-01

22
papers

326
citations

1307594

7
h-index

888059

17
g-index

23
all docs

23
docs citations

23
times ranked

455
citing authors

#	ARTICLE	IF	CITATIONS
1	Stereotactic radiosurgery with whole brain radiotherapy combined with bevacizumab in the treatment of brain metastases from NSCLC. <i>International Journal of Neuroscience</i> , 2023, 133, 334-341.	1.6	4
2	Evaluation of the efficacy of the anti-ulcer oral mucosal protective agent RADoralex [®] in the prevention and treatment of radiation-induced oral mucosal reactions induced during treatment of nasopharyngeal carcinoma. <i>Cancer Biology and Therapy</i> , 2022, 23, 27-33.	3.4	4
3	Dynamic Three-Dimensional ADC Changes of Parotid Glands During Radiotherapy Predict the Salivary Secretary Function in Patients With Head and Neck Squamous Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 651537.	2.8	3
4	The Chinese Society of Clinical Oncology (CSCO) clinical guidelines for the diagnosis and treatment of nasopharyngeal carcinoma. <i>Cancer Communications</i> , 2021, 41, 1195-1227.	9.2	128
5	MiR-4295 facilitates cell proliferation and metastasis in head and neck squamous cell carcinoma by targeting NPTX1. <i>Genes and Immunity</i> , 2020, 21, 4-12.	4.1	15
6	Choosing PD-1 Inhibitors in Oncology Setting, Left or Right?â€”Lessons From Value Assessment With ASCO-VF and ESMO-MCBS. <i>Frontiers in Pharmacology</i> , 2020, 11, 574511.	3.5	5
7	Experts consensus on epidemic prevention and control in radiotherapy centers during the COVID-19 outbreak: Experiences from Sichuan Province. <i>Clinical and Translational Radiation Oncology</i> , 2020, 24, 88-91.	1.7	4
8	<p>DW-MRI-Guided Dose Escalation Improves Local Control of Locally Advanced Nasopharyngeal Carcinoma Treated with Chemoradiotherapy<p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 3107-3116.	1.9	5
9	Comprehensively investigating the expression levels and the prognostic role of transforming growth factor beta-induced (TGFB1) in glioblastoma multiforme. <i>Translational Cancer Research</i> , 2020, 9, 6487-6504.	1.0	4
10	A novel prognostic marker based on risk stratification with prognostic nutritional index and age for nasopharyngeal carcinoma patients who received neoadjuvant chemotherapy. <i>Biomarkers in Medicine</i> , 2019, 13, 1013-1023.	1.4	16
11	Unresectable recurrence malignant sacrococcygeal teratoma in children treated with chemoradiotherapy: Case report and literature review. <i>Reports of Practical Oncology and Radiotherapy</i> , 2019, 24, 392-398.	0.6	0
12	A new marker based on risk stratification of human papillomavirus DNA and tumor size to predict survival of locally advanced cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 459-465.	2.5	7
13	Clinical outcome and prognostic analysis of young adults nasopharyngeal carcinoma patients of a nonendemic area in intensity-modulated radiotherapy era. <i>Future Oncology</i> , 2019, 15, 381-389.	2.4	2
14	Adjuvant gamma knife surgery and image-guided, intensity-modulated radiation therapy for the treatment of sacral chordomas. <i>Reports of Practical Oncology and Radiotherapy</i> , 2019, 24, 74-79.	0.6	4
15	Prognostic variables for temporal lobe injury after intensity modulatedâ€”radiotherapy of nasopharyngeal carcinoma. <i>Cancer Medicine</i> , 2018, 7, 557-564.	2.8	32
16	Cdc45/Mcm2-7/GINS complex down-regulation mediates S phase arrest in okadaic acid-induced cell damage. <i>Toxicol</i> , 2018, 152, 16-22.	1.6	6
17	Elevated Arsenic Exposure Is Associated with an Increased Risk of Chronic Hepatitis B Virus Infection: NHANES (2003â€”2014) in U.S. Adults. <i>Current Medical Science</i> , 2018, 38, 610-617.	1.8	6
18	Early changes in the apparent diffusion coefficient and MMPâ€”9 expression of a cervical carcinoma U14 allograft model following irradiation. <i>Oncology Letters</i> , 2017, 14, 6769-6775.	1.8	4

#	ARTICLE	IF	CITATIONS
19	MicroRNA-1288 promotes cell proliferation of human glioblastoma cells by repressing ubiquitin carboxyl-terminal hydrolase CYLD expression. <i>Molecular Medicine Reports</i> , 2017, 16, 6764-6770.	2.4	6
20	Gender-Specific Association of <i>ATP2B1</i> Variants with Susceptibility to Essential Hypertension in the Han Chinese Population. <i>BioMed Research International</i> , 2016, 2016, 1-7.	1.9	8
21	Toxicogenomic analysis identifies the apoptotic pathway as the main cause of hepatotoxicity induced by tributyltin. <i>Food and Chemical Toxicology</i> , 2016, 97, 316-326.	3.6	12
22	Tumor volume is an independent prognostic indicator of local control in nasopharyngeal carcinoma patients treated with intensity-modulated radiotherapy. <i>Radiation Oncology</i> , 2013, 8, 208.	2.7	51