## Jan Bolinder

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7197921/publications.pdf

Version: 2024-02-01

777949 685536 2,638 25 13 24 h-index citations g-index papers 25 25 25 2855 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Evaluation of Effects of Continuous Glucose Monitoring on Physical Activity Habits and Blood Lipid Levels in Persons With Type 1 Diabetes Managed With Multiple Daily Insulin Injections: An Analysis Based on the GOLD Randomized Trial (GOLD 8). Journal of Diabetes Science and Technology, 2024, 18, 89-98.	1.3	2
2	New Insulins, Biosimilars, and Insulin Therapy. Diabetes Technology and Therapeutics, 2022, 24, S-35-S-57.	2.4	0
3	Sustained Intensive Treatment and Long-term Effects on HbA1c Reduction (SILVER Study) by CGM in People With Type 1 Diabetes Treated With MDI. Diabetes Care, 2021, 44, 141-149.	4.3	19
4	The majority of people with type <scp>1</scp> diabetes and multiple daily insulin injections benefit from using continuous glucose monitoring: An analysis based on the <scp>GOLD</scp> randomized trial ( <scp>GOLDâ€5</scp> ). Diabetes, Obesity and Metabolism, 2021, 23, 619-630.	2.2	9
5	Effect of flash glucose monitoring in adults with type 1 diabetes: a nationwide, longitudinal observational study of 14,372 flash users compared with 7691 glucose sensor naive controls. Diabetologia, 2021, 64, 1595-1603.	2.9	34
6	New Insulins, Biosimilars, and Insulin Therapy. Diabetes Technology and Therapeutics, 2021, 23, S-46-S-68.	2.4	5
7	New Insulins, Biosimilars, and Insulin Therapy. Diabetes Technology and Therapeutics, 2020, 22, S-32-S-46.	2.4	1
8	New Insulins, Biosimilars, and Insulin Therapy. Diabetes Technology and Therapeutics, 2019, 21, S-57-S-78.	2.4	9
9	A Randomized Clinical Trial of the Effect of Continuous Glucose Monitoring on Nocturnal Hypoglycemia, Daytime Hypoglycemia, Glycemic Variability, and Hypoglycemia Confidence in Persons with Type 1 Diabetes Treated with Multiple Daily Insulin Injections (GOLD-3). Diabetes Technology and Therapeutics. 2018. 20. 274-284.	2.4	88
10	New Insulins, Biosimilars, and Insulin Therapy. Diabetes Technology and Therapeutics, 2018, 20, S-55-S-70.	2.4	3
11	Impact of flash glucose monitoring on hypoglycaemia in adults with type 1 diabetes managed with multiple daily injection therapy: a pre-specified subgroup analysis of the IMPACT randomised controlled trial. Diabetologia, 2018, 61, 539-550.	2.9	124
12	Flash glucose monitoring: objective, not self-referential, outcomes are needed. Reply to Warren RE [letter]. Diabetologia, 2018, 61, 1879-1880.	2.9	3
13	Continuous Glucose Monitoring vs Conventional Therapy for Glycemic Control in Adults With Type 1 Diabetes Treated With Multiple Daily Insulin Injections. JAMA - Journal of the American Medical Association, 2017, 317, 379.	3.8	520
14	Cutaneous adverse events related to FreeStyle Libre device – Authors' reply. Lancet, The, 2017, 389, 1396-1397.	6.3	8
15	Design and Methods of a Randomized Trial of Continuous Glucose Monitoring in Persons With Type 1 Diabetes With Impaired Glycemic Control Treated With Multiple Daily Insulin Injections (GOLD Study). Journal of Diabetes Science and Technology, 2016, 10, 754-761.	1.3	18
16	Novel glucose-sensing technology and hypoglycaemia in type 1 diabetes: a multicentre, non-masked, randomised controlled trial. Lancet, The, 2016, 388, 2254-2263.	6.3	723
17	New Insulins, Biosimilars, and Insulin Therapy. Diabetes Technology and Therapeutics, 2016, 18, S-43-S-55.	2.4	4
18	New Insulins and Insulin Therapy. Diabetes Technology and Therapeutics, 2015, 17, S-39-S-46.	2.4	2

#	Article	IF	CITATIONS
19	Effects of Dapagliflozin on Body Weight, Total Fat Mass, and Regional Adipose Tissue Distribution in Patients with Type 2 Diabetes Mellitus with Inadequate Glycemic Control on Metformin. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 1020-1031.	1.8	689
20	AAPS-FDA workshop white paper: Microdialysis principles, application, and regulatory perspectives report from the Joint AAPS-FDA Workshop, November $4\hat{a} \in 5$ , 2005, Nashville, TN. AAPS Journal, 2007, 9, E48-E59.	2.2	16
21	Glutamic acid decarboxylase antibodies (GADA) is the most important factor for prediction of insulin therapy within 3 years in young adult diabetic patients not classified as Type 1 diabetes on clinical grounds. Diabetes/Metabolism Research and Reviews, 2000, 16, 442-447.	1.7	53
22	Regional difference in insulin inhibition of non-esterified fatty acid release from human adipocytes: relation to insulin receptor phosphorylation and intracellular signalling through the insulin receptor substrate-1 pathway. Diabetologia, 1998, 41, 1343-1354.	2.9	197
23	Antilipolytic Effect of Insulin in Nonâ€insulinâ€dependent Diabetes Mellitus after Conventional Treatment with Diet and Sulfonylurea. Acta Medica Scandinavica, 1988, 224, 451-459.	0.0	3
24	Site Differences in Insulin Receptor Binding and Insulin Action in Subcutaneous Fat of Obese Females*. Journal of Clinical Endocrinology and Metabolism, 1983, 57, 455-461.	1.8	73
25	Phosphodiesterase Activity in Human Subcutaneous Adipose Tissue in Insulin- and Noninsulin-Dependent Diabetes Mellitus*. Journal of Clinical Endocrinology and Metabolism, 1982, 55, 983-988.	1.8	35