

Fang Lei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7230633/publications.pdf>

Version: 2024-02-01

24
papers

3,628
citations

623734

14
h-index

610901

24
g-index

24
all docs

24
docs citations

24
times ranked

8261
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Blood Glucose Control and Outcomes in Patients with COVID-19 and Pre-existing Type 2 Diabetes. <i>Cell Metabolism</i> , 2020, 31, 1068-1077.e3.	16.2	1,207
2	Association of Inpatient Use of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers With Mortality Among Patients With Hypertension Hospitalized With COVID-19. <i>Circulation Research</i> , 2020, 126, 1671-1681.	4.5	948
3	In-Hospital Use of Statins Is Associated with a Reduced Risk of Mortality among Individuals with COVID-19. <i>Cell Metabolism</i> , 2020, 32, 176-187.e4.	16.2	400
4	Longitudinal Association Between Markers of Liver Injury and Mortality in COVID-19 in China. <i>Hepatology</i> , 2020, 72, 389-398.	7.3	346
5	Redefining Cardiac Biomarkers in Predicting Mortality of Inpatients With COVID-19. <i>Hypertension</i> , 2020, 76, 1104-1112.	2.7	118
6	Metformin Is Associated with Higher Incidence of Acidosis, but Not Mortality, in Individuals with COVID-19 and Pre-existing Type 2 Diabetes. <i>Cell Metabolism</i> , 2020, 32, 537-547.e3.	16.2	116
7	The Neutrophil-to-Lymphocyte Ratio Determines Clinical Efficacy of Corticosteroid Therapy in Patients with COVID-19. <i>Cell Metabolism</i> , 2021, 33, 258-269.e3.	16.2	87
8	Response by Zhang et al to Letter Regarding Article, "Association of Inpatient Use of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers With Mortality Among Patients With Hypertension Hospitalized With COVID-19." <i>Circulation Research</i> , 2020, 126, e142-e143.	4.5	79
9	Global Burden of Disease Study 2019 suggests that metabolic risk factors are the leading drivers of the burden of ischemic heart disease. <i>Cell Metabolism</i> , 2021, 33, 1943-1956.e2.	16.2	59
10	Comparative Impacts of ACE (Angiotensin-Converting Enzyme) Inhibitors Versus Angiotensin II Receptor Blockers on the Risk of COVID-19 Mortality. <i>Hypertension</i> , 2020, 76, e15-e17.	2.7	54
11	Kidney Function Indicators Predict Adverse Outcomes of COVID-19. <i>Med</i> , 2021, 2, 38-48.e2.	4.4	47
12	No significant association between dipeptidyl peptidase-4 inhibitors and adverse outcomes of COVID-19. <i>World Journal of Clinical Cases</i> , 2020, 8, 5576-5588.	0.8	26
13	Development and validation of a risk score using complete blood count to predict in-hospital mortality in COVID-19 patients. <i>Med</i> , 2021, 2, 435-447.e4.	4.4	20
14	High Remnant Cholesterol Level Potentiates the Development of Hypertension. <i>Frontiers in Endocrinology</i> , 2022, 13, 830347.	3.5	20
15	Projection of global burden and risk factors for aortic aneurysm " timely warning for greater emphasis on managing blood pressure. <i>Annals of Medicine</i> , 2022, 54, 553-564.	3.8	16
16	Extracorporeal Membrane Oxygenation Therapy for Critically Ill Coronavirus Disease 2019 Patients in Wuhan, China: A Retrospective Multicenter Cohort Study. <i>Current Medical Science</i> , 2021, 41, 1-13.	1.8	14
17	Heavy Disease Burden of High Systolic Blood Pressure During 1990-2019: Highlighting Regional, Sex, and Age Specific Strategies in Blood Pressure Control. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 754778.	2.4	14
18	NULP1 Alleviates Cardiac Hypertrophy by Suppressing NFAT3 Transcriptional Activity. <i>Journal of the American Heart Association</i> , 2020, 9, e016419.	3.7	11

#	ARTICLE	IF	CITATIONS
19	A risk score based on baseline risk factors for predicting mortality in COVID-19 patients. Current Medical Research and Opinion, 2021, 37, 917-927.	1.9	11
20	Identification of Novel Alleles of the Rice Blast-Resistance Gene Pi9 through Sequence-Based Allele Mining. Rice, 2020, 13, 80.	4.0	11
21	Role of hepatic lipid species in the progression of nonalcoholic fatty liver disease. American Journal of Physiology - Cell Physiology, 2022, 323, C630-C639.	4.6	10
22	Global death burden and attributable risk factors of peripheral artery disease by age, sex, SDI regions, and countries from 1990 to 2030: Results from the Global Burden of Disease study 2019. Atherosclerosis, 2022, 347, 17-27.	0.8	7
23	REPLY:. Hepatology, 2021, 73, 470-471.	7.3	4
24	Association Between Lipid Profiles and Left Ventricular Hypertrophy: New Evidence from a Retrospective Study. Chinese Medical Sciences Journal, 2022, 37, 103.	0.4	3