

Mehreen Zaigham

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7242673/mehreen-zaigham-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23
papers

539
citations

9
h-index

23
g-index

28
ext. papers

818
ext. citations

3.1
avg, IF

5.59
L-index

#	Paper	IF	Citations
23	Maternal and perinatal outcomes with COVID-19: A systematic review of 108 pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 823-829	3.8	377
22	Protein S100B in umbilical cord blood as a potential biomarker of hypoxic-ischemic encephalopathy in asphyxiated newborns. <i>Early Human Development</i> , 2017 , 112, 48-53	2.2	22
21	Quality of facility-based maternal and newborn care around the time of childbirth during the COVID-19 pandemic: online survey investigating maternal perspectives in 12 countries of the WHO European Region.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 13, 100268		16
20	Placental Tissue Destruction and Insufficiency from COVID-19 Causes Stillbirth and Neonatal Death from Hypoxic-Ischemic Injury: A Study of 68 Cases with SARS-CoV-2 Placentitis from 12 Countries.. <i>Archives of Pathology and Laboratory Medicine</i> , 2022 ,	5	14
19	Intrauterine vertical SARS-CoV-2 infection: a case confirming transplacental transmission followed by divergence of the viral genome. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1388-1394	3.7	14
18	Complicated COVID-19 in pregnancy: a case report with severe liver and coagulation dysfunction promptly improved by delivery. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 511	3.2	13
17	Large gaps in the quality of healthcare experienced by Swedish mothers during the COVID-19 pandemic: A cross-sectional study based on WHO standards.. <i>Women and Birth</i> , 2022 ,	3.3	9
16	Obstetric and intensive-care strategies in a high-risk pregnancy with critical respiratory failure due to COVID-19: A case report. <i>Case Reports in Women's Health</i> , 2020 , 27, e00240	1.6	9
15	Hofbauer Cells and COVID-19 in Pregnancy. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 1328-1340	5	9
14	Umbilical cord blood concentrations of ubiquitin carboxy-terminal hydrolase L1 (UCH-L1) and glial fibrillary acidic protein (GFAP) in neonates developing hypoxic-ischemic encephalopathy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 1822-8	2	8
13	COVID-19 during Pregnancy and Postpartum. <i>Journal of Dietary Supplements</i> , 2020 , 1-28	2.3	8
12	COVID-19 during Pregnancy and Postpartum. <i>Journal of Dietary Supplements</i> , 2020 , 1-37	2.3	8
11	Gestational age-related reference values for Apgar score and umbilical cord arterial and venous pH in preterm and term newborns. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 1618-1623	3.8	7
10	Being in the shadow of the unknown - Swedish women's lived experiences of pregnancy during the COVID-19 pandemic, a phenomenological study. <i>Women and Birth</i> , 2021 ,	3.3	4
9	Maternal arterial blood gas values during delivery: Effect of mode of delivery, maternal characteristics, obstetric interventions and correlation to fetal umbilical cord blood. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 1674-1681	3.8	3
8	WHO Standards-based questionnaire to measure health workers' perspective on the quality of care around the time of childbirth in the WHO European region: development and mixed-methods validation in six countries.. <i>BMJ Open</i> , 2022 , 12, e056753	3	3
7	Hypoxia with acidosis in extremely preterm born infants was not associated with an increased risk of death or impaired neurodevelopmental outcome at 6.5 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 85-92	3.1	2

6	Assessment of lactate production as a response to sustained intrapartum hypoxia in large-for-gestational-age newborns. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 1267-1273	3.8	2
5	COVID-19 in Pregnancy and Early Childhood (COPE): study protocol for a prospective, multicentre biobank, survey and database cohort study. <i>BMJ Open</i> , 2021 , 11, e049376	3	2
4	Apgar score in premature infants associated with neonatal death prediction. <i>Journal of Pediatrics</i> , 2020 , 226, 309-313	3.6	1
3	Clinical-pathological features in placentas of pregnancies with SARS-CoV-2 infection and adverse outcome: case-series with and without congenital transmission.. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022 ,	3.7	1
2	Prelabour caesarean section and neurodevelopmental outcome at 4 and 12 months of age: an observational study. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 564	3.2	0
1	Extremely preterm born infants and long-term neurodevelopmental outcomes reply to Despina Briana and Ariadne Malamitsi-Puchner. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 1500-1501	3.1	