

Jukka Uitti

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7358264/jukka-uitti-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

399
citations

11
h-index

19
g-index

39
ext. papers

503
ext. citations

3.4
avg, IF

3.62
L-index

#	Paper	IF	Citations
36	Prevalence of work-aggravated symptoms in clinically established asthma. <i>European Respiratory Journal</i> , 2003 , 22, 305-9	13.6	58
35	Exposure to cobalt in the production of cobalt and cobalt compounds and its effect on the heart. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 877-85	2.1	56
34	Respiratory morbidity among children following renovation of a water-damaged school. <i>Archives of Environmental Health</i> , 2000 , 55, 405-10		45
33	Cobalt asthma--a case series from a cobalt plant. <i>Occupational Medicine</i> , 2010 , 60, 301-6	2.1	29
32	Cancer incidence among copper smelting and nickel refining workers in Finland. <i>American Journal of Industrial Medicine</i> , 2017 , 60, 87-95	2.7	22
31	Frequent attenders in occupational health primary care: A cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 28-36	3	17
30	Cancer incidence among Finnish male cobalt production workers in 1969-2013: a cohort study. <i>BMC Cancer</i> , 2017 , 17, 340	4.8	17
29	Voice Disorders are Associated With Stress Among Teachers: A Cross-Sectional Study in Finland. <i>Journal of Voice</i> , 2020 , 34, 488.e1-488.e8	1.9	17
28	Work disability after diagnosis of hand-arm vibration syndrome. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 1061-8	3.2	14
27	Collaboration between employers and occupational health service providers: a systematic review of key characteristics. <i>BMC Public Health</i> , 2017 , 17, 22	4.1	14
26	Glycoprotein YKL-40 Levels in Plasma Are Associated with Fibrotic Changes on HRCT in Asbestos-Exposed Subjects. <i>Mediators of Inflammation</i> , 2017 , 2017, 1797512	4.3	12
25	Occasional and persistent frequent attenders and sickness absences in occupational health primary care: a longitudinal study in Finland. <i>BMJ Open</i> , 2019 , 9, e024980	3	11
24	Frequent attenders at risk of disability pension: a longitudinal study combining routine and register data. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 181-189	3	11
23	Comparing occasional and persistent frequent attenders in occupational health primary care - a longitudinal study. <i>BMC Public Health</i> , 2018 , 18, 1291	4.1	11
22	Correlates of employment status in individuals with asthma: a cross-sectional survey. <i>Journal of Occupational Medicine and Toxicology</i> , 2017 , 12, 19	2.7	7
21	Identification of major depressive disorder among the long-term unemployed. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 45-52	4.5	7
20	Identification of Depression and Screening for Work Disabilities among Long-Term Unemployed People. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	7

19	Identification of alcohol abuse and transition from long-term unemployment to disability pension. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 518-24	3	6
18	Subjective cognitive complaints and sickness absence: A prospective cohort study of 7059 employees in primarily knowledge-intensive occupations. <i>Preventive Medicine Reports</i> , 2020 , 19, 101103	2.6	5
17	Asthma trigger perceptions are associated with work disability. <i>Respiratory Medicine</i> , 2018 , 139, 19-26	4.6	5
16	Employment status and changes in working career in relation to asthma: a cross-sectional survey. <i>Journal of Occupational Medicine and Toxicology</i> , 2018 , 13, 8	2.7	4
15	Effects of occupational cobalt exposure on the heart in the production of cobalt and cobalt compounds: a 6-year follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 365-374	3.2	3
14	Trends in occupational diseases in Finland, 1975-2013: a register study. <i>BMJ Open</i> , 2019 , 9, e024040	3	3
13	Self-reported health problems and obesity predict sickness absence during a 12-month follow-up: a prospective cohort study in 21 608 employees from different industries. <i>BMJ Open</i> , 2019 , 9, e025967	3	3
12	Asthma diagnosed in late adulthood is linked to work disability and poor employment status. <i>Respiratory Medicine</i> , 2019 , 147, 76-78	4.6	2
11	Improved recording of work relatedness during patient consultations in occupational primary health care: a cluster randomized controlled trial using routine data. <i>Trials</i> , 2020 , 21, 256	2.8	2
10	Impact of improved recording of work-relatedness in primary care visits at occupational health services on sickness absences: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 352	2.8	2
9	Sociodemographic characteristics and disability pensions of frequent attenders in occupational health primary care - a follow-up study in Finland. <i>BMC Public Health</i> , 2021 , 21, 1847	4.1	2
8	Work ability of teachers associated with voice disorders, stress, and the indoor environment: A questionnaire study in Finland. <i>Journal of Voice</i> , 2020 ,	1.9	2
7	IgG4 response to fur animal allergens among fur workers. <i>International Archives of Occupational and Environmental Health</i> , 2005 , 78, 71-4	3.2	1
6	Self-reported health problems in a health risk appraisal predict permanent work disability: a prospective cohort study of 22,023 employees from different sectors in Finland with up to 6-year follow-up. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 445-456	3.2	1
5	Subjective cognitive complaints and permanent work disability: a prospective cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 901-910	3.2	1
4	High cost or frequent attender - both spend resources, but are they linked to work disability? A cohort study from occupational health primary care in Finland. <i>BMC Health Services Research</i> , 2020 , 20, 456	2.9	0
3	Self-reported voice disorders of teachers and indoor air quality in schools: a cross-sectional study in Finland. <i>Logopedics Phoniatrics Vocology</i> , 2021 , 1-11	1.3	0
2	Parallel use of primary and secondary healthcare by frequent attenders in occupational health and their work disability: a longitudinal study in Finland.. <i>BMJ Open</i> , 2022 , 12, e052740	3	0

¹ Identification of major depressive disorder among the long-term unemployed. *European Psychiatry*, **2017**, 41, S576-S577

6