

Meihua Yan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7436282/meihua-yan-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28

papers

295

citations

10

h-index

17

g-index

28

ext. papers

424

ext. citations

4.5

avg, IF

2.9

L-index

#	Paper	IF	Citations
28	Efficacy and safety of tangshen formula on patients with type 2 diabetic kidney disease: a multicenter double-blinded randomized placebo-controlled trial. <i>PLoS ONE</i> , 2015 , 10, e0126027	3.7	39
27	Attenuation of diabetic nephropathy by Chaihuang-Yishen granule through anti-inflammatory mechanism in streptozotocin-induced rat model of diabetics. <i>Journal of Ethnopharmacology</i> , 2014 , 151, 556-64	5	34
26	Therapeutic Effects of Tangshen Formula on Diabetic Nephropathy in Rats. <i>PLoS ONE</i> , 2016 , 11, e0147693	3.7	32
25	Formononetin alleviates hepatic steatosis by facilitating TFEB-mediated lysosome biogenesis and lipophagy. <i>Journal of Nutritional Biochemistry</i> , 2019 , 73, 108214	6.3	29
24	Tangshen formula attenuates hepatic steatosis by inhibiting hepatic lipogenesis and augmenting fatty acid oxidation in db/db mice. <i>International Journal of Molecular Medicine</i> , 2016 , 38, 1715-1726	4.4	19
23	Tangshen Formula Attenuates Diabetic Nephropathy by Promoting ABCA1-Mediated Renal Cholesterol Efflux in db/db Mice. <i>Frontiers in Physiology</i> , 2018 , 9, 343	4.6	16
22	Effects of Tangshen Formula on urinary and plasma liver-type fatty acid binding protein levels in patients with type 2 diabetic kidney disease: post-hoc findings from a multi-center, randomized, double-blind, placebo-controlled trial investigating the efficacy and safety of Tangshen Formula in patients with type 2 diabetic kidney disease. <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 1-10	4.7	15
21	Tangshen formula modulates gut Microbiota and reduces gut-derived toxins in diabetic nephropathy rats. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 129, 110325	7.5	13
20	Chinese medicine for diabetic kidney disease in China. <i>Nephrology</i> , 2017 , 22 Suppl 4, 50-55	2.2	12
19	Chinese herbal medicine Tangshen Formula treatment of patients with type 2 diabetic kidney disease with macroalbuminuria: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 259	2.8	11
18	Synergistic Effect of the C677T and G860A Polymorphism on the Increased Risk of Ischemic Stroke in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2017 , 2017, 6216205	3.9	10
17	Transcriptional Profile of Kidney from Type 2 Diabetic db/db Mice. <i>Journal of Diabetes Research</i> , 2017 , 2017, 8391253	3.9	10
16	Tangshen formula attenuates diabetic renal injuries by upregulating autophagy via inhibition of PLZF expression. <i>PLoS ONE</i> , 2017 , 12, e0171475	3.7	10
15	The decreased expression of electron transfer flavoprotein β s associated with tubular cell apoptosis in diabetic nephropathy. <i>International Journal of Molecular Medicine</i> , 2016 , 37, 1290-8	4.4	10
14	Association between and Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes in a Chinese Han Population. <i>Journal of Diabetes Research</i> , 2018 , 2018, 5068578	3.9	9
13	Association of R287Q Polymorphism with Diabetic Nephropathy in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2018 , 2018, 2786470	3.9	8
12	The effectiveness of PC6 acupuncture in the prevention of postoperative nausea and vomiting in children: A systematic review and meta-analysis. <i>Paediatric Anaesthesia</i> , 2020 , 30, 552-563	1.8	4

11	Association between LXR- and ABCA1 Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes Mellitus in a Chinese Han Population. <i>Journal of Diabetes Research</i> , 2020 , 2020, 8721536	3.9	4
10	Tangshen Formula Attenuates Diabetic Kidney Injury by Imparting Anti-pyroptotic Effects the TXNIP-NLRP3-GSDMD Axis. <i>Frontiers in Pharmacology</i> , 2020 , 11, 623489	5.6	4
9	Association of Serum Thyroid Hormones with the Risk and Severity of Chronic Kidney Disease Among 3563 Chinese Adults. <i>Medical Science Monitor</i> , 2020 , 26, e922910	3.2	2
8	Severe fever with thrombocytopenia syndrome in China. <i>Lancet Infectious Diseases</i> , 2018 , 18, 1180-1184	11.5	2
7	Association of Epoxide Hydrolase 2 Gene Arg287Gln with the Risk for Primary Hypertension in Chinese. <i>International Journal of Hypertension</i> , 2020 , 2020, 2351547	2.4	1
6	Tangshen Formula Attenuates Colonic Structure Remodeling in Type 2 Diabetic Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 4064156	2.3	1
5	Association between Gene Polymorphisms and the Risk of Diabetic Kidney Disease in a Chinese Han Population with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2020 , 2020, 5424701	3.9	0
4	Association of mineral metabolism biomarkers with chronic kidney disease in Chinese adults. <i>Clinical and Experimental Nephrology</i> , 2021 , 25, 760-770	2.5	0
3	Characteristics of Serum Metabolites and Gut Microbiota in Diabetic Kidney Disease.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 872988	5.6	0
2	Subproteomic profiling from renal cortices in OLETF rats reveals mutations of multiple novel genes in diabetic nephropathy. <i>Genes and Genomics</i> , 2021 , 1	2.1	
1	A recombinant TGF- β vaccine ameliorates diabetic nephropathy in OLETF rats. <i>Immunotherapy</i> , 2016 , 8, 1045-57	3.8	