

Taro Oshikiri

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7484947/taro-oshikiri-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

517
citations

14
h-index

20
g-index

81
ext. papers

710
ext. citations

3.3
avg, IF

3.68
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 70 | ASO Author Reflections: Actual Sarcopenia in Esophageal Cancer Patients.. <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | |
| 69 | Actual Sarcopenia Reflects Poor Prognosis in Patients with Esophageal Cancer.. <i>Annals of Surgical Oncology</i> , 2022 , 29, 3670 | 3.1 | 1 |
| 68 | ASO Visual Abstract: Albumin-Derived NLR Score is a Novel Prognostic Marker for Esophageal Squamous Cell Carcinoma.. <i>Annals of Surgical Oncology</i> , 2022 , 29, 2672 | 3.1 | |
| 67 | Comprehensive complication index as a prognostic factor in minimally invasive esophagectomy for esophageal squamous cell carcinoma.. <i>Esophagus</i> , 2022 , 1 | 5.4 | 0 |
| 66 | Prognostic Predictors After Surgical Intervention for Stage IV Gastric Cancer.. <i>Anticancer Research</i> , 2022 , 42, 1541-1546 | 2.3 | |
| 65 | ASO Visual Abstract: Actual Sarcopenia Reflects Poor Prognosis in Patients with Esophageal Cancer.. <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | 1 |
| 64 | Perioperative Safety of Gastrectomy for Patients Receiving Antithrombotic Treatment.. <i>Cancer Diagnosis & Prognosis</i> , 2022 , 2, 210-215 | | |
| 63 | Impact of the Platelet-to-Lymphocyte Ratio as a Biomarker for Esophageal Squamous Cell Carcinoma.. <i>Anticancer Research</i> , 2022 , 42, 2775-2782 | 2.3 | |
| 62 | Survival Benefit of Neoadjuvant Chemotherapy for Locally Advanced Adenocarcinoma of Esophagogastric Junction.. <i>Cancer Diagnosis & Prognosis</i> , 2021 , 1, 185-191 | | |
| 61 | Albumin-Derived NLR Score is a Novel Prognostic Marker for Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2021 , 1 | 3.1 | 1 |
| 60 | Quantitative Comparison of Surgical Device Usage in Laparoscopic Gastrectomy Between Surgeons Skill Levels: an Automated Analysis Using a Neural Network. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 1 | 3.3 | 0 |
| 59 | ASO Author Reflections: Visual Abstract: Novel Modified Bascule Method for Lymphadenectomy Along the Left Recurrent Laryngeal Nerve During Robot-Assisted Minimally Invasive Esophagectomy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 6339-6340 | 3.1 | |
| 58 | Novel "Modified Bascule Method" for Lymphadenectomy Along the Left Recurrent Laryngeal Nerve During Robot-Assisted Minimally Invasive Esophagectomy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 4918-4927 | 3.1 | 5 |
| 57 | Laparoscopic sigmoidectomy with splenic flexure mobilization for colon cancer in situs inversus totalis: Preoperative assessment and preparation. <i>Asian Journal of Endoscopic Surgery</i> , 2021 , | 1.4 | 3 |
| 56 | Incidence of Recurrent Laryngeal Nerve Palsy in Robot-Assisted Versus Conventional Minimally Invasive McKeown Esophagectomy in Prone Position: A Propensity Score-Matched Study. <i>Annals of Surgical Oncology</i> , 2021 , 28, 7249-7257 | 3.1 | 5 |
| 55 | ASO Visual Abstract: Incidence of Recurrent Laryngeal Nerve Palsy in Robot-Assisted Versus Conventional Minimally Invasive McKeown Esophagectomy in Prone Position: A Propensity Score-Matched Study. <i>Annals of Surgical Oncology</i> , 2021 , 28, 455 | 3.1 | 4 |
| 54 | Robot-Assisted Minimally Invasive Esophagectomy Reduces the Risk of Recurrent Laryngeal Nerve Palsy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 7258 | 3.1 | 1 |

| | | | |
|----|---|-----|----|
| 53 | Feasibility of laparoscopic endoscopic cooperative surgery for non-ampullary superficial duodenal neoplasms: Single-arm confirmatory trial. <i>Digestive Endoscopy</i> , 2021 , 33, 373-380 | 3.7 | 5 |
| 52 | Postoperative recurrent laryngeal nerve palsy is associated with pneumonia in minimally invasive esophagectomy for esophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 837-844 | 5.2 | 22 |
| 51 | Three-dimensional visualization system is one of the factors that improve short-term outcomes after minimally invasive esophagectomy. <i>Langenbecks Archives of Surgery</i> , 2021 , 406, 631-639 | 3.4 | |
| 50 | Impact of Lymph Node Ratio on Survival Outcome in Esophageal Squamous Cell Carcinoma After Minimally Invasive Esophagectomy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 4519-4528 | 3.1 | 3 |
| 49 | ASO Author Reflections: The Lymph Node Ratio is an Independent Prognostic Factor in Esophageal Squamous Cell Carcinoma After Minimally Invasive Esophagectomy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 4529 | 3.1 | |
| 48 | Impact of chronic kidney disease stage on morbidity after gastrectomy for gastric cancer. <i>Annals of Gastroenterological Surgery</i> , 2021 , 5, 519-527 | 4.3 | 1 |
| 47 | ASO Author Reflections: "Modified Bascule Method" during Robot-Assisted Minimally Invasive Esophagectomy Has Potential to Decrease Recurrent Laryngeal Nerve Palsy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 4928 | 3.1 | |
| 46 | Safety of laparoscopic local resection for gastrointestinal stromal tumors near the esophagogastric junction. <i>Surgery Today</i> , 2021 , 1 | 3 | |
| 45 | Preoperative neutrophil-to-lymphocyte ratio predicts the prognosis of esophageal squamous cell cancer patients undergoing minimally invasive esophagectomy after neoadjuvant chemotherapy. <i>Journal of Surgical Oncology</i> , 2021 , 124, 1022-1030 | 2.8 | 1 |
| 44 | Comparison of laparoscopic gastrectomy with 3-D/HD and 2-D/4K camera system for gastric cancer: a prospective randomized control study. <i>Langenbecks Archives of Surgery</i> , 2021 , 1 | 3.4 | 0 |
| 43 | Laparoscopic creation of a retrosternal route for gastric conduit reconstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1 | 5.2 | 0 |
| 42 | Routine placement of feeding jejunostomy tube during esophagectomy increases postoperative complications and does not improve postoperative malnutrition. <i>Ecological Management and Restoration</i> , 2020 , 33, | 3 | 9 |
| 41 | Laparoscopic gastrectomy with lymph node dissection for the treatment of remnant stomach gastrointestinal stromal tumors in incomplete-type Carney's triad: a case report. <i>Surgical Case Reports</i> , 2020 , 6, 112 | 0.8 | |
| 40 | Thoracoscopic retrosternal gastric conduit resection in the supine position for gastric tube cancer. <i>Asian Journal of Endoscopic Surgery</i> , 2020 , 13, 461-464 | 1.4 | 8 |
| 39 | Skeletal muscle loss after laparoscopic gastrectomy assessed by measuring the total psoas area. <i>Surgery Today</i> , 2020 , 50, 693-702 | 3 | 2 |
| 38 | Severe weight loss after minimally invasive oesophagectomy is associated with poor survival in patients with oesophageal cancer at 5 years. <i>BMC Gastroenterology</i> , 2020 , 20, 407 | 3 | 2 |
| 37 | Significance of prediction of the dorsal landmark using three-dimensional computed tomography during laparoscopic lymph node dissection along the proximal splenic artery in gastric cancer. <i>SAGE Open Medicine</i> , 2020 , 8, 2050312120936918 | 2.4 | |
| 36 | Tooth Loss Predicts Long-Term Prognosis of Esophageal Cancer After Esophagectomy. <i>Annals of Surgical Oncology</i> , 2020 , 27, 683-690 | 3.1 | 0 |

| | | | |
|----|--|-----|----|
| 35 | Comparison of total versus subtotal gastrectomy for remnant gastric cancer. <i>Langenbecks Archives of Surgery</i> , 2019 , 404, 753-760 | 3.4 | 8 |
| 34 | Optimal monitor positioning and camera rotation angle for mirror image: overcoming reverse alignment during laparoscopic colorectal surgery. <i>Scientific Reports</i> , 2019 , 9, 8371 | 4.9 | 2 |
| 33 | Prophylactic Cervical Lymph Node Dissection in Thoracoscopic Esophagectomy for Esophageal Cancer Increases Postoperative Complications and Does Not Improve Survival. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2899-2904 | 3.1 | 15 |
| 32 | MDM2 copy number increase: a poor prognostic, molecular event in esophageal squamous cell carcinoma. <i>Human Pathology</i> , 2019 , 89, 1-9 | 3.7 | 10 |
| 31 | Medial approach for subcarinal lymphadenectomy during thoracoscopic esophagectomy in the prone position. <i>Langenbecks Archives of Surgery</i> , 2019 , 404, 359-367 | 3.4 | 1 |
| 30 | Current status of minimally invasive esophagectomy for esophageal cancer: Is it truly less invasive?. <i>Annals of Gastroenterological Surgery</i> , 2019 , 3, 138-145 | 4.3 | 9 |
| 29 | Evaluation of the result of single-incision laparoscopic surgery for gastrointestinal stromal tumors in the stomach. <i>Surgical Case Reports</i> , 2019 , 5, 50 | 0.8 | 1 |
| 28 | Thoracic Duct Resection During Esophagectomy Does Not Contribute to Improved Prognosis in Esophageal Squamous Cell Carcinoma: A Propensity Score Matched-Cohort Study. <i>Annals of Surgical Oncology</i> , 2019 , 26, 4053-4061 | 3.1 | 16 |
| 27 | Long-Term Outcomes of Thoracoscopic Esophagectomy in the Prone versus Lateral Position: A Propensity Score-Matched Analysis. <i>Annals of Surgical Oncology</i> , 2019 , 26, 3736-3744 | 3.1 | 8 |
| 26 | ASO Author Reflections: Is It Truly Necessary to Resect the Thoracic Duct in Esophagectomy for Esophageal Cancer?. <i>Annals of Surgical Oncology</i> , 2019 , 26, 814 | 3.1 | |
| 25 | Non-placement versus placement of a drainage tube around the cervical anastomosis in McKeown esophagectomy: study protocol for a randomized controlled trial. <i>Trials</i> , 2019 , 20, 758 | 2.8 | 1 |
| 24 | Controlling Nutritional Status (CONUT) Score Predicts Outcomes of Curative Resection for Gastric Cancer in the Elderly. <i>World Journal of Surgery</i> , 2019 , 43, 1076-1084 | 3.3 | 24 |
| 23 | Long-term impact of postoperative pneumonia after curative gastrectomy for elderly gastric cancer patients. <i>Annals of Gastroenterological Surgery</i> , 2018 , 2, 72-78 | 4.3 | 16 |
| 22 | The effect on surgical skills of expert surgeons using 3D/HD and 2D/4K resolution monitors in laparoscopic phantom tasks. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 4228-4234 | 5.2 | 46 |
| 21 | Standardizing procedures improves and homogenizes short-term outcomes after minimally invasive esophagectomy. <i>Langenbecks Archives of Surgery</i> , 2018 , 403, 221-234 | 3.4 | 5 |
| 20 | The learning effect of using stereoscopic vision in the early phase of laparoscopic surgical training for novices. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 582-588 | 5.2 | 15 |
| 19 | The Depth from the Skin to the Celiac Artery Measured Using Computed Tomography is a Simple Predictive Index for Longer Operation Time During Laparoscopic Distal Gastrectomy. <i>World Journal of Surgery</i> , 2018 , 42, 1065-1072 | 3.3 | 6 |
| 18 | Mass-Forming Deep Pseudodiverticulosis of the Esophagus With F-Fluorodeoxyglucose Uptake. <i>Annals of Thoracic Surgery</i> , 2018 , 106, e309-e311 | 2.7 | 1 |

| | | | |
|----|--|-----|----|
| 17 | Impact of Sarcopenia on Unplanned Readmission and Survival After Esophagectomy in Patients with Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2018 , 25, 456-464 | 3.1 | 24 |
| 16 | Quantitative comparison of operative skill using 2- and 3-dimensional monitors during laparoscopic phantom tasks. <i>Surgery</i> , 2017 , 161, 1334-1340 | 3.6 | 9 |
| 15 | Reliable Surgical Techniques for Lymphadenectomy Along the Left Recurrent Laryngeal Nerve During Thoracoscopic Esophagectomy in the Prone Position. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1018 ^{3.1} | 3.1 | 10 |
| 14 | Radical Lymph Node Dissection Along the Proximal Splenic Artery During Laparoscopic Gastrectomy for Gastric Cancer Using the Left Lateral Approach. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2727 | 3.1 | |
| 13 | Practical Surgical Techniques for Lymphadenectomy Along the Right Recurrent Laryngeal Nerve During Thoracoscopic Esophagectomy in the Prone Position. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2302 ^{3.1} | 3.1 | 6 |
| 12 | Comparison of two- and three-dimensional display for performance of laparoscopic total gastrectomy for gastric cancer. <i>Langenbecks Archives of Surgery</i> , 2017 , 402, 493-500 | 3.4 | 15 |
| 11 | The Surgical Apgar Score Predicts Not Only Short-Term Complications But Also Long-Term Prognosis After Esophagectomy. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3934-3946 | 3.1 | 13 |
| 10 | A new method (the "Pincers maneuver") for lymphadenectomy along the right recurrent laryngeal nerve during thoracoscopic esophagectomy in the prone position for esophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 1496-1504 | 5.2 | 8 |
| 9 | Prone position in thoracoscopic esophagectomy improves postoperative oxygenation and reduces pulmonary complications. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 1136-1141 | 5.2 | 15 |
| 8 | Short-term outcomes and one surgeon@ learning curve for thoracoscopic esophagectomy performed with the patient in the prone position. <i>Surgery Today</i> , 2017 , 47, 313-319 | 3 | 18 |
| 7 | Safe management of laparoscopic endoscopic cooperative surgery for superficial non-ampullary duodenal epithelial tumors. <i>Endoscopy International Open</i> , 2017 , 5, E1153-E1158 | 3 | 13 |
| 6 | Preoperative sarcopenia is a predictor of postoperative pulmonary complications in esophageal cancer following esophagectomy: A retrospective cohort study. <i>Journal of Geriatric Oncology</i> , 2016 , 7, 430-436 | 3.6 | 55 |
| 5 | Successful laparoscopic distal gastrectomy with D2 lymph node dissection preserving the common hepatic artery branched from the left gastric artery for advanced gastric cancer with an Adachi type VI (group 26) vascular anomaly. <i>Surgical Case Reports</i> , 2016 , 2, 55 | 0.8 | 2 |
| 4 | Comparing the short-term outcomes of laparoscopic distal gastrectomy with D1+ and D2 lymph node dissection for gastric cancer. <i>Asian Journal of Endoscopic Surgery</i> , 2016 , 9, 116-21 | 1.4 | 4 |
| 3 | Hand-assisted laparoscopic surgery (HALS) is associated with less-restrictive ventilatory impairment and less risk for pulmonary complication than open laparotomy in thoracoscopic esophagectomy. <i>Surgery</i> , 2016 , 159, 459-66 | 3.6 | 24 |
| 2 | Trainee competence in thoracoscopic esophagectomy in the prone position: evaluation using cumulative sum techniques. <i>Langenbecks Archives of Surgery</i> , 2016 , 401, 797-804 | 3.4 | 10 |
| 1 | A new method (the "Bascule method") for lymphadenectomy along the left recurrent laryngeal nerve during prone esophagectomy for esophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 2442-50 | 5.2 | 32 |