

# William H Westra

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7580201/publications.pdf>

Version: 2024-02-01

151  
papers

28,398  
citations

15880

67  
h-index

10129

145  
g-index

154  
all docs

154  
docs citations

154  
times ranked

21265  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of human papillomavirus in head and neck cancers at tertiary care centers in the United States over time. <i>Cancer</i> , 2022, 128, 1767-1774.	2.0	7
2	High-risk non-16 human papillomavirus genotypes in head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2022, 40, e18052-e18052.	0.8	0
3	Human papillomavirus genotype distribution in head and neck cancer: Informing developing strategies for cancer prevention, diagnosis, treatment and surveillance. <i>Oral Oncology</i> , 2021, 113, 105109.	0.8	16
4	Liquid phase human papillomavirus genotype analysis of aspirated metastatic head and neck squamous cell carcinoma: Fine needle aspiration supernatant is a rich source of tumor <scp>DNA</scp> that can increase the diagnostic yield. <i>Diagnostic Cytopathology</i> , 2021, 49, 25-30.	0.5	5
5	De-Escalated Adjuvant Therapy After Transoral Robotic Surgery for Human Papillomavirus-Related Oropharyngeal Carcinoma: The Sinai Robotic Surgery (SIRS) Trial. <i>Oncologist</i> , 2021, 26, 504-513.	1.9	22
6	Pathophysiology of SARS-CoV-2: the Mount Sinai COVID-19 autopsy experience. <i>Modern Pathology</i> , 2021, 34, 1456-1467.	2.9	184
7	Tissue-based SARS-CoV-2 detection in fatal COVID-19 infections: Sustained direct viral-induced damage is not necessary to drive disease progression. <i>Human Pathology</i> , 2021, 114, 110-119.	1.1	32
8	Redefining risk of contralateral cervical nodal disease in early stage oropharyngeal cancer in the human papillomavirus era. <i>Head and Neck</i> , 2021, 43, 1409-1414.	0.9	9
9	Whole slide imaging for teleconsultation: The Mount Sinai Hospital, Labcorp Dianon, and Philips Collaborative Experience. <i>Journal of Pathology Informatics</i> , 2021, 12, 53.	0.8	4
10	The Prevalence, Anatomic Distribution and Significance of HPV Genotypes in Head and Neck Squamous Papillomas as Detected by Real-Time PCR and Sanger Sequencing. <i>Head and Neck Pathology</i> , 2020, 14, 428-434.	1.3	9
11	Distinct biomarker and behavioral profiles of human papillomavirus-related oropharynx cancer patients by age. <i>Oral Oncology</i> , 2020, 101, 104522.	0.8	19
12	Long-term outcomes in patients with recurrent human papillomavirus-positive oropharyngeal cancer after upfront transoral robotic surgery. <i>Head and Neck</i> , 2020, 42, 3490-3496.	0.9	6
13	HPV-positive Squamous Cell Carcinoma of the Larynx, Oral Cavity, and Hypopharynx. <i>American Journal of Surgical Pathology</i> , 2020, 44, 691-702.	2.1	19
14	HIV-Infected Patients With Anal Cancer Precursors: Clinicopathological Characteristics and Human Papillomavirus Subtype Distribution. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 890-896.	0.7	3
15	Summary from an international cancer seminar focused on human papillomavirus (HPV)-positive oropharynx cancer, convened by scientists at IARC and NCI. <i>Oral Oncology</i> , 2020, 108, 104736.	0.8	40
16	Mucoepidermoid carcinoma of the oropharynx: a tumor type with a propensity for regional metastasis unrelated to histologic grade. <i>Human Pathology</i> , 2019, 93, 1-5.	1.1	5
17	Real-time PCR HPV genotyping in fine needle aspirations of metastatic head and neck squamous cell carcinoma: Exposing the limitations of conventional p16 immunostaining. <i>Oral Oncology</i> , 2019, 90, 74-79.	0.8	16
18	<i>JAK3</i> Variant, Immune Signatures, DNA Methylation, and Social Determinants Linked to Survival Racial Disparities in Head and Neck Cancer Patients. <i>Cancer Prevention Research</i> , 2019, 12, 255-270.	0.7	19

#	ARTICLE	IF	CITATIONS
19	SOX10 Immunoexpression in Basaloid Squamous Cell Carcinomas: A Diagnostic Pitfall for Ruling out Salivary Differentiation. <i>Head and Neck Pathology</i> , 2019, 13, 543-547.	1.3	27
20	KEYNOTE-689: Phase 3 study of adjuvant and neoadjuvant pembrolizumab combined with standard of care (SOC) in patients with resectable, locally advanced head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS6090-TPS6090.	0.8	19
21	Human Papillomavirus Testing in Head and Neck Carcinomas: Guideline From the College of American Pathologists. <i>Archives of Pathology and Laboratory Medicine</i> , 2018, 142, 559-597.	1.2	393
22	Increasing prevalence of human papillomavirusâ€“positive oropharyngeal cancers among older adults. <i>Cancer</i> , 2018, 124, 2993-2999.	2.0	111
23	Age Profile of Patients With Oropharyngeal Squamous Cell Carcinoma. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2018, 144, 538.	1.2	23
24	Prognostic factors for human papillomavirusâ€“positive and negative oropharyngeal carcinomas. <i>Laryngoscope</i> , 2018, 128, E288-E296.	1.1	20
25	Human Papillomavirus-Related Neuroendocrine Carcinomas of the Head and Neck. <i>Head and Neck Pathology</i> , 2018, 12, 9-12.	1.3	15
26	MAML2 Rearrangements in Variant Forms of Mucoepidermoid Carcinoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 130-136.	2.1	89
27	Clear Cell Carcinoma of Salivary Glands Is Frequently p16 Positive. <i>American Journal of Surgical Pathology</i> , 2018, 42, 367-371.	2.1	23
28	Utility of preoperative fine needle aspiration in parotid lesions. <i>Laryngoscope</i> , 2018, 128, 398-402.	1.1	48
29	Human papillomavirus-related multiphenotypic sinonasal carcinoma: An emerging tumor type with a unique microscopic appearance and a paradoxical clinical behaviour. <i>Oral Oncology</i> , 2018, 87, 17-20.	0.8	30
30	Functional characterization of alternatively spliced GSN in head and neck squamous cell carcinoma. <i>Translational Research</i> , 2018, 202, 109-119.	2.2	15
31	Hochsensitive mtDNA Sequenzierung in Plattenepithelkarzinomen des Hals-/Kopf-Bereiches als Marker der Tumorheterogenitat und Lymphknotenmetastasierung. <i>Laryngo- Rhino- Otologie</i> , 2018, 97, .	0.2	0
32	Highly sensitive mtDNA sequencing in Head and neck squamous cell carcinoma as a marker of intratumoral heterogeneity and lymph node metastasis. <i>Laryngo- Rhino- Otologie</i> , 2018, 97, .	0.2	0
33	E1308: Phase II Trial of Induction Chemotherapy Followed by Reduced-Dose Radiation and Weekly Cetuximab in Patients With HPV-Associated Resectable Squamous Cell Carcinoma of the Oropharynxâ€“ ECOG-ACRIN Cancer Research Group. <i>Journal of Clinical Oncology</i> , 2017, 35, 490-497.	0.8	359
34	The prognostic role of sex, race, and human papillomavirus in oropharyngeal and nonoropharyngeal head and neck squamous cell cancer. <i>Cancer</i> , 2017, 123, 1566-1575.	2.0	187
35	Update from the 4th Edition of the World Health Organization Classification of Head and Neck Tumours: Oropharynx. <i>Head and Neck Pathology</i> , 2017, 11, 41-47.	1.3	61
36	Transcriptionally Active High-Risk Human Papillomavirus is Not a Common Etiologic Agent in the Malignant Transformation of Inverted Schneiderian Papillomas. <i>Head and Neck Pathology</i> , 2017, 11, 346-353.	1.3	53

#	ARTICLE	IF	CITATIONS
37	The impact of noninvasive follicular thyroid neoplasm with papillary-like nuclear features on the performance of the Afirma gene expression classifier. <i>Cancer Cytopathology</i> , 2017, 125, 683-691.	1.4	58
38	Human papillomavirus-related carcinoma with adenoid cystic-like features of the sinonasal tract: clinical and morphological characterization of six new cases. <i>Histopathology</i> , 2017, 70, 880-888.	1.6	46
39	Prognostic biomarkers in patients with human immunodeficiency virus-positive disease with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 2433-2443.	0.9	5
40	Patient with antiphospholipid syndrome presenting with testicular torsion-like symptoms. <i>Urology Case Reports</i> , 2017, 15, 26-27.	0.1	6
41	HPV-related Multiphenotypic Sinonasal Carcinoma. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1690-1701.	2.1	153
42	Nonuniform Distribution of High-risk Human Papillomavirus in Squamous Cell Carcinomas of the Oropharynx. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1722-1728.	2.1	46
43	INSM1 Demonstrates Superior Performance to the Individual and Combined Use of Synaptophysin, Chromogranin and CD56 for Diagnosing Neuroendocrine Tumors of the Thoracic Cavity. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1561-1569.	2.1	127
44	High-resolution microbiome profiling uncovers <i>Fusobacterium nucleatum</i> , <i>Lactobacillus gasserii/johnsonii</i> , and <i>Lactobacillus vaginalis</i> associated to oral and oropharyngeal cancer in saliva from HPV positive and HPV negative patients treated with surgery and chemo-radiation. <i>Oncotarget</i> , 2017, 8, 110931-110948.	0.8	79
45	Integrative computational analysis of transcriptional and epigenetic alterations implicates <i>DTX1</i> as a putative tumor suppressor gene in HNSCC. <i>Oncotarget</i> , 2017, 8, 15349-15363.	0.8	16
46	16S rRNA amplicon sequencing identifies microbiota associated with oral cancer, human papilloma virus infection and surgical treatment. <i>Oncotarget</i> , 2016, 7, 51320-51334.	0.8	237
47	Characterization of functionally active gene fusions in human papillomavirus related oropharyngeal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2016, 139, 373-382.	2.3	44
48	Large Cell Neuroendocrine Carcinoma of the Head and Neck. <i>American Journal of Surgical Pathology</i> , 2016, 40, 471-478.	2.1	81
49	Nuclear protein in testis midline carcinoma of larynx: An underdiagnosed entity. <i>Head and Neck</i> , 2016, 38, E2471-4.	0.9	11
50	Cetuximab activity in dysplastic lesions of the upper aerodigestive tract. <i>Oral Oncology</i> , 2016, 53, 60-66.	0.8	8
51	Biphenotypic sinonasal sarcoma: an expanded immunoprofile including consistent nuclear $\beta$ -catenin positivity and absence of SOX10 expression. <i>Human Pathology</i> , 2016, 55, 44-50.	1.1	80
52	Current concepts in the diagnosis and pathobiology of intraepithelial neoplasia: A review by organ system. <i>Ca-A Cancer Journal for Clinicians</i> , 2016, 66, 408-436.	157.7	33
53	Neuroendocrine neoplasms of the sinonasal region. <i>Head and Neck</i> , 2016, 38, E2259-66.	0.9	63
54	Paraneoplastic syndromes in patients with laryngeal neuroendocrine carcinomas: clinical manifestations and prognostic significance. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 533-536.	0.8	21

#	ARTICLE	IF	CITATIONS
55	RNA in-situ hybridization is a practical and effective method for determining HPV status of oropharyngeal squamous cell carcinoma including discordant cases that are p16 positive by immunohistochemistry but HPV negative by DNA in-situ hybridization. <i>Oral Oncology</i> , 2016, 55, 11-16.	0.8	65
56	Incidental findings of thyroid tissue in cervical lymph nodes: old controversy not yet resolved?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 2867-2875.	0.8	23
57	An integrated genome-wide approach to discover deregulated microRNAs in non-small cell lung cancer: Clinical significance of miR-23b-3p deregulation. <i>Scientific Reports</i> , 2015, 5, 13236.	1.6	32
58	Ciliated HPV-related Carcinoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 1591-1595.	2.1	44
59	Outlier Analysis Defines Zinc Finger Gene Family DNA Methylation in Tumors and Saliva of Head and Neck Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0142148.	1.1	41
60	Eosinophilic Mucin Otitis and Otopolyposis. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2015, 124, 752-756.	0.6	15
61	Expression profile and in vitro blockade of programmed death-1 in human papillomavirus-negative head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015, 37, 1088-1095.	0.9	56
62	The pathology of HPV-related head and neck cancer: Implications for the diagnostic pathologist. <i>Seminars in Diagnostic Pathology</i> , 2015, 32, 42-53.	1.0	51
63	The Fidelity of p16 Staining as a Surrogate Marker of Human Papillomavirus Status in Fine-Needle Aspirates and Core Biopsies of Neck Node Metastases: Implications for HPV Testing Protocols. <i>Acta Cytologica</i> , 2015, 59, 97-103.	0.7	63
64	NF- $\kappa$ B and stat3 transcription factor signatures differentiate HPV-positive and HPV-negative head and neck squamous cell carcinoma. <i>International Journal of Cancer</i> , 2015, 137, 1879-1889.	2.3	51
65	A subset of prostatic basal cell carcinomas harbor the MYB rearrangement of adenoid cystic carcinoma. <i>Human Pathology</i> , 2015, 46, 1204-1208.	1.1	34
66	Targeted sequencing reveals clonal genetic changes in the progression of early lung neoplasms and paired circulating DNA. <i>Nature Communications</i> , 2015, 6, 8258.	5.8	129
67	Clinical, genomic, and metagenomic characterization of oral tongue squamous cell carcinoma in patients who do not smoke. <i>Head and Neck</i> , 2015, 37, 1642-1649.	0.9	66
68	The Diagnosis of HPV-Related HNSCC: Recognition of Its Microscopic Appearance and the Use of Ancillary Detection Assays. <i>Head and Neck Cancer Clinics</i> , 2015, , 65-86.	0.0	1
69	Expression Microarray Analysis Reveals Alternative Splicing of LAMA3 and DST Genes in Head and Neck Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e91263.	1.1	35
70	Novel Insight into Mutational Landscape of Head and Neck Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e93102.	1.1	87
71	The expanding role of cytopathology in the diagnosis of HPV-related squamous cell carcinoma of the head and neck. <i>Diagnostic Cytopathology</i> , 2014, 42, 85-93.	0.5	49
72	Saliva and Plasma Quantitative Polymerase Chain Reaction-Based Detection and Surveillance of Human Papillomavirus-Related Head and Neck Cancer. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014, 140, 846.	1.2	181

#	ARTICLE	IF	CITATIONS
73	Key tumor suppressor genes inactivated by "greater promoter" methylation and somatic mutations in head and neck cancer. <i>Epigenetics</i> , 2014, 9, 1031-1046.	1.3	122
74	Use of p40 and p63 Immunohistochemistry and Human Papillomavirus Testing as Ancillary Tools for the Recognition of Head and Neck Sarcomatoid Carcinoma and Its Distinction From Benign and Malignant Mesenchymal Processes. <i>American Journal of Surgical Pathology</i> , 2014, 38, 257-264.	2.1	79
75	Molecular diagnostic alterations in squamous cell carcinoma of the head and neck and potential diagnostic applications. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 211-223.	0.8	25
76	Double reporting and second opinion in head and neck pathology. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 847-854.	0.8	22
77	The Sinonasal Tract: Another Potential "Hot Spot" for Carcinomas with Transcriptionally-Active Human Papillomavirus. <i>Head and Neck Pathology</i> , 2014, 8, 241-249.	1.3	68
78	Long Interspersed Element-1 Protein Expression Is a Hallmark of Many Human Cancers. <i>American Journal of Pathology</i> , 2014, 184, 1280-1286.	1.9	250
79	Mucoepidermoid Carcinoma Does Not Harbor Transcriptionally Active High Risk Human Papillomavirus Even in the Absence of the MAML2 Translocation. <i>Head and Neck Pathology</i> , 2014, 8, 298-302.	1.3	26
80	Human papillomavirus (HPV) status of non-tobacco related squamous cell carcinomas of the lateral tongue. <i>Oral Oncology</i> , 2014, 50, 306-310.	0.8	74
81	Human papillomavirus status of head and neck cancer as determined in cytologic specimens using the hybrid-capture 2 assay. <i>Oral Oncology</i> , 2014, 50, 600-604.	0.8	32
82	Detection of human papillomavirus (HPV) in clinical samples: Evolving methods and strategies for the accurate determination of HPV status of head and neck carcinomas. <i>Oral Oncology</i> , 2014, 50, 771-779.	0.8	143
83	Long-term prognosis and risk factors among patients with HPV-associated oropharyngeal squamous cell carcinoma. <i>Cancer</i> , 2013, 119, 3462-3471.	2.0	86
84	Evidence for a Role of the PD-1:PD-L1 Pathway in Immune Resistance of HPV-Associated Head and Neck Squamous Cell Carcinoma. <i>Cancer Research</i> , 2013, 73, 1733-1741.	0.4	678
85	Molecular etiology of second primary tumors in contralateral tonsils of human papillomavirus-associated index tonsillar carcinomas. <i>Oral Oncology</i> , 2013, 49, 244-248.	0.8	48
86	Oncopolicy in high-income countries can make a difference in HPV-related Head and Neck Cancer. <i>Journal of Cancer Policy</i> , 2013, 1, e49-e51.	0.6	1
87	Human Papillomavirus-related Carcinoma With Adenoid Cystic-like Features. <i>American Journal of Surgical Pathology</i> , 2013, 37, 836-844.	2.1	144
88	Human Papillomavirus-related Carcinomas of the Sinonasal Tract. <i>American Journal of Surgical Pathology</i> , 2013, 37, 185-192.	2.1	247
89	Tobacco Smoking and Increased Risk of Death and Progression for Patients With p16-Positive and p16-Negative Oropharyngeal Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 2102-2111.	0.8	447
90	Detection of Transcriptionally Active High-risk HPV in Patients With Head and Neck Squamous Cell Carcinoma as Visualized by a Novel E6/E7 mRNA In Situ Hybridization Method. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1874-1882.	2.1	308

#	ARTICLE	IF	CITATIONS
91	HPV Analysis in Distinguishing Second Primary Tumors From Lung Metastases in Patients With Head and Neck Squamous Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 2012, 36, 142-148.	2.1	84
92	Detection of Human Papillomavirus in Clinical Samples. <i>Otolaryngologic Clinics of North America</i> , 2012, 45, 765-777.	0.5	28
93	p16 expression as a surrogate marker for HPV-related oropharyngeal carcinoma: A guide for interpretative relevance and consistency. <i>Head and Neck</i> , 2012, 34, 459-461.	0.9	257
94	Angiosarcoma Arising from the Tongue of an 11-Year-Old Girl with Xeroderma Pigmentosum. <i>Head and Neck Pathology</i> , 2012, 6, 255-257.	1.3	23
95	The Morphologic Profile of HPV-Related Head and Neck Squamous Carcinoma: Implications for Diagnosis, Prognosis, and Clinical Management. <i>Head and Neck Pathology</i> , 2012, 6, 48-54.	1.3	140
96	Application of the Hybrid Capture 2 assay to squamous cell carcinomas of the head and neck. <i>Cancer Cytopathology</i> , 2012, 120, 18-25.	1.4	59
97	High-risk human papillomavirus in nasopharyngeal carcinoma. <i>Head and Neck</i> , 2012, 34, 213-218.	0.9	75
98	Squamous Cell Carcinoma of the Oral Cavity and Oropharynx. <i>Surgical Pathology Clinics</i> , 2011, 4, 1127-1151.	0.7	10
99	PAX8 immunostaining of anaplastic thyroid carcinoma: a reliable means of discerning thyroid origin for undifferentiated tumors of the head and neck. <i>Human Pathology</i> , 2011, 42, 1873-1877.	1.1	129
100	Human Papillomavirus-Related Small Cell Carcinoma of the Oropharynx. <i>American Journal of Surgical Pathology</i> , 2011, 35, 1679-1684.	2.1	123
101	Exome Sequencing of Head and Neck Squamous Cell Carcinoma Reveals Inactivating Mutations in <i>NOTCH1</i> . <i>Science</i> , 2011, 333, 1154-1157.	6.0	1,568
102	Lymphoepithelial-like Carcinoma of the Oropharynx. <i>American Journal of Surgical Pathology</i> , 2010, 34, 800-805.	2.1	115
103	Plasmablastic Lymphoma Involving the Parotid Gland. <i>Head and Neck Pathology</i> , 2010, 4, 148-151.	1.3	7
104	Comparison of human papillomavirus in situ hybridization and p16 immunohistochemistry in the detection of human papillomavirus-associated head and neck cancer based on a prospective clinical experience. <i>Cancer</i> , 2010, 116, 2166-2173.	2.0	371
105	Expression of p16 in benign and malignant cystic squamous lesions of the neck. <i>Human Pathology</i> , 2010, 41, 535-539.	1.1	74
106	HPV-associated head and neck cancer: a virus-related cancer epidemic. <i>Lancet Oncology</i> , The, 2010, 11, 781-789.	5.1	1,533
107	Human Papillomavirus and Survival of Patients with Oropharyngeal Cancer. <i>New England Journal of Medicine</i> , 2010, 363, 24-35.	13.9	5,481
108	The Changing Face of Head and Neck Cancer in the 21st Century: The Impact of HPV on the Epidemiology and Pathology of Oral Cancer. <i>Head and Neck Pathology</i> , 2009, 3, 78-81.	1.3	218



#	ARTICLE	IF	CITATIONS
109	Molecular Pathology of Head and Neck Cancer: Implications for Diagnosis, Prognosis, and Treatment. Annual Review of Pathology: Mechanisms of Disease, 2009, 4, 49-70.	9.6	380
110	Cystic lymph node metastasis in patients with head and neck cancer: An HPV-associated phenomenon. Head and Neck, 2008, 30, 898-903.	0.9	353
111	Presence of HPV DNA in convalescent salivary rinses is an adverse prognostic marker in head and neck squamous cell carcinoma. Oral Oncology, 2008, 44, 915-919.	0.8	117
112	Distinct Risk Factor Profiles for Human Papillomavirus Type 16-Positive and Human Papillomavirus Type 16-Negative Head and Neck Cancers. Journal of the National Cancer Institute, 2008, 100, 407-420.	3.0	1,339
113	Oral Human Papillomavirus Infection Before and After Treatment for Human Papillomavirus 16-Positive and Human Papillomavirus 16-Negative Head and Neck Squamous Cell Carcinoma. Clinical Cancer Research, 2008, 14, 7143-7150.	3.2	72
114	Epigenetic alteration of Wnt pathway antagonists in progressive glandular neoplasia of the lung. Carcinogenesis, 2008, 29, 895-904.	1.3	116
115	Inverse Relationship between Human Papillomavirus-16 Infection and Disruptive <i>p53</i> Gene Mutations in Squamous Cell Carcinoma of the Head and Neck. Clinical Cancer Research, 2008, 14, 366-369.	3.2	213
116	Improved Survival of Patients With Human Papillomavirus-Positive Head and Neck Squamous Cell Carcinoma in a Prospective Clinical Trial. Journal of the National Cancer Institute, 2008, 100, 261-269.	3.0	2,397
117	Basaloid Squamous Cell Carcinoma of the Head and Neck is a Mixed Variant That Can be Further Resolved by HPV Status. American Journal of Surgical Pathology, 2008, 32, 1044-1050.	2.1	217
118	Detection of Human Papillomavirus-16 in Fine-Needle Aspirates to Determine Tumor Origin in Patients with Metastatic Squamous Cell Carcinoma of the Head and Neck. Clinical Cancer Research, 2007, 13, 1186-1191.	3.2	231
119	<i>TP53</i> Mutations and Survival in Squamous-Cell Carcinoma of the Head and Neck. New England Journal of Medicine, 2007, 357, 2552-2561.	13.9	680
120	Case-Control Study of Human Papillomavirus and Oropharyngeal Cancer. New England Journal of Medicine, 2007, 356, 1944-1956.	13.9	2,345
121	Diagnostic Difficulties in the Classification and Grading of Salivary Gland Tumors. International Journal of Radiation Oncology Biology Physics, 2007, 69, S49-S51.	0.4	26
122	The role of fine needle aspiration in the evaluation of parotid masses. Current Opinion in Otolaryngology and Head and Neck Surgery, 2006, 14, 62-66.	0.8	84
123	Fluorescence Visualization in Oral Neoplasia: Shedding Light on an Old Problem: Fig. 1.. Clinical Cancer Research, 2006, 12, 6594-6597.	3.2	25
124	The role of second opinion pathology in the management of lesions of the head and neck. Current Opinion in Otolaryngology and Head and Neck Surgery, 2005, 13, 81-84.	0.8	57
125	Absence of V599EBRAF mutations in desmoplastic melanomas. Cancer, 2005, 103, 788-792.	2.0	60
126	Tissue Distribution of Human Papillomavirus 16 DNA Integration in Patients with Tonsillar Carcinoma. Clinical Cancer Research, 2005, 11, 5694-5699.	3.2	287



#	ARTICLE	IF	CITATIONS
127	Exon 15 BRAF Mutations Are Uncommon in Melanomas Arising in Nonsun-Exposed Sites: Fig. 1.. Clinical Cancer Research, 2004, 10, 3444-3447.	3.2	128
128	Intraoperative Molecular Margin Analysis in Head and Neck Cancer. JAMA Otolaryngology, 2004, 130, 39.	1.5	116
129	Real-Time Gap Ligase Chain Reaction. Clinical Cancer Research, 2004, 10, 2379-2385.	3.2	27
130	BRAF mutations in anaplastic thyroid carcinoma: implications for tumor origin, diagnosis and treatment. Modern Pathology, 2004, 17, 1359-1363.	2.9	161
131	The prevalence and significance of clinically unsuspected neoplasms in cervical lymph nodes. Head and Neck, 2003, 25, 841-847.	0.9	47
132	Detection of human papillomavirus in cervical lymph nodes: a highly effective strategy for localizing site of tumor origin. Clinical Cancer Research, 2003, 9, 6469-75.	3.2	232
133	The impact of second opinion surgical pathology on the practice of head and neck surgery: A decade experience at a large referral hospital. Head and Neck, 2002, 24, 684-693.	0.9	101
134	Real-time quantitative PCR demonstrates low prevalence of human papillomavirus type 16 in premalignant and malignant lesions of the oral cavity. Clinical Cancer Research, 2002, 8, 1203-9.	3.2	105
135	Bizarre Epithelial Atypia of the Sinonasal Tract After Chemotherapy. American Journal of Surgical Pathology, 2001, 25, 652-656.	2.1	14
136	HMB-45 Immunohistochemical Staining of Sentinel Lymph Nodes. American Journal of Surgical Pathology, 2000, 24, 1140-1146.	2.1	75
137	Inverted Sinonasal Papilloma. American Journal of Pathology, 2000, 156, 333-337.	1.9	68
138	Early glandular neoplasia of the lung. Respiratory Research, 2000, 1, 163-9.	1.4	52
139	Mandatory second opinion surgical pathology at a large referral hospital. Cancer, 1999, 86, 2426-2435.	2.0	275
140	Immunohistochemical detection of p53 protein accumulation in head and neck cancer: Correlation with p53 gene alterations. Human Pathology, 1999, 30, 1221-1225.	1.1	90
141	Mandatory second opinion surgical pathology at a large referral hospital. , 1999, 86, 2426.		6
142	PSA immunoreactivity in a parotid oncocytoma: A diagnostic pitfall in discriminating primary parotid neoplasms from metastatic prostate cancer. Diagnostic Cytopathology, 1998, 19, 221-225.	0.5	23
143	Occult tonsillar carcinoma in the unknown primary. Laryngoscope, 1998, 108, 1605-1610.	1.1	102
144	Squamous cell carcinoma of the tongue associated with cinnamon gum use: A case report. , 1998, 20, 430-433.		25

#	ARTICLE	IF	CITATIONS
145	Squamous cell granulomas of the neck: Histologic regression of metastatic squamous cell carcinoma following chemotherapy and/or radiotherapy. , 1998, 20, 515-521.		11
146	p53 alterations in atypical alveolar hyperplasia of the human lung. Human Pathology, 1998, 29, 801-808.	1.1	62
147	Thyroid-Specific Expression of Cholera Toxin A1 Subunit Causes Thyroid Hyperplasia and Hyperthyroidism in Transgenic Mice*. Endocrinology, 1997, 138, 3133-3140.	1.4	71
148	Coinfection of HPV-11 and HPV-16 in a Case of Laryngeal Squamous Papillomas With Severe Dysplasia. Laryngoscope, 1997, 107, 942-947.	1.1	25
149	Bone metastasis from breast carcinoma with fluid-fluid level. Skeletal Radiology, 1996, 25, 189-192.	1.2	15
150	K-ras oncogene activation in lung adenocarcinomas from former smokers evidence that K-ras mutations are an early and irreversible event in the development of adenocarcinoma of the lung. Cancer, 1993, 72, 432-438.	2.0	187
151	Thyroid-Specific Expression of Cholera Toxin A1 Subunit Causes Thyroid Hyperplasia and Hyperthyroidism in Transgenic Mice. , 0, .		20