

Gian Battista Danzi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7611204/gian-battista-danzi-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167
papers

9,280
citations

35
h-index

95
g-index

205
ext. papers

11,459
ext. citations

5.6
avg, IF

5.97
L-index

#	Paper	IF	Citations
167	Sex-related differences in patients with coronavirus disease 2019: results of the Cardio-COVID-Italy multicentre study.. <i>Journal of Cardiovascular Medicine</i> , 2022 , 23, 254-263	1.9	0
166	Combined Role of Troponin and Natriuretic Peptides Measurements in Patients With Covid-19 (from the Cardio-COVID-Italy Multicenter Study).. <i>American Journal of Cardiology</i> , 2022 ,	3	3
165	The Incidence and Impact of In-Hospital Bleeding in Patients with Acute Coronary Syndrome during the COVID-19 Pandemic. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2926	5.1	1
164	Pulmonary embolism in patients with COVID-19: characteristics and outcomes in the Cardio-COVID Italy multicenter study. <i>Clinical Research in Cardiology</i> , 2021 , 110, 1020-1028	6.1	10
163	One-year performance of thin-strut cobalt chromium sirolimus-eluting stent versus thicker strut stainless steel biolimus-eluting coronary stent: a propensity-matched analysis of two international all-comers registries. <i>Coronary Artery Disease</i> , 2021 , 32, 391-396	1.4	1
162	Myocardial injury in patients with SARS-CoV-2 pneumonia: Pivotal role of inflammation in COVID-19. <i>European Journal of Clinical Investigation</i> , 2021 , e13703	4.6	3
161	Pulmonary embolism in patients with COVID-19 pneumonia on adequate oral anticoagulation. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 53, 576	5.1	0
160	'Heart of stone': an unusual post-actinic sequela. <i>European Heart Journal</i> , 2021 , 42, 1529	9.5	
159	A HYbrid APproach Evaluating a DRug-Coated Balloon in Combination With a New-Generation Drug-Eluting Stent in the Treatment of De Novo Diffuse Coronary Artery Disease: The HYPER Pilot Study. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 28, 14-19	1.6	0
158	Isolated Coronary Artery. <i>New England Journal of Medicine</i> , 2021 , 384, e79	59.2	
157	Lopinavir/Ritonavir and Darunavir/Cobicistat in Hospitalized COVID-19 Patients: Findings From the Multicenter Italian CORIST Study. <i>Frontiers in Medicine</i> , 2021 , 8, 639970	4.9	9
156	Disentangling the Association of Hydroxychloroquine Treatment with Mortality in Covid-19 Hospitalized Patients through Hierarchical Clustering. <i>Journal of Healthcare Engineering</i> , 2021 , 2021, 5556207	3.7	2
155	The prognostic value of serial troponin measurements in patients admitted for COVID-19. <i>ESC Heart Failure</i> , 2021 , 8, 3504-3511	3.7	8
154	Determinants of the protective effect of glucocorticoids on mortality in hospitalized patients with COVID-19: Insights from the Cardio-COVID-Italy multicenter study. <i>International Journal of Infectious Diseases</i> , 2021 , 108, 270-273	10.5	5
153	Effects on QT interval of hydroxychloroquine associated with ritonavir/darunavir or azithromycin in patients with SARS-CoV-2 infection. <i>Heart and Vessels</i> , 2021 , 36, 115-120	2.1	11
152	End-tidal carbon dioxide (ETCO) and ventricular fibrillation amplitude spectral area (AMSA) for shock outcome prediction in out-of-hospital cardiac arrest. Are they two sides of the same coin?. <i>Resuscitation</i> , 2021 , 160, 142-149	4	2
151	Heparin in COVID-19 Patients Is Associated with Reduced In-Hospital Mortality: The Multicenter Italian CORIST Study. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 1054-1065	7	45

150	Incidence and characterization of acute pulmonary embolism in patients with SARS-CoV-2 pneumonia: A multicenter Italian experience. <i>PLoS ONE</i> , 2021 , 16, e0245565	3.7	15
149	Disseminated Arterial and Venous Thrombosis: An Unusual Combination. <i>American Journal of Medicine</i> , 2021 , 134, e117-e118	2.4	1
148	Impact of clinical and subclinical coronary artery disease as assessed by coronary artery calcium in COVID-19. <i>Atherosclerosis</i> , 2021 , 328, 136-143	3.1	7
147	The "mystifier" of the heart: the cardiologist's confessions in the COVID-19 era. <i>Minerva Cardiology and Angiology</i> , 2021 , 69, 371-373	2.4	
146	Coronary and total thoracic calcium scores predict mortality and provides pathophysiologic insights in COVID-19 patients. <i>Journal of Cardiovascular Computed Tomography</i> , 2021 , 15, 421-430	2.8	10
145	Long-Term Outcome After Out-of-Hospital Cardiac Arrest: An Utstein-Based Analysis.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 764043	5.4	0
144	Coronary artery disease in patients hospitalised with Coronavirus disease 2019 (COVID-19) infection. <i>Open Heart</i> , 2020 , 7,	3	12
143	COVID-19 kills at home: the close relationship between the epidemic and the increase of out-of-hospital cardiac arrests. <i>European Heart Journal</i> , 2020 , 41, 3045-3054	9.5	109
142	Acute pulmonary embolism and COVID-19 pneumonia: a random association?. <i>European Heart Journal</i> , 2020 , 41, 1858	9.5	424
141	Out-of-Hospital Cardiac Arrest during the Covid-19 Outbreak in Italy. <i>New England Journal of Medicine</i> , 2020 , 383, 496-498	59.2	344
140	ST-Elevation Myocardial Infarction in Patients With COVID-19: Clinical and Angiographic Outcomes. <i>Circulation</i> , 2020 , 141, 2113-2116	16.7	261
139	Direct oral anticoagulant plasma levels' striking increase in severe COVID-19 respiratory syndrome patients treated with antiviral agents: The Cremona experience. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 1320-1323	15.4	103
138	Glucocorticoid-Induced Bacterial Endocarditis in COVID-19 Pneumonia - Something to Be Concerned About?. <i>Circulation Journal</i> , 2020 , 84, 1887	2.9	5
137	Late Pulmonary Embolism after COVID-19 Pneumonia despite Adequate Rivaroxaban Treatment. <i>European Journal of Case Reports in Internal Medicine</i> , 2020 , 7, 001790	1.2	7
136	The Ultimaster coronary stent system: 5-year worldwide experience. <i>Future Cardiology</i> , 2020 , 16, 251-261.3		5
135	Severe COVID-19 Pneumonia and Very Late Stent Thrombosis: a Trigger or Innocent Bystander?. <i>Korean Circulation Journal</i> , 2020 , 50, 632-633	2.2	8
134	Pulmonary vein thrombosis in a patient undergoing anticoagulation treatment: an intriguing clinical diagnosis. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 463-464	1.9	
133	RAAS inhibitors are not associated with mortality in COVID-19 patients: Findings from an observational multicenter study in Italy and a meta-analysis of 19 studies. <i>Vascular Pharmacology</i> , 2020 , 135, 106805	5.9	34

132	Spontaneous pneumomediastinum in COVID-19 pneumonia. <i>Monaldi Archives for Chest Disease</i> , 2020 , 90,	2.7	11
131	Renin-angiotensin system blockers and outcomes during hydroxychloroquine treatment in patients hospitalized for COVID-19 pneumonia. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 964-966	0.7	
130	Impact of heart failure on the clinical course and outcomes of patients hospitalized for COVID-19. Results of the Cardio-COVID-Italy multicentre study. <i>European Journal of Heart Failure</i> , 2020 , 22, 2238-2247	12.3	58
129	Common cardiovascular risk factors and in-hospital mortality in 3,894 patients with COVID-19: survival analysis and machine learning-based findings from the multicentre Italian CORIST Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1899-1913	4.5	84
128	Use of hydroxychloroquine in hospitalised COVID-19 patients is associated with reduced mortality: Findings from the observational multicentre Italian CORIST study. <i>European Journal of Internal Medicine</i> , 2020 , 82, 38-47	3.9	64
127	Association of Troponin Levels With Mortality in Italian Patients Hospitalized With Coronavirus Disease 2019: Results of a Multicenter Study. <i>JAMA Cardiology</i> , 2020 , 5, 1274-1280	16.2	95
126	Coronavirus disease 2019 and cardiovascular implications. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 725-732	1.9	13
125	Ventricular tachycardia triggered by pregnancy in left-ventricular non-compaction cardiomyopathy: a controversial indication to automated defibrillator implantation. <i>Monaldi Archives for Chest Disease</i> , 2020 , 90,	2.7	2
124	Outcomes of Optimised Implantation Technique with Bioresorbable scaffolds: A Pooled Analysis of ABSORB-IV and COMPARE-ABSORB Trials. <i>Cardiovascular Revascularization Medicine</i> , 2020 , 21, 559-561	1.6	3
123	Cardiovascular Events Recurrence and Coronary Artery Disease in HIV Patients: The Price We Have to Pay for the Chronicization of the Disease. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 127-134	3.8	5
122	Benefit of Primary Percutaneous Coronary Intervention in Elderly Patients With Cardiogenic Shock. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 823-824	15.1	
121	Evaluation of masticatory muscle activity in patients with unilateral posterior crossbite before and after rapid maxillary expansion. <i>European Journal of Orthodontics</i> , 2019 , 41, 46-53	3.3	12
120	From biodegradable polymers to bioresorbable vascular scaffolds: available evidence in the era of new-generation drug-eluting stents. <i>Minerva Cardiology and Angiology</i> , 2018 , 66, 246-261	2.4	
119	Medicine evolves; sorrow remains the same. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018 , 111, 587-588	2.7	
118	Trends of percutaneous coronary intervention in Italy in the last 10 years. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 170-177	1.9	6
117	Five-year clinical performance of a biodegradable polymer-coated biolimus-eluting stent in unselected patients. <i>Heart</i> , 2017 , 103, 111-116	5.1	8
116	Third generation drug eluting stent (DES) with biodegradable polymer in diabetic patients: 5 years follow-up. <i>Cardiovascular Diabetology</i> , 2017 , 16, 23	8.7	13
115	Large Left Ventricular Aneurysm and Multifocal Myocardial Involvement in a Patient With Systemic Sclerosis. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 950.e5-950.e6	3.8	2

114	Diastolic Blood Pressure and Myocardial Damage: What About Coronary Perfusion Time?. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1645-1646	15.1	1
113	Antithrombotic therapy and vascular access site: A choice not mutually exclusive. <i>International Journal of Cardiology</i> , 2017 , 235, 185	3.2	
112	Bioresorbable Scaffolds versus Metallic Stents in Routine PCI. <i>New England Journal of Medicine</i> , 2017 , 377, 1791-2	59.2	5
111	Une vision freudienne du jeu de l'acteur: Freud à l'école de l'art d'Yvette Guilbert. <i>Cliniques Méditerranéennes</i> , 2017 , 95, 271	0.2	1
110	What About Pharmacologic Therapy?. <i>American Journal of Medicine</i> , 2017 , 130, e419	2.4	
109	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Post-Hoc Analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella Insufficienza Cardiaca-Heart Failure) Trial. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	39
108	Antithrombotic Therapy and Vascular Access Site: Comparing Effect Sizes, Not Only p Values. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 2174-2175	5	1
107	Risk Related to Pre-Diabetes Mellitus and Diabetes Mellitus in Heart Failure With Reduced Ejection Fraction: Insights From Prospective Comparison of ARNI With ACEI to Determine Impact on Global Mortality and Morbidity in Heart Failure Trial. <i>Circulation: Heart Failure</i> , 2016 , 9,	7.6	201
106	Association between posterior crossbite, skeletal, and muscle asymmetry: a systematic review. <i>European Journal of Orthodontics</i> , 2016 , 38, 638-651	3.3	30
105	The Ultimaster Biodegradable-Polymer Sirolimus-Eluting Stent: An Updated Review of Clinical Evidence. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	30
104	Importance of Clinical Worsening of Heart Failure Treated in the Outpatient Setting: Evidence From the Prospective Comparison of ARNI With ACEI to Determine Impact on Global Mortality and Morbidity in Heart Failure Trial (PARADIGM-HF). <i>Circulation</i> , 2016 , 133, 2254-62	16.7	96
103	Upper limb ischemia: an uncommon clinical situation?. <i>Minerva Cardioangiologica</i> , 2016 , 64, 612-4	1.1	
102	Prevalence and Impact of Co-morbidity Burden as Defined by the Charlson Co-morbidity Index on 30-Day and 1- and 5-Year Outcomes After Coronary Stent Implantation (from the Nobori-2 Study). <i>American Journal of Cardiology</i> , 2015 , 116, 364-71	3	35
101	A multicenter observational study on the management of hyperglycemia in patients with acute coronary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 916-23	4.5	3
100	Regular wine consumption in chronic heart failure: impact on outcomes, quality of life, and circulating biomarkers. <i>Circulation: Heart Failure</i> , 2015 , 8, 428-37	7.6	20
99	Fracture of a sirolimus-eluting stent in renal artery stenosis. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16 Suppl 1, S42-4	1.9	1
98	Does optimal lesion preparation reduce the amount of acute recoil of the Absorbe BVS? Insights from a real-world population. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, 984-91	2.7	17
97	Drug-eluting stents with biodegradable polymer for the treatment of patients with diabetes mellitus: clinical outcome at 2 years in a large population of patients. <i>Medical Devices: Evidence and Research</i> , 2015 , 8, 153-60	1.5	4

96	Angiotensin receptor neprilysin inhibition compared with enalapril on the risk of clinical progression in surviving patients with heart failure. <i>Circulation</i> , 2015 , 131, 54-61	16.7	430
95	Can a combined screening/treatment programme prevent premature failure of renal transplants due to chronic rejection in patients with HLA antibodies: study protocol for the multicentre randomised controlled OutSMART trial. <i>Trials</i> , 2014 , 15, 30	2.8	5
94	The cardiokine secreted Frizzled-related protein 3, a modulator of Wnt signalling, in clinical and experimental heart failure. <i>Journal of Internal Medicine</i> , 2014 , 275, 621-30	10.8	37
93	Coronary and atrial compression by a giant cardiac hemangioma. <i>Cardiovascular Pathology</i> , 2014 , 23, 366-8	3.8	4
92	Angiotensin-neprilysin inhibition versus enalapril in heart failure. <i>New England Journal of Medicine</i> , 2014 , 371, 993-1004	59.2	3301
91	Active recruitment strategy in disadvantaged immigrant populations improves the identification of human immunodeficiency but not of hepatitis B or C virus infections. <i>Digestive and Liver Disease</i> , 2014 , 46, 62-6	3.3	12
90	Nobori biolimus-eluting stent vs. permanent polymer drug-eluting stents in patients undergoing percutaneous coronary intervention. <i>Circulation Journal</i> , 2014 , 78, 1858-66	2.9	10
89	Outcomes in patients with acute and stable coronary syndromes; insights from the prospective NOBORI-2 study. <i>PLoS ONE</i> , 2014 , 9, e88577	3.7	10
88	ANMCO/SICI-GISE paper on antiplatelet therapy in acute coronary syndrome. <i>European Heart Journal Supplements</i> , 2014 , 16, C2-C28	1.5	2
87	Comprehensive definition of a giant ascending aortic pseudoaneurysm. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014 , 107, 591-2	2.7	
86	The Nobori biolimus-eluting stent: update of available evidence. <i>Expert Review of Medical Devices</i> , 2014 , 11, 275-82	3.5	7
85	Cobalt-chromium KANAMELtoRonyary stEnt system in the treatment of patients with coronary artery disease (KARE study). <i>Journal of Interventional Cardiology</i> , 2014 , 27, 491-9	1.8	4
84	Primary PCI for the treatment of ectatic infarct-related coronary artery. <i>Minerva Cardioangiologica</i> , 2014 , 62, 327-33	1.1	10
83	Dual angiotensin receptor and neprilysin inhibition as an alternative to angiotensin-converting enzyme inhibition in patients with chronic systolic heart failure: rationale for and design of the Prospective comparison of ARNI with ACEI to Determine Impact on Global Mortality and morbidity in Heart Failure trial (PARADIGM HF). <i>European Journal of Heart Failure</i> , 2013 , 15, 1662-73	12.3	264
82	Percutaneous coronary intervention for multiple chronic total occlusions. <i>American Journal of Cardiology</i> , 2013 , 112, 1849-53	3	15
81	Association between posterior crossbite, masticatory muscle pain, and disc displacement: a systematic review. <i>European Journal of Orthodontics</i> , 2013 , 35, 737-44	3.3	34
80	Should proximal LAD be treated differently? Insights from a large DES stent registry. <i>Cardiovascular Revascularization Medicine</i> , 2013 , 14, 325-32	1.6	7
79	Long-term follow-up of coronary venous bypass graft lesions treated with a new generation drug-eluting stent with bioabsorbable polymer. <i>Journal of Interventional Cardiology</i> , 2013 , 26, 425-33	1.8	2

78	Angioplasty of below-the-elbow arteries in critical hand ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2012 , 43, 73-80	2.3	30
77	Nobori® drug-eluting stent system: current data on a novel stent. <i>Interventional Cardiology</i> , 2012 , 4, 309-318		
76	Gender impact on prognosis of acute coronary syndrome patients treated with drug-eluting stents. <i>American Journal of Cardiology</i> , 2012 , 110, 636-42	3	30
75	Drug-eluting stents perform better than bare metal stents in small coronary vessels: a meta-analysis of randomised and observational clinical studies with mid-term follow up. <i>International Journal of Cardiology</i> , 2012 , 161, 73-82	3.2	25
74	Vorapaxar in the secondary prevention of atherothrombotic events. <i>New England Journal of Medicine</i> , 2012 , 366, 1404-13	59.2	694
73	Retrograde dissection during percutaneous coronary intervention: sealing of the entry site by covered stent implantation. <i>BMJ Case Reports</i> , 2012 , 2012,	0.9	4
72	Clinical performance of a drug-eluting stent with a biodegradable polymer in an unselected patient population: the NOBORI 2 study. <i>EuroIntervention</i> , 2012 , 8, 109-16	3.1	46
71	Aortic root dilatation in hypertensive patients: a multicenter survey in echocardiographic practice. <i>Blood Pressure</i> , 2011 , 20, 267-73	1.7	16
70	Thrombectomy pretreatment versus standard stenting in ST-elevation myocardial infarction: does the debate still not EXPIRe?. <i>American Journal of Cardiology</i> , 2011 , 107, 1100	3	
69	Molecular characterization of rotavirus strains from children with diarrhea in Italy, 2007-2009. <i>Journal of Medical Virology</i> , 2011 , 83, 1657-68	19.7	35
68	Rationale and design of the randomized, multicenter EREMUS trial, a study that investigates how to achieve low restenosis and early reendothelialization after percutaneous coronary interventions. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 78, 32-7	2.7	
67	Double aortic arch in neonates: optimal definition by means of contrast-enhanced helical CT scan. <i>Heart</i> , 2011 , 97, 950	5.1	6
66	Multiple coronary artery thrombosis in 5,10-methylenetetrahydrofolate reductase gene mutation. <i>Cardiology Research and Practice</i> , 2011 , 2011, 856479	1.9	
65	Prevalence and correlates of echocardiographic left atrial enlargement in hypertensive outpatients in clinical practice. <i>Clinical and Experimental Hypertension</i> , 2011 , 33, 328-35	2.2	12
64	Tirofiban as adjunctive therapy for acute coronary syndromes and percutaneous coronary intervention: a meta-analysis of randomized trials. <i>European Heart Journal</i> , 2010 , 31, 35-49	9.5	83
63	A new device to seal large coronary aneurysms: a case report. <i>Journal of Medical Case Reports</i> , 2010 , 4, 238	1.2	5
62	Optimal dual antiplatelet treatment after drug-eluting stent implantation: it's not the time for weaning. <i>American Journal of Cardiology</i> , 2010 , 105, 1044-5	3	1
61	Usefulness of primary angioplasty in nonagenarians with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2010 , 106, 770-3	3	24

60	Multicentre experience with MGuard net protective stent in ST-elevation myocardial infarction: safety, feasibility, and impact on myocardial reperfusion. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 75, 715-21	2.7	25
59	Dialysis access pseudoaneurysm: endovascular treatment with a covered stent. <i>BMJ Case Reports</i> , 2010 , 2010,	0.9	1
58	Nobori drug eluting stent system: clinical evidence update. <i>Minerva Cardioangiologica</i> , 2010 , 58, 599-610.	1.1	11
57	Long-term outcomes after angioplasty of isolated, below-the-knee arteries in diabetic patients with critical limb ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2009 , 37, 336-42	2.3	128
56	Analysis of congenital heart defects in 87 consecutive patients with Brachmann-de Lange syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2009 , 149A, 1268-72	2.5	35
55	A rare case of neonatal cyanosis due 'cor triatriatum dexter' and a review of the literature. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 535-8	1.9	12
54	Flecainide as first-line treatment for supraventricular tachycardia in newborns. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 372-5	1.9	19
53	Does echocardiography play a role in the clinical diagnosis of congenital absence of pericardium? A case presentation and a systematic review. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 687-92	1.9	23
52	64-Slice CT scan for the detection of iatrogenic anastomosis of left internal mammary artery to a cardiac vein. <i>European Journal of Radiology Extra</i> , 2008 , 67, e107-e109		
51	Impact of acute renal failure following percutaneous coronary intervention on long-term mortality. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 375-81	1.9	38
50	Prognostic significance of akinesis becoming dyskinesis during dobutamine stress echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 257-61	5.8	2
49	Prognostic significance of myocardial ischemia during dobutamine stress echocardiography in asymptomatic patients with diabetes mellitus and no prior history of coronary events. <i>American Journal of Cardiology</i> , 2007 , 99, 1193-5	3	16
48	Side-by-side stenting technique to recanalise a complete in-stent occlusion of the superficial femoral artery. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 965-6	1.9	2
47	Myocardial infarction in the young: a sex-based comparison. <i>Coronary Artery Disease</i> , 2007 , 18, 429-31	1.4	20
46	A novel ultra-thin bare metal stent (BMS): results from a worldwide registry. <i>EuroIntervention</i> , 2007 , 3, 249-55	3.1	5
45	Variability in extent of platelet function inhibition after administration of optimal dose of glycoprotein IIb/IIIa receptor blockers in patients undergoing a high-risk percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2006 , 97, 489-93	3	35
44	Images in cardiovascular medicine. Percutaneous transluminal angioplasty for treatment of critical hand ischemia. <i>Circulation</i> , 2006 , 114, e232-4	16.7	17
43	Downstream administration of a high-dose tirofiban bolus in high-risk patients with unstable angina undergoing early percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2006 , 107, 241-6	3.2	5

42	Intracoronary ultrasound guided percutaneous coronary angioplasty using a drug eluting stent in a patient with pseudoxanthoma elasticum. <i>Atherosclerosis</i> , 2005 , 180, 205-7	3.1	3
41	Percutaneous coronary intervention and beyond for ST-elevation acute myocardial infarction. <i>Country Review Ukraine</i> , 2005 , 7, K26-K30		
40	Intra-operative stenting of a prosthetic left pulmonary artery stenosis under fluoroscopy. <i>Journal of Invasive Cardiology</i> , 2005 , 17, 98-9	0.7	1
39	Endovascular treatment of a symptomatic aneurysm of the left subclavian artery. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2005 , 6, 77-9		
38	Compression repair versus low-dose thrombin injection for the treatment of iatrogenic femoral pseudoaneurysm: a retrospective case-control study. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2005 , 6, 384-9		3
37	Effect of hypnotic sedation during percutaneous transluminal coronary angioplasty on myocardial ischemia and cardiac sympathetic drive. <i>American Journal of Cardiology</i> , 2004 , 93, 1035-8	3	23
36	Comparison in patients having primary coronary angioplasty of abciximab versus tirofiban on recovery of left ventricular function. <i>American Journal of Cardiology</i> , 2004 , 94, 35-9	3	55
35	Stent implantation in very small coronary arteries: the Tsunami SV International Registry. <i>American Journal of Cardiology</i> , 2004 , 94, 1429-32	3	4
34	Safety of a high bolus dose of tirofiban in patients undergoing coronary stent placement. <i>Catheterization and Cardiovascular Interventions</i> , 2004 , 61, 179-84	2.7	27
33	Six-month clinical and angiographic outcomes of the Tecnic Carbostent coronary system: the phantom IV study. <i>Journal of Invasive Cardiology</i> , 2004 , 16, 641-4	0.7	3
32	Intravascular ultrasound assessment of a spontaneous coronary artery dissection causing acute myocardial infarction. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2004 , 5, 796-7		1
31	Preliminary experience with a high bolus dose of tirofiban during percutaneous coronary intervention. <i>Current Medical Research and Opinion</i> , 2003 , 19, 28-33	2.5	23
30	Percutaneous closure of patent foramen ovale: pathophysiology, indications, and technique. <i>Neurological Sciences</i> , 2003 , 24 Suppl 1, S17-9	3.5	4
29	Nonionic low-osmolar contrast media have no impact on major adverse cardiac events in patients undergoing coronary stenting with appropriate antiplatelet therapy. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 60, 477-82	2.7	10
28	Preliminary experience with the Tsunami coronary stent: immediate and six-month clinical and angiographic results. <i>International Journal of Cardiovascular Interventions</i> , 2003 , 5, 161-5		
27	Images in cardiovascular medicine. Emergency endovascular repair of abdominal aortic graft rupture. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2003 , 4, 216-7		
26	Patterns of in-stent restenosis after placement of NIR gold-coated stents in unselected patients. <i>Catheterization and Cardiovascular Interventions</i> , 2002 , 55, 157-62	2.7	13
25	Long-term clinical outcomes after coronary angioplasty using long stents in small coronary vessels. <i>Catheterization and Cardiovascular Interventions</i> , 2002 , 56, 300-4	2.7	

24	Ministernotomy in myocardial revascularization without cardiopulmonary bypass: technical aspects and early results. <i>Heart Surgery Forum</i> , 2002 , 5, 168-72	0.7	3
23	Acute stent recoil: in vivo evaluation of different stent designs. <i>Catheterization and Cardiovascular Interventions</i> , 2001 , 52, 147-53	2.7	20
22	A randomised comparison of the use of 4 and 6 French diagnostic catheters: the limits of downsizing. <i>International Journal of Cardiology</i> , 2001 , 79, 113-7; discussion 117-8	3.2	9
21	Stent implantation without predilation in patients with a single, noncalcified coronary artery lesion. <i>American Journal of Cardiology</i> , 1999 , 84, 1250-3, A8	3	42
20	Which variable of stenosis severity best describes the significance of an isolated left anterior descending coronary artery lesion? Correlation between quantitative coronary angiography, intracoronary Doppler measurements and high dose dipyridamole echocardiography. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 526-33	15.1	27
19	Dipyridamole thallium-201 imaging very early after uncomplicated acute myocardial infarction in patients treated with thrombolytic therapy. <i>European Heart Journal</i> , 1997 , 18, 925-30	9.5	2
18	Absence of correlation between coronary thrombosis and postatherectomy restenosis. <i>American Journal of Cardiology</i> , 1997 , 79, 188-90	3	
17	Prognostic value of intracoronary flow velocity and diameter stenosis in assessing the short- and long-term outcomes of coronary balloon angioplasty: the DEBATE Study (Doppler Endpoints Balloon Angioplasty Trial Europe). <i>Circulation</i> , 1997 , 96, 3369-77	16.7	181
16	Strategy of diagnostic imaging before and after PTCA. <i>Echocardiography</i> , 1995 , 12, 303-9	1.5	
15	Significance of pericardial effusion after heart transplantation. <i>American Journal of Cardiology</i> , 1995 , 76, 297-300	3	29
14	Imaging the left anterior descending coronary artery by high-frequency transthoracic echocardiography in heart transplant patients. <i>American Journal of Cardiology</i> , 1995 , 75, 855-8	3	13
13	Comparison of coronary lesions obtained by directional coronary atherectomy in unstable angina, stable angina, and restenosis after either atherectomy or angioplasty. <i>American Journal of Cardiology</i> , 1995 , 75, 675-82	3	65
12	Acute rejection and cytomegalovirus infection: correlation with cardiac allograft vasculopathy. <i>Transplantation Proceedings</i> , 1995 , 27, 1960-2	1.1	10
11	Usefulness of Exercise Echocardiography in Early Detection of Multivessel Coronary Artery Disease after Uncomplicated Myocardial Infarction. <i>American Journal of Noninvasive Cardiology</i> , 1994 , 8, 215-220		
10	Acute rejection after heart transplantation: noninvasive echocardiographic evaluation. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 1156-61	15.1	49
9	Transthoracic high-frequency echocardiographic detection of atherosclerotic lesions in the descending portion of the left coronary artery. <i>Journal of the American Society of Echocardiography</i> , 1993 , 6, 290-8	5.8	18
8	Increased echodensity of transiently asynergic myocardium in humans: a novel echocardiographic sign of myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 1993 , 21, 199-207	15.1	60
7	High-dose dipyridamole echocardiography test in coronary artery disease after heart transplantation. <i>European Heart Journal</i> , 1993 , 14, 48-52	9.5	54

6	Coronary artery disease after heart transplantation: non-invasive evaluation with exercise thallium scintigraphy. <i>European Heart Journal</i> , 1993 , 14, 226-9	9.5	47
5	Exercise thallium scintigraphy versus high-dose dipyridamole echocardiography testing for detection of asymptomatic restenosis in patients with positive exercise tests after coronary angioplasty. <i>American Journal of Cardiology</i> , 1993 , 71, 1052-6	3	26
4	Does the new angiotensin converting enzyme inhibitor cilazapril prevent restenosis after percutaneous transluminal coronary angioplasty? Results of the MERCATOR study: a multicenter, randomized, double-blind placebo-controlled trial. Multicenter European Research Trial with Cilazapril after Angioplasty to Prevent Transluminal Coronary Obstruction and Restenosis (MER-CATOR) Study Group. <i>Circulation</i> , 1991 , 83, 1106-11	16.7	504
3	Comparison of usefulness of high-dose dipyridamole echocardiography and exercise electrocardiography for detection of asymptomatic restenosis after coronary angioplasty. <i>American Journal of Cardiology</i> , 1991 , 67, 1335-8	3	60
2	Exercise electrocardiography versus dipyridamole echocardiography testing in coronary angioplasty. Early functional evaluation and prediction of angina recurrence. <i>Circulation</i> , 1991 , 83, 1138-42	16.7	2
1	QT Interval, Total Calcium Blood Levels, and SIDS. <i>Annals of the New York Academy of Sciences</i> , 1988 , 533, 448-449	6.5	