

Lars Bjerrum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7645167/publications.pdf>

Version: 2024-02-01

133
papers

4,188
citations

147726

31
h-index

133188

59
g-index

146
all docs

146
docs citations

146
times ranked

5377
citing authors

#	ARTICLE	IF	CITATIONS
1	Antimicrobial resistance: risk associated with antibiotic overuse and initiatives to reduce the problem. <i>Therapeutic Advances in Drug Safety</i> , 2014, 5, 229-241.	1.0	1,050
2	Polypharmacy: correlations with sex, age and drug regimen. <i>European Journal of Clinical Pharmacology</i> , 1998, 54, 197-202.	0.8	200
3	Methods for estimating the occurrence of polypharmacy by means of a prescription database. <i>European Journal of Clinical Pharmacology</i> , 1997, 53, 7-11.	0.8	143
4	Biomarkers as point-of-care tests to guide prescription of antibiotics in patients with acute respiratory infections in primary care. <i>The Cochrane Library</i> , 2014, , CD010130.	1.5	134
5	Exposure to potential drug interactions in primary health care. <i>Scandinavian Journal of Primary Health Care</i> , 2003, 21, 153-158.	0.6	107
6	Trends in utilization of antiepileptic drugs in Denmark. <i>Acta Neurologica Scandinavica</i> , 2006, 113, 405-411.	1.0	93
7	Ibuprofen versus pivmecillinam for uncomplicated urinary tract infection in women—A double-blind, randomized non-inferiority trial. <i>PLoS Medicine</i> , 2018, 15, e1002569.	3.9	88
8	Oseltamivir plus usual care versus usual care for influenza-like illness in primary care: an open-label, pragmatic, randomised controlled trial. <i>Lancet</i> , The, 2020, 395, 42-52.	6.3	85
9	Combined intervention programme reduces inappropriate prescribing in elderly patients exposed to polypharmacy in primary care. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 199-207.	0.8	65
10	Long term use of drugs affecting the renin-angiotensin system and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 180-188.	1.1	60
11	Risk factors for potential drug interactions in general practice. <i>European Journal of General Practice</i> , 2008, 14, 23-29.	0.9	55
12	Use of Antibiotics in Children. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, e16-e22.	1.1	53
13	Health Alliance for prudent antibiotic prescribing in patients with respiratory tract infections (HAPPY) Tj ETQq1 1 0.784314 rgBT /Overlo 12, 52.	2.9	52
14	C-reactive protein measurement in general practice may lead to lower antibiotic prescribing for sinusitis. <i>British Journal of General Practice</i> , 2004, 54, 659-62.	0.7	52
15	Antibiotic prescribing in general practice: striking differences between Italy (Ravenna) and Denmark (Funen). <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 989-997.	1.3	51
16	Prevalence of inappropriate prescribing in primary care. <i>International Journal of Clinical Pharmacy</i> , 2007, 29, 109-115.	1.4	51
17	Health Alliance for Prudent Prescribing, Yield and Use of Antimicrobial Drugs in the Treatment of Respiratory Tract Infections (HAPPY AUDIT). <i>BMC Family Practice</i> , 2010, 11, 29.	2.9	48
18	Different recommendations for empiric first-choice antibiotic treatment of uncomplicated urinary tract infections in Europe. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 235-240.	0.6	48

#	ARTICLE	IF	CITATIONS
19	The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666.	1.2	47
20	Use of a Prescribed Ephedrine/Caffeine Combination and the Risk of Serious Cardiovascular Events: A Registry-based Case-Crossover Study. <i>American Journal of Epidemiology</i> , 2008, 168, 966-973.	1.6	47
21	Antibiotic prescribing in paediatric populations: a comparison between Viareggio, Italy and Funen, Denmark. <i>European Journal of Public Health</i> , 2009, 19, 434-438.	0.1	46
22	Respiratory tract infections in general practice: considerable differences in prescribing habits between general practitioners in Denmark and Spain. <i>European Journal of Clinical Pharmacology</i> , 2004, 60, 23-28.	0.8	41
23	Prescribing style and variation in antibiotic prescriptions for sore throat: cross-sectional study across six countries. <i>BMC Family Practice</i> , 2015, 16, 7.	2.9	40
24	Antibiotic prescribing in Danish general practice 2004-13. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 2286-2294.	1.3	40
25	Non-antiarrhythmic drugs prolonging the QT interval: considerable use in seven countries. <i>British Journal of Clinical Pharmacology</i> , 2002, 54, 171-177.	1.1	39
26	Clinical indications for antibiotic use in Danish general practice: results from a nationwide electronic prescription database. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 162-169.	0.6	38
27	Safe and effective use of medicines for patients with type 2 diabetes - A randomized controlled trial of two interventions delivered by local pharmacies. <i>Research in Social and Administrative Pharmacy</i> , 2015, 11, 47-62.	1.5	37
28	Prevalence of antimicrobial resistant <i>Escherichia coli</i> from patients with suspected urinary tract infection in primary care, Denmark. <i>BMC Infectious Diseases</i> , 2017, 17, 670.	1.3	37
29	Patient information leaflets-helpful guidance or a source of confusion?. <i>Pharmacoepidemiology and Drug Safety</i> , 2003, 12, 55-59.	0.9	35
30	Hormone therapy and cerebrovascular events. <i>Menopause</i> , 2006, 13, 730-736.	0.8	35
31	The existential dimension in general practice: identifying understandings and experiences of general practitioners in Denmark. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 385-393.	0.6	32
32	Characterisation of antibiotic prescriptions for acute respiratory tract infections in Danish general practice: a retrospective registry based cohort study. <i>Npj Primary Care Respiratory Medicine</i> , 2017, 27, 37.	1.1	32
33	Methods and validity of dietary assessments in four Scandinavian populations. <i>Nutrition and Cancer</i> , 1982, 4, 23-33.	0.9	31
34	Quality indicators for diagnosis and treatment of respiratory tract infections in general practice: A modified Delphi study. <i>Scandinavian Journal of Primary Health Care</i> , 2010, 28, 4-11.	0.6	30
35	Parents' socioeconomic factors related to high antibiotic prescribing in primary health care among children aged 0-6 years in the Capital Region of Denmark. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 274-281.	0.6	30
36	Microbiological point of care testing before antibiotic prescribing in primary care: considerable variations between practices. <i>BMC Family Practice</i> , 2017, 18, 9.	2.9	30

#	ARTICLE	IF	CITATIONS
37	Deviations from evidence-based prescribing of non-steroidal anti-inflammatory drugs in three European regions. <i>European Journal of Clinical Pharmacology</i> , 2000, 56, 269-272.	0.8	29
38	Cancer Risk in Long-term Users of Valproate: A Population-Based Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1714-1719.	1.1	28
39	Identifying practice-related factors for high-volume prescribers of antibiotics in Danish general practice. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2385-2391.	1.3	28
40	Quality assessment in general practice: diagnosis and antibiotic treatment of acute respiratory tract infections. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 372-379.	0.6	28
41	Pivmecillinam versus sulfamethizole for short-term treatment of uncomplicated acute cystitis in general practice: A randomized controlled trial. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 6-11.	0.6	27
42	Appropriateness of antibiotic prescribing for upper respiratory tract infections in general practice: Comparison between Denmark and Iceland. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 269-274.	0.6	26
43	Predictors for antibiotic prescribing in patients with exacerbations of COPD in general practice. <i>Therapeutic Advances in Respiratory Disease</i> , 2013, 7, 131-137.	1.0	25
44	Inappropriate antibiotic prescribing and demand for antibiotics in patients with upper respiratory tract infections is hardly different in female versus male patients as seen in primary care. <i>European Journal of General Practice</i> , 2015, 21, 118-123.	0.9	25
45	Effectiveness of a tailored intervention to reduce antibiotics for urinary tract infections in nursing home residents: a cluster, randomised controlled trial. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1549-1556.	4.6	24
46	The quality of outpatient antimicrobial prescribing: a comparison between two areas of northern and southern Europe. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 347-353.	0.8	23
47	Antibiotic prescribing in patients with acute rhinosinusitis is not in agreement with European recommendations. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 101-105.	0.6	21
48	Compliance with Recommendations on Outpatient Antibiotic Prescribing for Respiratory Tract Infections: The Case of Spain. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 337-342.	1.2	21
49	Treatment of acute otitis media in general practice: quality variations across countries. <i>Family Practice</i> , 2012, 29, 63-68.	0.8	20
50	Reducing Prescriptions of Long-Acting Benzodiazepine Drugs in Denmark: A Descriptive Analysis of Nationwide Prescriptions during a 10-Year Period. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 499-502.	1.2	20
51	Effect of intervention promoting a reduction in antibiotic prescribing by improvement of diagnostic procedures: a prospective, before and after study in general practice. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 913-918.	0.8	19
52	C-reactive protein testing in patients with acute rhinosinusitis leads to a reduction in antibiotic use. <i>Family Practice</i> , 2012, 29, 653-658.	0.8	19
53	High Antibiotic Consumption: A Characterization of Heavy Users in Spain. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 115, 231-236.	1.2	19
54	Point of care susceptibility testing in primary care - does it lead to a more appropriate prescription of antibiotics in patients with uncomplicated urinary tract infections? Protocol for a randomized controlled trial. <i>BMC Family Practice</i> , 2015, 16, 106.	2.9	19

#	ARTICLE	IF	CITATIONS
55	Dietary patterns in them and Copenhagen, Denmark. <i>Nutrition and Cancer</i> , 1982, 4, 34-40.	0.9	18
56	Access to Point-of-Care Tests Reduces the Prescription of Antibiotics Among Antibiotic-Requesting Subjects With Respiratory Tract Infections. <i>Respiratory Care</i> , 2014, 59, 1918-1923.	0.8	18
57	Effectiveness of two types of intervention on antibiotic prescribing in respiratory tract infections in Primary Care in Spain. Happy Audit Study. <i>Atencion Primaria</i> , 2014, 46, 492-500.	0.6	18
58	Quality assessment of diagnosis and antibiotic treatment of infectious diseases in primary care: a systematic review of quality indicators. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 258-266.	0.6	18
59	Treatment failures after antibiotic therapy of uncomplicated urinary tract infections. A prescription database study. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 97-101.	0.6	17
60	Correlation between Previous Antibiotic Exposure and COVID-19 Severity. A Population-Based Cohort Study. <i>Antibiotics</i> , 2021, 10, 1364.	1.5	17
61	Do general practitioner and patient agree about the risk factors for ischaemic heart disease?. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 16-21.	0.6	16
62	Ibuprofen versus mecillinam for uncomplicated cystitis - a randomized controlled trial study protocol. <i>BMC Infectious Diseases</i> , 2014, 14, 693.	1.3	16
63	Effect of point-of-care susceptibility testing in general practice on appropriate prescription of antibiotics for patients with uncomplicated urinary tract infection: a diagnostic randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e018028.	0.8	16
64	Development of the EMAP tool facilitating existential communication between general practitioners and cancer patients. <i>European Journal of General Practice</i> , 2017, 23, 261-268.	0.9	16
65	Antibiotic prescriptions for suspected respiratory tract infection in primary care in South America. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 305-310.	1.3	16
66	Use of diagnostic tests and the appropriateness of the treatment decision in patients with suspected urinary tract infection in primary care in Denmark – observational study. <i>BMC Family Practice</i> , 2018, 19, 65.	2.9	16
67	Development of new concepts of non-adherence measurements among users of antihypertensives medicines. <i>International Journal of Clinical Pharmacy</i> , 2011, 33, 565-572.	1.0	14
68	Quality indicators for the diagnosis and antibiotic treatment of acute respiratory tract infections in general practice: a RAND Appropriateness Method. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 192-200.	0.6	14
69	Delayed antibiotic prescription for upper respiratory tract infections in children under primary care: Physicians' views. <i>European Journal of General Practice</i> , 2017, 23, 191-196.	0.9	14
70	Short- vs. Long-Course Antibiotic Treatment for Acute Streptococcal Pharyngitis: Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Antibiotics</i> , 2020, 9, 733.	1.5	14
71	Marked differences in GPs' diagnosis of pneumonia between Denmark and Spain: a cross-sectional study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013, 22, 454-458.	2.5	13
72	Background for Different Use of Antibiotics in Different Countries. <i>Clinical Infectious Diseases</i> , 2005, 40, 333-333.	2.9	12

#	ARTICLE	IF	CITATIONS
73	Differences in outpatient antibiotic use between a Spanish region and a Nordic country. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2014, 32, 412-417.	0.3	12
74	Antibiotic prescribing for acute bronchitis. <i>Expert Review of Anti-Infective Therapy</i> , 2016, 14, 633-642.	2.0	12
75	Clinical accuracy of point-of-care urine culture in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 170-177.	0.6	12
76	Characteristics of Religious and Spiritual Beliefs of Danish Physicians: And Likelihood of Addressing Religious and Spiritual Issues with Patients. <i>Journal of Religion and Health</i> , 2019, 58, 333-342.	0.8	12
77	Quality indicators for treatment of respiratory tract infections? An assessment by Danish general practitioners. <i>European Journal of General Practice</i> , 2013, 19, 85-91.	0.9	11
78	Long-term effect of a practice-based intervention (HAPPY AUDIT) aimed at reducing antibiotic prescribing in patients with respiratory tract infections. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 2215-2222.	1.3	11
79	Short-course vs long-course antibiotic treatment for community-acquired pneumonia: A literature review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 550-559.	1.2	11
80	Variability in the Prescription of Cholinesterase Inhibitors and Memantine. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 373-379.	0.7	10
81	Enabling factors for antibiotic prescribing for upper respiratory tract infections: Perspectives of Lithuanian and Russian general practitioners. <i>Upsala Journal of Medical Sciences</i> , 2013, 118, 98-104.	0.4	10
82	Three versus five days of pivmecillinam for community-acquired uncomplicated lower urinary tract infection: A randomised, double-blind, placebo-controlled superiority trial. <i>EClinicalMedicine</i> , 2019, 12, 62-69.	3.2	10
83	Treatment failures after antibiotic therapy of uncomplicated urinary tract infections. A prescription database study. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 97-101.	0.6	10
84	Standardised procedures can improve the validity of susceptibility testing of uropathogenic bacteria in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2000, 18, 242-246.	0.6	9
85	Tuberculosis screening in patients with HIV: use of audit and feedback to improve quality of care in Ghana. <i>Global Health Action</i> , 2016, 9, 32390.	0.7	9
86	Association Between Danish Physicians' Religiosity and Spirituality and Their Attitudes Toward End-of-Life Procedures. <i>Journal of Religion and Health</i> , 2020, 59, 2654-2663.	0.8	9
87	Detection of bacteriuria by microscopy and dipslide culture in general practice. <i>European Journal of General Practice</i> , 2001, 7, 55-58.	0.9	8
88	Decreasing Inappropriate Use of Antibiotics in Primary Care in Four Countries in South America: Cluster Randomized Controlled Trial. <i>Antibiotics</i> , 2017, 6, 38.	1.5	8
89	Comparison of antibiotic prescribing and antimicrobial resistance in urinary tract infections at the municipal level among women in two Nordic regions. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 2207-2214.	1.3	8
90	Antibiotic prescribing in Danish general practice in the elderly population from 2010 to 2017. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 498-505.	0.6	8

#	ARTICLE	IF	CITATIONS
91	Low Request of Antibiotics from Patients with Respiratory Tract Infections in Six Countries: Results from the Happy Audit Study. <i>Antibiotics</i> , 2013, 2, 477-484.	1.5	7
92	Pivmecillinam for Uncomplicated Lower Urinary Tract Infections Caused by <i>Staphylococcus saprophyticus</i> —Cumulative Observational Data from Four Recent Clinical Studies. <i>Antibiotics</i> , 2019, 8, 57.	1.5	7
93	Development of a Tailored, Complex Intervention for Clinical Reflection and Communication about Suspected Urinary Tract Infections in Nursing Home Residents. <i>Antibiotics</i> , 2020, 9, 360.	1.5	7
94	Reducing Antibiotic Prescriptions for Urinary Tract Infection in Nursing Homes Using a Complex Tailored Intervention Targeting Nursing Home Staff: Protocol for a Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17710.	0.5	7
95	Title is missing!. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003, 10, 61-64.	1.5	6
96	Exploring the feasibility and synergistic value of the One Health approach in clinical research: protocol for a prospective observational study of diagnostic pathways in human and canine patients with suspected urinary tract infection. <i>Pilot and Feasibility Studies</i> , 2015, 1, 38.	0.5	6
97	The efficacy of pivmecillinam: 3 days or 5 days i.d against community acquired uncomplicated lower urinary tract infections—a randomized, double-blinded, placebo-controlled clinical trial study protocol. <i>BMC Infectious Diseases</i> , 2016, 16, 727.	1.3	6
98	Which treatment strategy for women with symptoms of urinary tract infection?. <i>BMJ</i> , The, 2015, 351, h6888.	3.0	5
99	Interventions to improve adherence to first-line antibiotics in respiratory tract infections. The impact depends on the intensity of the intervention. <i>European Journal of General Practice</i> , 2015, 21, 12-18.	0.9	5
100	An intervention with access to C-reactive protein rapid test reduces antibiotic overprescribing in acute exacerbations of chronic bronchitis and COPD. <i>Family Practice</i> , 2015, 32, cmv020.	0.8	5
101	General Practitioners' Views on the Acceptability and Applicability of Using Quality Indicators as an Intervention to Reduce Unnecessary Prescription of Antibiotics in Four South American Countries. <i>Antibiotics</i> , 2018, 7, 57.	1.5	5
102	Availability of point-of-care culture and microscopy in general practice - does it lead to more appropriate use of antibiotics in patients with suspected urinary tract infection?. <i>European Journal of General Practice</i> , 2020, 26, 175-181.	0.9	5
103	Antibiotics active against Chlamydia do not reduce the risk of myocardial infarction. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 43-49.	0.8	4
104	Use of point-of-care tests and antibiotic prescribing in sore throat and lower respiratory infections by general practitioners. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2020, 38, 21-24.	0.3	4
105	Health alliance for prudent prescribing and yield of antibiotics in a patient-centred perspective (HAPPY) Tj ETQq1 1 0.784314rgBT /Over		
106	Lower threshold for rapid antigen detection testing in patients with sore throats would reduce antibiotic use. <i>BMJ</i> , The, 2013, 347, f7055-f7055.	3.0	3
107	General practitioners uses and perceptions of voluntary electronic feedback on treatment outcomes—a qualitative study. <i>BMC Family Practice</i> , 2014, 15, 193.	2.9	3
108	Effectiveness and cost-effectiveness of Improving clinicians' diagnostic and communication Skills on Antibiotic prescribing Appropriateness in patients with acute Cough in primary care in CATalonia (the) Tj ETQq0 0 0rgBT /Overlock 10 T		

#	ARTICLE	IF	CITATIONS
109	Influence of Antimicrobial Resistance on the Course of Symptoms in Female Patients Treated for Uncomplicated Cystitis Caused by Escherichia coli. <i>Antibiotics</i> , 2022, 11, 188.	1.5	3
110	Use and quality of point-of-care microscopy, urine culture and susceptibility testing for urinalysis in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2022, 40, 3-10.	0.6	3
111	Clinical presentation, microbiological aetiology and disease course in patients with flu-like illness: a post hoc analysis of randomised controlled trial data. <i>British Journal of General Practice</i> , 2022, 72, e217-e224.	0.7	3
112	Insufficient Use of Lipid-Lowering Drugs and Measurement of Serum Cholesterol Among Patients with a History of Myocardial Infarction. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003, 10, 61-64.	3.1	2
113	A study of antibiotic prescribing: the experience of Lithuanian and Russian GPs. <i>Open Medicine (Poland)</i> , 2012, 7, 790-799.	0.6	2
114	Dangers of over-the-counter nitrofurantoin for urinary tract infection. <i>BMJ, The</i> , 2015, 351, h4186.	3.0	2
115	Reducing antibiotic prescribing for lower respiratory tract infections 6 years after a multifaceted intervention. <i>International Journal of Clinical Practice</i> , 2019, 73, e13312.	0.8	2
116	Predicting the use of antibiotics after initial symptomatic treatment of an uncomplicated urinary tract infection: analyses performed after a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035074.	0.8	2
117	Similarities and Differences between Danish and American Physicians' Religious Characteristics and Clinical Communication: Two Cross-Sectional Surveys. <i>Religions</i> , 2021, 12, 116.	0.3	2
118	Danish GPs' Experiences When Managing Patients Presenting to General Practice with Symptoms of Acute Lower Respiratory Tract Infections: A Qualitative Study. <i>Antibiotics</i> , 2021, 10, 661.	1.5	2
119	Treatment failures after antibiotic therapy of uncomplicated urinary tract infections. A prescription database study. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 97-101.	0.6	2
120	Incidence of Genital Warts in Young Danish Women. <i>Clinical Infectious Diseases</i> , 2014, 58, 601-602.	2.9	1
121	Response to "Reduced Prescribing of Benzodiazepines in Denmark and Norway". <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 116, 459-459.	1.2	1
122	Short courses of penicillin for streptococcal pharyngitis are not supported by the evidence. <i>Family Practice</i> , 2018, 35, 228-229.	0.8	1
123	Trend in antibiotic prescription to children aged 0-6 years old in the capital region of Denmark between 2009 and 2018: Differences between municipalities and association with socioeconomic composition. <i>European Journal of General Practice</i> , 2021, 27, 257-263.	0.9	1
124	Cancer risk in long-term users of Valproate: A population-based case-control study. <i>Apmis</i> , 2008, 116, 440-440.	0.9	1
125	Antibiotic treatment of community-acquired pneumonia: A questionnaire survey in Danish general practice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 130, 151-157.	1.2	1
126	The Procalcitonin-guided Antibiotics in Respiratory Infections (PARI) project in general practice - a study protocol. , 2022, 23, 43.		1

#	ARTICLE	IF	CITATIONS
127	Response to "Antibiotic Use and Resistance". Basic and Clinical Pharmacology and Toxicology, 2014, 114, 441-441.	1.2	0
128	Are previous episodes of bacterial vaginosis a predictor for vaginal symptoms in breast cancer patients treated with aromatase inhibitors?. Post Reproductive Health, 2018, 24, 67-71.	0.3	0
129	Is CRP-guided antibiotic treatment a safe way to reduce antibiotic use in severe hospitalised patients with exacerbations of COPD?. European Respiratory Journal, 2019, 54, 1901405.	3.1	0
130	General practitioners' opinions and perceptions about antibiotic use for respiratory tract infections in primary care. Atencion Primaria, 2019, 51, 460-461.	0.6	0
131	Antibiotic Prescribing for Respiratory Tract Infections and Encounter Length. Annals of Internal Medicine, 2019, 171, 149.	2.0	0
132	Use of point-of-care tests and antibiotic prescribing in sore throat and lower respiratory infections by general practitioners. Enfermedades Infecciosas Y Microbiologia Clinica (English Ed), 2020, 38, 21-24.	0.2	0
133	OUP accepted manuscript. Family Practice, 2021, , .	0.8	0