## **Anders Ahlbom**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7704467/publications.pdf

Version: 2024-02-01

136950 144013 3,473 77 32 57 h-index citations g-index papers 80 80 80 4886 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Excess mortality from COVID-19: weekly excess death rates by age and sex for Sweden and its most affected region. European Journal of Public Health, 2021, 31, 17-22.	0.3	78
2	Impact of winter holiday and government responses on mortality in Europe during the first wave of the COVID-19 pandemic. European Journal of Public Health, 2021, 31, 272-277.	0.3	15
3	Disability pensions related to heavy physical workload: a cohort study of middle-aged and older workers in Sweden. International Archives of Occupational and Environmental Health, 2021, 94, 1851-1861.	2.3	14
4	The rate by which mortality increase with age is the same for those who experienced chronic disease as for the general population. Age and Ageing, 2021, 50, 1633-1640.	1.6	7
5	Modern Epidemiology, 4th edition. TL Lash, TJ VanderWeele, S Haneuse, KJ Rothman. Wolters Kluwer, 2021. European Journal of Epidemiology, 2021, 36, 767-768.	5.7	32
6	Trends in Hip Fracture Incidence, Recurrence, and Survival by Education and Comorbidity: A Swedish Register-based Study. Epidemiology, 2021, 32, 425-433.	2.7	29
7	Revival of ecological studies during the COVID-19 pandemic. European Journal of Epidemiology, 2021, 36, 1225-1229.	5.7	11
8	Life expectancy: what does it measure?. BMJ Open, 2020, 10, e035932.	1.9	18
9	Epidemiology is about disease in populations. European Journal of Epidemiology, 2020, 35, 1111-1113.	5.7	4
10	Burden and prevalence of prognostic factors for severe COVID-19 in Sweden. European Journal of Epidemiology, 2020, 35, 401-409.	5.7	39
11	Trends in life expectancy: did the gap between the healthy and the ill widen or close?. BMC Medicine, 2020, 18, 41.	5.5	45
12	Long-term effect of mobile phone use on sleep quality: Results from the cohort study of mobile phone use and health (COSMOS). Environment International, 2020, 140, 105687.	10.0	32
13	Headache, tinnitus and hearing loss in the international Cohort Study of Mobile Phone Use and Health (COSMOS) in Sweden and Finland. International Journal of Epidemiology, 2019, 48, 1567-1579.	1.9	33
14	Commonly used estimates of the genetic contribution to disease are subject to the same fallacies as bad luck estimates. European Journal of Epidemiology, 2019, 34, 987-992.	5.7	4
15	Central nervous system tumor registration in the Swedish Cancer Register and Inpatient Register between 1990 and 2014. Clinical Epidemiology, 2019, Volume 11, 81-92.	3.0	9
16	Temporal trends in incidence, recurrence and prevalence of stroke in an era of ageing populations,Âa longitudinal study of the total Swedish population. BMC Geriatrics, 2019, 19, 31.	2.7	26
17	Comorbidities in relation to fatality of first myocardial infarction. Cardiovascular Pathology, 2018, 32, 32-37.	1.6	5
18	An international prospective cohort study of mobile phone users and health (COSMOS): Factors affecting validity of self-reported mobile phone use. International Journal of Hygiene and Environmental Health, 2018, 221, 1-8.	4.3	14

#	Article	IF	CITATIONS
19	Proximity to overhead power lines and childhood leukaemia: an international pooled analysis. British Journal of Cancer, 2018, 119, 364-373.	6.4	38
20	The effects of increasing longevity and changing incidence on lifetime risk differentials: A decomposition approach. PLoS ONE, 2018, 13, e0195307.	2.5	2
21	Significance testing: Why does it prevail?. European Journal of Epidemiology, 2017, 32, 1-2.	5.7	8
22	Estimating incidence and prevalence from population registers: example from myocardial infarction. Scandinavian Journal of Public Health, 2017, 45, 5-13.	2.3	14
23	Four Decades of Educational Inequalities in Hospitalization and Mortality among Older Swedes. PLoS ONE, 2016, 11, e0152369.	2.5	5
24	Does a hospital admission in old age denote the beginning of life with a compromised health-related quality of life? A longitudinal study of men and women aged 65â€years and above participating in the Stockholm Public Health Cohort. BMJ Open, 2016, 6, e010901.	1.9	11
25	Association between prediagnostic glucose, triglycerides, cholesterol and meningioma, and reverse causality. British Journal of Cancer, 2016, 115, 108-114.	6.4	18
26	Stable or improved health status in the population 65 years and older in Stockholm, Sweden – an 8-year follow-up of self-reported health items. Scandinavian Journal of Public Health, 2016, 44, 480-489.	2.3	9
27	Amyotrophic lateral sclerosis among cross-country skiers in Sweden. European Journal of Epidemiology, 2016, 31, 247-253.	5.7	31
28	Further Confirmation of Germline Glioma Risk Variant rs78378222 in <i>TP53</i> and Its Implication in Tumor Tissues via Integrative Analysis of TCGA Data. Human Mutation, 2015, 36, 684-688.	2.5	19
29	Unprovoked seizures after traumatic brain injury: A populationâ€based case–control study. Epilepsia, 2015, 56, 1438-1444.	5.1	54
30	Comments on Hardell and Carlberg Increasing Rates of Brain Tumors in the Swedish National Inpatient Register and the Causes of Death Register. Int. J. Environ. Res. Public Health 2015, 12, 3793–3813. International Journal of Environmental Research and Public Health, 2015, 12, 11662-11664.	2.6	1
31	Declining incidence trends for hip fractures have not been accompanied by improvements in lifetime risk or post-fracture survival $\hat{a} \in A$ nationwide study of the Swedish population 60years and older. Bone, 2015, 78, 55-61.	2.9	52
32	Association Between Prediagnostic Serum 25-Hydroxyvitamin D Concentration and Glioma. Nutrition and Cancer, 2015, 67, 1120-1130.	2.0	18
33	Association between Prediagnostic Allergy-Related Serum Cytokines and Glioma. PLoS ONE, 2015, 10, e0137503.	2.5	21
34	Diabetes Prevalence in Sweden at Present and Projections for Year 2050. PLoS ONE, 2015, 10, e0143084.	2.5	73
35	Losing Ground - Swedish Life Expectancy in a Comparative Perspective. PLoS ONE, 2014, 9, e88357.	2.5	26
36	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	2.9	90

#	Article	IF	CITATIONS
37	Use of Scandinavian Moist Smokeless Tobacco (Snus) and the Risk of Atrial Fibrillation. Epidemiology, 2014, 25, 872-876.	2.7	24
38	Does Improved Survival Lead to a More Fragile Population: Time Trends in Second and Third Hospital Admissions among Men and Women above the Age of 60 in Sweden. PLoS ONE, 2014, 9, e99034.	2.5	11
39	Prevalence and Incidence of Diabetes in Stockholm County 1990-2010. PLoS ONE, 2014, 9, e104033.	2.5	26
40	Use of snus and acute myocardial infarction: pooled analysis of eight prospective observational studies. European Journal of Epidemiology, 2012, 27, 771-779.	5.7	80
41	Unprovoked seizures in multiple sclerosis and systemic lupus erythematosus: A population-based case–control study. Epilepsy Research, 2012, 101, 284-287.	1.6	10
42	An international prospective cohort study of mobile phone users and health (Cosmos): Design considerations and enrolment. Cancer Epidemiology, 2011, 35, 37-43.	1.9	66
43	Location of Gliomas in Relation to Mobile Telephone Use: A Case-Case and Case-Specular Analysis. American Journal of Epidemiology, 2011, 174, 2-11.	3.4	38
44	Newly diagnosed single unprovoked seizures and epilepsy in Stockholm, Sweden: First report from the Stockholm Incidence Registry of Epilepsy (SIRE). Epilepsia, 2009, 50, 1094-1101.	5.1	59
45	Epidemiologic Evidence on Mobile Phones and Tumor Risk. Epidemiology, 2009, 20, 639-652.	2.7	121
46	Mobile Phone Use and Risk of Parotid Gland Tumor. American Journal of Epidemiology, 2006, 164, 637-643.	3.4	68
47	Call-related factors influencing output power from mobile phones. Journal of Exposure Science and Environmental Epidemiology, 2006, 16, 507-514.	3.9	33
48	CNOP (Mitoxantrone) Chemotherapy Is Inferior to CHOP (Doxorubicin) in the Treatment of Patients with Aggressive Non-Hodgkin Lymphoma (Review) Blood, 2006, 108, 2437-2437.	1.4	0
49	Swedish Moist Snuff and Myocardial Infarction Among Men. Epidemiology, 2005, 16, 12-16.	2.7	90
50	Reply to: Occupational risk factors for low grade and high grade glioma by B. Hocking. International Journal of Cancer, 2005, 116, 165-165.	5.1	0
51	Epidemiology of Radiofrequency Exposure: Ahlbom et al. Respond. Environmental Health Perspectives, 2005, 113, .	6.0	O
52	Long-Term Mobile Phone Use and Brain Tumor Risk. American Journal of Epidemiology, 2005, 161, 526-535.	3.4	198
53	Epidemiology of Health Effects of Radiofrequency Exposure. Environmental Health Perspectives, 2004, 112, 1741-1754.	6.0	262
54	Mobile Phone Use and the Risk of Acoustic Neuroma. Epidemiology, 2004, 15, 653-659.	2.7	231

#	Article	IF	CITATIONS
55	Occupational Magnetic Field Exposure and Myocardial Infarction Incidence. Epidemiology, 2004, 15, 403-408.	2.7	25
56	Obesity and hormone-dependent tumors: Cohort and co-twin control studies based on the Swedish Twin Registry. International Journal of Cancer, 2003, 106, 594-599.	5.1	103
57	Electromagnetic radiation. British Medical Bulletin, 2003, 68, 157-165.	6.9	57
58	Physical activity and risk of renal cell cancer. International Journal of Cancer, 2001, 92, 155-157.	5.1	42
59	Neurodegenerative diseases, suicide and depressive symptoms in relation to EMF. Bioelectromagnetics, 2001, 22, S132-S143.	1.6	51
60	Parental occupational exposure to magnetic fields and childhood cancer (Sweden). Cancer Causes and Control, 2000, 11, 151-156.	1.8	55
61	Plasma Levels of Tissue Plasminogen Activator/Plasminogen Activator Inhibitor-1 Complex and von Willebrand Factor Are Significant Risk Markers for Recurrent Myocardial Infarction in the Stockholm Heart Epidemiology Program (SHEEP) Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 2019-2023.	2.4	178
62	Re: visual impairment and cancer: a population-based cohort study in Finland. Cancer Causes and Control, 1999, 10, 637-637.	1.8	1
63	Mortality and cancer incidence in biomedical laboratory personnel in Sweden., 1999, 35, 382-389.		22
64	Occupational exposure to magnetic fields and brain tumours in central Sweden. European Journal of Epidemiology, 1998, 14, 563-569.	5 <b>.</b> 7	27
65	A Comprehensive Clinical Epidemiological Theory Based On the Concept of the Source Person-Time and Four Distinct Study Stages. Acta Oncológica, 1998, 37, 15-23.	1.8	32
66	Electromagnetic fields and childhood cancer: meta-analysis. Cancer Causes and Control, 1995, 6, 275-277.	1.8	2
67	Power lines, viruses, and childhood leukemia. Cancer Causes and Control, 1994, 5, 579-580.	1.8	2
68	Acute Myeloid Leukemia among Petrol Station Attendants. Archives of Environmental Health, 1993, 48, 255-259.	0.4	48
69	Risk factors for late―onset Alzheimer's disease: A population―based, caseâ€control study. Annals of Neurology, 1993, 33, 258-266.	5.3	240
70	Childhood cancer among Swedish twins. Cancer Causes and Control, 1992, 3, 527-532.	1.8	31
71	Aspects of misclassification of confounding factors. American Journal of Industrial Medicine, 1992, 21, 107-112.	2.1	32
72	Is brain cancer mortality increasing in industrial countries?. American Journal of Industrial Medicine, 1991, 19, 421-431.	2.1	57

#	Article	IF	CITATIONS
73	Prenatal x-ray exposure and childhood cancer in swedish twins. International Journal of Cancer, 1990, 46, 362-365.	5.1	62
74	Hip fracture incidence in Stockholm 1972–1981. Acta Orthopaedica, 1986, 57, 30-34.	1.4	57
75	Do Oral Contraceptives Reduce the Incidence of Rheumatoid Arthritis?: <i>A Pilot Study Using the Stockholm County Medical Information System</i> Stockholm County Medical Information System 140-146.	1.1	53
76	Quality of Life and State of Health for Patients with Cancer in the Head and Neck. Acta Oto-Laryngologica, 1983, 96, 307-314.	0.9	56
77	CANCER MORTALITY AMONG THREE SWEDISH MALE ACADEMIC COHORTS: CHEMISTS, ARCHITECTS, AND MINING ENGINEERS/METALLURGISTS. Annals of the New York Academy of Sciences, 1982, 381, 197-201.	3.8	13