
Jong-Hae Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7765898/publications.pdf Version: 2024-02-01



LONG-HAF KIM

#	Article	IF	CITATIONS
1	The principles of presenting statistical results using figures. Korean Journal of Anesthesiology, 2022, 75, 139-150.	0.9	2
2	Frontal electroencephalogram activity during emergence from general anaesthesia in children with and without emergence delirium. British Journal of Anaesthesia, 2021, 126, 293-303.	1.5	13
3	Changes in the Bronchial Cuff Pressure of Left-Sided Double-Lumen Endotracheal Tube by Lateral Positioning: A Prospective Observational Study. Journal of Clinical Medicine, 2021, 10, 1590.	1.0	4
4	The principles of presenting statistical results: Table. Korean Journal of Anesthesiology, 2021, 74, 115-119.	0.9	3
5	Sympathetic Predominance Before Tourniquet Deflation is Associated With a Reduction in Arterial Blood Pressure After Tourniquet Deflation During Total Knee Arthroplasty. Physiological Research, 2021, 70, 401-412.	0.4	2
6	Local anesthetic volume in ultrasound-guided interscalene block and opioid consumption during shoulder arthroscopic surgery. Medicine (United States), 2021, 100, e26527.	0.4	1
7	Intraoperative development of pulmonary thromboembolism in a bedridden patient owing to a pelvic bone fracture with negative preoperative computed tomography pulmonary angiographic findings. Medicine (United States), 2021, 100, e26658.	0.4	1
8	Transparency considerations for describing statistical analyses in research. Korean Journal of Anesthesiology, 2021, 74, 488-495.	0.9	2
9	Comparison of Pupillometry With Surgical Pleth Index Monitoring on Perioperative Opioid Consumption and Nociception During Propofol–Remifentanil Anesthesia: A Prospective Randomized Controlled Trial. Anesthesia and Analgesia, 2020, 131, 1589-1598.	1.1	19
10	Tips for troublesome sample-size calculation. Korean Journal of Anesthesiology, 2020, 73, 114-120.	0.9	17
11	Effects of C8 nerve root block during interscalene brachial plexus block on anesthesia of the posterior shoulder in patients undergoing arthroscopic shoulder surgery: study protocol for a prospective randomized parallel-group controlled trial. Trials, 2019, 20, 533.	0.7	4
12	Comparing the placement of a left-sided double-lumen tube via fiberoptic bronchoscopy guidance versus conventional intubation using a Macintosh laryngoscope, to reduce the incidence of malpositioning: study protocol for a randomized controlled pilot trial. Trials, 2019, 20, 51.	0.7	7
13	Shift in Sympathovagal Balance Toward Parasympathetic Predominance Is Associated With Attenuation of Portal Hyperperfusion in Cirrhotic Recipients Undergoing Living Donor Liver Transplant. Transplantation Proceedings, 2019, 51, 1511-1515.	0.3	1
14	Airway management using laryngeal mask airway (LMA) in a patient in a lateral decubitus position. Medicine (United States), 2019, 98, e18287.	0.4	2
15	Multicollinearity and misleading statistical results. Korean Journal of Anesthesiology, 2019, 72, 558-569.	0.9	706
16	Assessment of P values for demographic data in randomized controlled trials. Korean Journal of Anesthesiology, 2019, 72, 130-134.	0.9	4
17	Mother's recorded voice on emergence can decrease postoperative emergence delirium from general anaesthesia in paediatric patients: a prospective randomised controlled trial. British Journal of Anaesthesia, 2018, 121, 483-489.	1.5	29
18	Statistical data preparation: management of missing values and outliers. Korean Journal of Anesthesiology, 2017, 70, 407.	0.9	315

Jong-Hae Kim

#	Article	IF	CITATIONS
19	Central limit theorem: the cornerstone of modern statistics. Korean Journal of Anesthesiology, 2017, 70, 144.	0.9	398
20	Assessment of risk of bias in quasi-randomized controlled trials and randomized controlled trials reported in the Korean Journal of Anesthesiology between 2010 and 2016. Korean Journal of Anesthesiology, 2017, 70, 511.	0.9	8
21	Should Low Central Venous Pressure Be Maintained during Liver Transplantation?. Open Anesthesiology Journal, 2017, 11, 17-28.	0.4	2
22	Pulsed radiofrequency treatment of the superior hypogastric plexus in an interstitial cystitis patient with chronic pain and symptoms refractory to oral and intravesical medications and bladder hydrodistension. Medicine (United States), 2016, 95, e5549.	0.4	13
23	Ultrasound-guided bilateral combined inguinal femoral and subgluteal sciatic nerve blocks for simultaneous bilateral below-knee amputations due to bilateral diabetic foot gangrene unresponsive to peripheral arterial angioplasty and bypass surgery in a coagulopathic patient on antiplatelet therapy with a history of percutaneous coronary intervention for ischemic heart disease. Medicine	0.4	5
24	Liver graft hyperperfusion in the early postoperative period promotes hepatic regeneration 2 weeks after living donor liver transplantation. Medicine (United States), 2016, 95, e5404.	0.4	11
25	Comparison of a tube-holder (Rescuefix) versus tape-tying for minimizing double-lumen tube displacement during lateral positioning in thoracic surgery. Medicine (United States), 2016, 95, e4486.	0.4	4
26	The anhepatic phase extended by temporary portocaval shunt does not affect anesthetic sensitivity and postoperative cognitive function. Medicine (United States), 2016, 95, e5654.	0.4	5
27	Systemic hemodynamic parameters for intravascular volume assessment during liver transplantation: central venous pressure versus stroke volume variation. Global Anesthesia and Perioperative Medicine, 2016, 2, .	0.1	0
28	Comparison Between Ultrasound-Guided Supraclavicular and Interscalene Brachial Plexus Blocks in Patients Undergoing Arthroscopic Shoulder Surgery. Medicine (United States), 2015, 94, e1726.	0.4	36
29	Optimal Central Venous Pressure During the Neohepatic Phase to Decrease Peak Portal Vein Flow Velocity for the Prevention of Portal Hyperperfusion in Patients Undergoing Living Donor Liver Transplantation. Transplantation Proceedings, 2015, 47, 1194-1198.	0.3	3
30	Changes in heart rate variability after sitting following interscalene block. Clinical Autonomic Research, 2015, 25, 327-333.	1.4	8
31	Volume-controlled versus pressure-controlled ventilation-volume guaranteed mode during one-lung ventilation. Korean Journal of Anesthesiology, 2014, 67, 258.	0.9	28
32	Epidural catheterization with a subcutaneous injection port for the long-term administration of opioids and local anesthetics to treat zoster-associated pain -a report of two cases Korean Journal of Anesthesiology, 2013, 65, 462.	0.9	7
33	Intraoperative Fluid Management in Combined Liver-Kidney Transplantation. The Korean Journal of Critical Care Medicine, 2013, 28, 309.	0.2	1
34	Continuous Intrathecal Morphine Administration for Cancer Pain Management Using an Intrathecal Catheter Connected to a Subcutaneous Injection Port: A Retrospective Analysis of 22 Terminal Cancer Patients in Korean Population. Korean Journal of Pain, 2013, 26, 32-38.	0.8	22
35	A comparison of femoral/sciatic nerve block with lateral femoral cutaneous nerve block and combined spinal epidural anesthesia for total knee replacement arthroplasty. Korean Journal of Anesthesiology, 2012, 62, 448.	0.9	19
36	Predicting the difficulty in performing a neuraxial blockade. Korean Journal of Anesthesiology, 2011, 61, 377.	0.9	35

Jong-Hae Kim

#	Article	IF	CITATIONS
37	Pulsed Radiofrequency Treatment of the Supraorbital and Supratrochlear Nerve in a Case of Trigeminal Neuralgia -A case report The Korean Journal of Pain, 2009, 22, 167.	0.1	Ο
38	Injury to the spinal cord by a thoracic epidural catheter used to control postpneumonectomy pain - A case report Korean Journal of Anesthesiology, 2009, 56, 720.	0.9	1
39	Effects of EDTA (Ethylene Diamine Tetra Acetic Acid) in Propofol on Serum Electrolyte, BUN and Creatinine during Long Time Neurosurgical Operation. Daehan Macwi'gwa Haghoeji, 2005, 49, 612.	0.2	Ο
40	Anterior Epidural Irrigation in Patient with Lumbar Spinal Stenosis -A case report The Korean Journal of Pain, 2004, 17, 330.	0.1	1