

Armando Luis Negri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7776248/publications.pdf>

Version: 2024-02-01

43
papers

770
citations

567281

15
h-index

526287

27
g-index

48
all docs

48
docs citations

48
times ranked

940
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of claudins in idiopathic hypercalciuria and renal lithiasis. <i>International Urology and Nephrology</i> , 2022, 54, 2197-2204.	1.4	3
2	Hyponatremia and falls. <i>Osteoporosis International</i> , 2021, 32, 393-394.	3.1	0
3	Risks of Hip and Nonvertebral Fractures in Patients With CKD. <i>American Journal of Kidney Diseases</i> , 2021, 77, 546.	1.9	2
4	Sarcopenia in hemodialysis patients from Buenos Aires, Argentina. <i>Osteoporosis and Sarcopenia</i> , 2021, 7, 75-80.	1.9	6
5	Chronicity of Uncorrected Hyponatremia and Clinical Outcomes in Older Patients Undergoing Hip Fracture Repair. <i>Frontiers in Medicine</i> , 2020, 7, 263.	2.6	11
6	Chronic prolonged hyponatremia and risk of hip fracture in elderly patients with chronic kidney disease. <i>Bone</i> , 2019, 127, 556-562.	2.9	14
7	The role of zinc in urinary stone disease. <i>International Urology and Nephrology</i> , 2018, 50, 879-883.	1.4	11
8	Hyponatremia and fractures: should hyponatremia be further studied as a potential biochemical risk factor to be included in FRAX algorithms?. <i>Osteoporosis International</i> , 2017, 28, 1543-1548.	3.1	15
9	Is the renal kallikrein-kinin system a factor that modulates hypercalciuria?. <i>Nefrología</i> , 2017, 37, 5-8.	0.4	1
10	Hyponatremia and bone disease. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2017, 18, 67-78.	5.7	26
11	¿Es el sistema caliceño/quinina renal un factor modulador de la calciuria?. <i>Nefrología</i> , 2017, 37, 5-8.	0.4	0
12	Mild prolonged chronic hyponatremia and risk of hip fracture in the elderly. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1662-1669.	0.7	52
13	Sevelamer carbonate reduces the risk of hypomagnesemia in hemodialysis-requiring end-stage renal disease patients. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 481-485.	2.9	9
14	Biochemical diagnosis in 3040 kidney stone formers in Argentina. <i>Urolithiasis</i> , 2015, 43, 323-330.	2.0	15
15	Rol de las claudinas en el manejo renal del calcio. <i>Nefrología</i> , 2015, 35, 347-352.	0.4	7
16	Iron-based phosphate binders: do they offer advantages over currently available phosphate binders?. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 161-167.	2.9	27
17	Weekly high-dose ergocalciferol to correct vitamin D deficiency/insufficiency in hemodialysis patients: A pilot trial. <i>Hemodialysis International</i> , 2015, 19, 60-65.	0.9	12
18	Comment on "A smaller proportion of circulating biologically active parathyroid hormone in peritoneal dialysis does not allow inter-method adjustment of established parathyroid hormone for haemodialysis". <i>Nefrología</i> , 2015, 35, 117.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Calcitriol resistance in hemodialysis patients with secondary hyperparathyroidism. <i>International Urology and Nephrology</i> , 2014, 46, 1145-1151.	1.4	17
20	Fibroblast growth factor 23: associations with cardiovascular disease and mortality in chronic kidney disease. <i>International Urology and Nephrology</i> , 2014, 46, 9-17.	1.4	13
21	Is chronic hyponatremia a novel risk factor for hip fracture in the elderly?. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3725-3731.	0.7	62
22	Evaluation of bone microarchitecture by high-resolution peripheral quantitative computed tomography (HR-pQCT) in hemodialysis patients. <i>Osteoporosis International</i> , 2012, 23, 2543-2550.	3.1	41
23	Persistence of hypercalciuria after successful surgical treatment for primary hyperparathyroidism. <i>International Urology and Nephrology</i> , 2012, 44, 857-863.	1.4	10
24	Metabolic diagnosis in stone formers in relation to body mass index. <i>Urological Research</i> , 2012, 40, 47-52.	1.5	16
25	Role of overweight and obesity on the urinary excretion of promoters and inhibitors of stone formation in stone formers. <i>Urological Research</i> , 2008, 36, 303-307.	1.5	86
26	Clinical and biochemical profile of patients with "pure" uric acid nephrolithiasis compared with "pure" calcium oxalate stone formers. <i>Urological Research</i> , 2007, 35, 247-251.	1.5	37
27	Proximal tubule endocytic apparatus as the specific renal uptake mechanism for vitamin D-binding protein/25-(OH)D3 complex (Review Article). <i>Nephrology</i> , 2006, 11, 510-515.	1.6	52
28	Evaluation of cortical bone by peripheral quantitative computed tomography in continuous ambulatory peritoneal dialysis patients. <i>Hemodialysis International</i> , 2006, 10, 351-355.	0.9	25
29	Biomechanical impact of aluminum accumulation on the pre- and post-yield behavior of rat cortical bone. <i>Journal of Bone and Mineral Metabolism</i> , 2005, 23, 15-23.	2.7	18
30	Vascular Calcifications in Chronic Kidney Disease: Are There New Treatments?. <i>Current Vascular Pharmacology</i> , 2005, 3, 181-184.	1.7	13
31	Evaluation of Cortical Bone by Peripheral Quantitative Computed Tomography in Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 2005, 37, 1020-1022.	0.6	18
32	Bone densitometry in a patient with hypophosphatemic osteomalacia. <i>Journal of Bone and Mineral Metabolism</i> , 2004, 22, 514-7.	2.7	9
33	Prevention of progressive fibrosis in chronic renal diseases: antifibrotic agents. <i>Journal of Nephrology</i> , 2004, 17, 496-503.	2.0	52
34	Renal phosphate leak in patients with idiopathic hypercalciuria and calcium nephrolithiasis. <i>Urological Research</i> , 2003, 31, 378-381.	1.5	6
35	Lean Mass Estimation by Creatinine Kinetics and Dual-Energy X-Ray Absorptiometry in Peritoneal Dialysis. <i>Nephron Clinical Practice</i> , 2003, 95, c9-c14.	2.3	13
36	Comparison of amlodipine and enalapril in the treatment of isolated systolic hypertension in the elderly: an open-label, randomized, parallel-group study. <i>Current Therapeutic Research</i> , 2002, 63, 153-164.	1.2	2

#	ARTICLE	IF	CITATIONS
37	Serum CrossLaps as Bone Resorption Marker in Peritoneal Dialysis. Peritoneal Dialysis International, 2002, 22, 628-630.	2.3	8
38	Serum crosslaps as bone resorption marker in peritoneal dialysis. Peritoneal Dialysis International, 2002, 22, 628-30.	2.3	1
39	Lean Body Mass Estimation by Densitometry and Creatinine Kinetics in Chronic Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2000, 20, 575-576.	2.3	3
40	Bone Mineral Density in Patients with Hypercalciuric Nephrolithiasis. Nephron, 1996, 73, 557-560.	1.8	38
41	Accelerated Recovery from Toxic Acute Renal Failure with Thyroxin: Stimulation of Renal Phospholipid Biosynthesis. Renal Failure, 1994, 16, 19-26.	2.1	3
42	Upper Gastrointestinal Bleeding in Patients in Chronic Hemodialysis. Nephron, 1994, 67, 130-130.	1.8	4
43	Hypercalcemia secondary to granulomatous disease caused by the injection of methacrylate: a case series. Clinical Cases in Mineral and Bone Metabolism, 0, , .	1.0	8