

Daniel Pilsgaard Henriksen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7804969/publications.pdf>

Version: 2024-02-01

78
papers

1,582
citations

361045

20
h-index

344852

36
g-index

79
all docs

79
docs citations

79
times ranked

2335
citing authors

#	ARTICLE	IF	CITATIONS
1	Point-of-care ultrasonography in patients admitted with respiratory symptoms: a single-blind, randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2014, 2, 638-646.	5.2	235
2	Focused Sonography of the Heart, Lungs, and Deep Veins Identifies Missed Life-Threatening Conditions in Admitted Patients With Acute Respiratory Symptoms. <i>Chest</i> , 2013, 144, 1868-1875.	0.4	124
3	Hypoalbuminemia Is a Strong Predictor of 30-Day All-Cause Mortality in Acutely Admitted Medical Patients: A Prospective, Observational, Cohort Study. <i>PLoS ONE</i> , 2014, 9, e105983.	1.1	107
4	Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Use—A Descriptive Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0140197.	1.1	95
5	Incidence Rate of Community-Acquired Sepsis Among Hospitalized Acute Medical Patients—A Population-Based Survey*. <i>Critical Care Medicine</i> , 2015, 43, 13-21.	0.4	73
6	Prognosis and Risk Factors for Deterioration in Patients Admitted to a Medical Emergency Department. <i>PLoS ONE</i> , 2014, 9, e94649.	1.1	48
7	Nontraumatic Hypotension and Shock in the Emergency Department and the Prehospital setting, Prevalence, Etiology, and Mortality: A Systematic Review. <i>PLoS ONE</i> , 2015, 10, e0119331.	1.1	48
8	Efficacy, adverse events, and inter-drug comparison of mepolizumab and reslizumab anti-IL-5 treatments of severe asthma — a systematic review and meta-analysis. <i>European Clinical Respiratory Journal</i> , 2018, 5, 1536097.	0.7	47
9	How Well Do Discharge Diagnoses Identify Hospitalised Patients with Community-Acquired Infections? — A Validation Study. <i>PLoS ONE</i> , 2014, 9, e92891.	1.1	39
10	Drug Dosing in Patients with Renal Insufficiency in a Hospital Setting using Electronic Prescribing and Automated Reporting of Estimated Glomerular Filtration Rate. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 114, 407-413.	1.2	37
11	Methimazole and risk of acute pancreatitis. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 187-189.	5.5	35
12	Antimicrobial resistance in the <i>Bacteroides fragilis</i> group in faecal samples from patients receiving broad-spectrum antibiotics. <i>Anaerobe</i> , 2017, 47, 79-85.	1.0	32
13	Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. <i>PLoS ONE</i> , 2018, 13, e0196122.	1.1	32
14	Combined use of the National Early Warning Score and D-dimer levels to predict 30-day and 365-day mortality in medical patients. <i>Resuscitation</i> , 2016, 106, 49-52.	1.3	28
15	Risk Factors for Hospitalization Due to Community-Acquired Sepsis — A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2015, 10, e0124838.	1.1	27
16	An acute hospital admission greatly increases one year mortality — Getting sick and ending up in hospital is bad for you: A multicentre retrospective cohort study. <i>European Journal of Internal Medicine</i> , 2017, 45, 5-7.	1.0	25
17	Efficacy of omalizumab in children, adolescents, and adults with severe allergic asthma: a systematic review, meta-analysis, and call for new trials using current guidelines for assessment of severe asthma. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 49.	0.9	25
18	Etiology of Shock in the Emergency Department: A 12-Year Population-Based Cohort Study. <i>Shock</i> , 2019, 51, 60-67.	1.0	24

#	ARTICLE	IF	CITATIONS
19	Increasing emergency hospital activity in Denmark, 2005–2016: a nationwide descriptive study. <i>BMJ Open</i> , 2020, 10, e031409.	0.8	24
20	Sodium–glucose cotransporter 2 inhibitors and risk of nephrolithiasis. <i>Diabetologia</i> , 2021, 64, 1563-1571.	2.9	24
21	Low-dose oral corticosteroids in asthma associates with increased morbidity and mortality. <i>European Respiratory Journal</i> , 2022, 60, 2103054.	3.1	20
22	Change in International Normalized Ratio Among Patients Treated With Dicloxacillin and Vitamin K Antagonists. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 296.	3.8	19
23	Sodium–glucose cotransporter 2 inhibitors and the risk of gout: A Danish population based cohort study and symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1391-1395.	0.9	19
24	CURB-65 Score is Equal to NEWS for Identifying Mortality Risk of Pneumonia Patients: An Observational Study. <i>Lung</i> , 2018, 196, 359-361.	1.4	17
25	Sixteen years of creatinine measurements among 460 000 individuals – The Funen Laboratory Cohort (FLaC), a population-based pharmacoepidemiological resource to study drug-induced kidney disease. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 582-590.	1.2	17
26	Does point-of-care ultrasonography cause discomfort in patients admitted with respiratory symptoms?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 46.	1.1	16
27	Shock in the emergency department; a 12-year population based cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 87.	1.1	16
28	Patient Characteristics and Risk of Bleeding With Dabigatran in Atrial Fibrillation. <i>JAMA Internal Medicine</i> , 2015, 175, 1245.	2.6	15
29	Prevalence of organ failure and mortality among patients in the emergency department: a population-based cohort study. <i>BMJ Open</i> , 2019, 9, e032692.	0.8	15
30	Second-generation antipsychotics and the risk of chronic kidney disease: a population-based case-control study. <i>BMJ Open</i> , 2020, 10, e038247.	0.8	15
31	The potential drug–drug interaction between proton pump inhibitors and warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1337-1340.	0.9	14
32	Interaction potential between clarithromycin and individual statins – A systematic review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 307-317.	1.2	14
33	Time to initial antibiotic administration, and short-term mortality among patients admitted with community-acquired severe infections with and without the presence of systemic inflammatory response syndrome: a follow-up study. <i>Emergency Medicine Journal</i> , 2015, 32, 846-853.	0.4	12
34	Intermediate-term and long-term mortality among acute medical patients hospitalized with community-acquired sepsis: a population-based study. <i>European Journal of Emergency Medicine</i> , 2017, 24, 404-410.	0.5	12
35	Lung ultrasound has limited diagnostic value in rare cystic lung diseases: a cross-sectional study. <i>European Clinical Respiratory Journal</i> , 2017, 4, 1330111.	0.7	12
36	Treatment with montelukast and antidepressive medication – a symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1409-1415.	0.9	12

#	ARTICLE	IF	CITATIONS
37	Lung Ultrasound in the Assessment of Pulmonary Complications After Lung Transplantation. <i>Ultraschall in Der Medizin</i> , 2020, 41, 148-156.	0.8	12
38	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions. <i>Clinical Epidemiology</i> , 2022, Volume 14, 567-579.	1.5	11
39	Dispatch and prehospital transport for acute septic patients: an observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 51.	1.1	10
40	Selective serotonin reuptake inhibitors and the risk of restless legs syndrome: a symmetry analysis. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 719-722.	0.8	10
41	Lung Ultrasound to Phenotype Chronic Lung Allograft Dysfunction in Lung Transplant Recipients. A Prospective Observational Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1078.	1.0	10
42	Initiation of glucose-lowering treatment decreases international normalized ratio levels among users of vitamin K antagonists: a self-controlled register study. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 129-133.	1.9	9
43	Inhaled Corticosteroids and Systemic or Topical Antifungal Therapy: A Symmetry Analysis. <i>Annals of the American Thoracic Society</i> , 2017, 14, 1045-1047.	1.5	8
44	Nationwide study on trends in unplanned hospital attendance and deaths during the 7 weeks after the onset of the COVID-19 pandemic in Denmark. <i>BMJ Quality and Safety</i> , 2021, 30, 986-995.	1.8	8
45	Hospitalized acute patients with fever and severe infection have lower mortality than patients with hypo- or normothermia: a follow-up study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016, 109, 473-479.	0.2	7
46	Montelukast use—a 19-year nationwide drug utilisation study. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 1297-1304.	0.8	7
47	Prevalence and prognosis of acutely ill patients with organ failure at arrival to hospital: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0206610.	1.1	6
48	Nationwide use of theophylline among adults—A 20-year Danish drug utilisation study. <i>Respiratory Medicine</i> , 2018, 140, 57-62.	1.3	6
49	A Long-Time Follow-Up Study of a Single-Center Endovascular Aneurysm Repair (Evar) Endoleak Outcomes. <i>Vascular and Endovascular Surgery</i> , 2018, 52, 505-511.	0.3	6
50	Efficacy of bronchial thermoplasty in patients with severe asthma. <i>Journal of Asthma</i> , 2021, 58, 216-222.	0.9	6
51	Increasing incidence of hypotension in the emergency department; a 12 year population-based cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 20.	1.1	5
52	Appropriate selection for omalizumab treatment in patients with severe asthma?. <i>European Clinical Respiratory Journal</i> , 2017, 4, 1359477.	0.7	5
53	Prevalence and prognosis of acutely ill patients with organ failure at arrival to hospital: protocol for a systematic review. <i>Systematic Reviews</i> , 2017, 6, 227.	2.5	5
54	Seventeen-Year Nationwide Trends in Use of Long-Acting Bronchodilators and Inhaled Corticosteroids among Adults — A Danish Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 58-64.	1.2	5

#	ARTICLE	IF	CITATIONS
55	Indirect comparison of efficacy of dupilumab versus mepolizumab and omalizumab for severe type 2 asthma. ERJ Open Research, 2021, 7, 00306-2021.	1.1	5
56	Level of vital and laboratory values on arrival, and increased risk of 7-day mortality among adult patients in the emergency department: a population-based cohort study. BMJ Open, 2020, 10, e038516.	0.8	5
57	Arterial blood gas analysis: as safe as we think? A multicentre historical cohort study. ERJ Open Research, 2022, 8, 00535-2021.	1.1	5
58	Lithium and the risk of chronic kidney disease: A population-based case-control study. Basic and Clinical Pharmacology and Toxicology, 2022, 131, 129-137.	1.2	5
59	Statin use before and after the KDIGO Lipids in chronic kidney disease guideline: A population-based interrupted time series analysis. Basic and Clinical Pharmacology and Toxicology, 0, , .	1.2	5
60	Roflumilast Usage from 2010 to 2016: A Danish Nationwide Drug Utilization Study. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 314-319.	1.2	4
61	Progression-free survival in oncology: Caveat emptor!. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 240-244.	1.2	4
62	Changes in oral corticosteroid use in asthma treatment - a 20-year Danish nationwide drug utilization study. Basic and Clinical Pharmacology and Toxicology, 2021, , .	1.2	4
63	Mortality before and after reconfiguration of the Danish hospital-based emergency healthcare system: a nationwide interrupted time series analysis. BMJ Quality and Safety, 2023, 32, 202-213.	1.8	4
64	Focused sonographic examination of the heart, lungs and deep veins in an unselected population of acute admitted patients with respiratory symptoms: a protocol for a prospective, blinded, randomised controlled trial: Figure 1. BMJ Open, 2012, 2, e001369.	0.8	3
65	Association between presenting complaints of acutely admitted medical patients and mortality: A cohort study. European Journal of Internal Medicine, 2018, 54, e29-e32.	1.0	3
66	Dynamics in diagnoses and pharmacotherapy before and after diagnosing idiopathic pulmonary fibrosis. ERJ Open Research, 2020, 6, 00479-2020.	1.1	3
67	Intended and unintended changes in length of stay following reconfiguration of emergency care departments. International Journal for Quality in Health Care, 2021, 33, .	0.9	3
68	Level of vital and laboratory values on arrival, and increased risk of 7-day mortality among adult patients in the emergency department: a population-based cohort study. BMJ Open, 2020, 10, e038516.	0.8	3
69	Association between gabapentinoids and oedema treated with loop diuretics: A pooled sequence symmetry analysis from the USA and Denmark. British Journal of Clinical Pharmacology, 2022, 88, 5269-5294.	1.1	3
70	In Utero SSRI Exposure and Risk of Clubfoot. Epidemiology, 2015, 26, e34-e35.	1.2	2
71	Discontinuation of therapy among COPD patients who experience an improvement in exacerbation status. European Journal of Clinical Pharmacology, 2019, 75, 1025-1032.	0.8	2
72	Use of dipeptidyl peptidase-4 inhibitors and risk of splanchnic vein thrombosis: A Danish nationwide new-user active comparator cohort study. Diabetes, Obesity and Metabolism, 2021, 23, 648-652.	2.2	2

#	ARTICLE	IF	CITATIONS
73	Pulmonary function test values due to a diaphragmatic hernia. BMJ Case Reports, 2016, 2016, bcr2016216542.	0.2	1
74	The Methodology of Assessing Long-Term Mortality and Cardiovascular Risks in Survivors of Sepsis. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 245-246.	2.5	1
75	Organ failure, aetiology and 7-day all-cause mortality among acute adult patients on arrival to an emergency department. European Journal of Emergency Medicine, 2021, Publish Ahead of Print, 448-455.	0.5	1
76	Early Discontinuation of Montelukast Treatment; A Danish Nationwide Utilization Study. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 78-83.	1.2	0
77	<scp>RE</scp>: Gout and sodium-glucose cotransporter-2 inhibitors. Pharmacoepidemiology and Drug Safety, 2022, 31, 114-115.	0.9	0
78	Diagnoses and mortality in a population without acute myocardial infarction, but with elevated high-sensitive troponin I - a retrospective register-based single center study. Acute Medicine, 2021, 20, 18-24.	0.1	0