

Sang-wook Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/785210/publications.pdf>

Version: 2024-02-01

155
papers

2,629
citations

201575

27
h-index

254106

43
g-index

157
all docs

157
docs citations

157
times ranked

4724
citing authors

#	ARTICLE	IF	CITATIONS
1	A New Prognostic Index for Extranodal Natural Killer/T-Cell Lymphoma: Incorporation of Serum \hat{I}^2 -2 Microglobulin to PINK. <i>Cancer Research and Treatment</i> , 2023, 55, 314-324.	1.3	3
2	BCL2 super-expressor diffuse large B-cell lymphoma: a distinct subgroup associated with poor prognosis. <i>Modern Pathology</i> , 2022, 35, 480-488.	2.9	6
3	Radiation-induced reactive protein triggers apoptosis of vascular smooth muscle cells through ROS interfering with the STAT3/Ref-1 complex. <i>Journal of Cellular and Molecular Medicine</i> , 2022, 26, 2104-2118.	1.6	5
4	Application of the New Preoperative Frailty Risk Score in Elderly Patients Undergoing Emergency Surgery. <i>Gerontology</i> , 2022, 68, 1276-1284.	1.4	3
5	Preoperative prediction of the need for arterial and central venous catheterization using machine learning techniques. <i>Scientific Reports</i> , 2022, 12, .	1.6	0
6	Multi-center validation of machine learning model for preoperative prediction of postoperative mortality. <i>Npj Digital Medicine</i> , 2022, 5, .	5.7	13
7	A prognostic index for extranodal marginal zone lymphoma based on the mucosa-associated lymphoid tissue International Prognostic Index and serum \hat{I}^2 -microglobulin levels. <i>British Journal of Haematology</i> , 2021, 193, 307-315.	1.2	4
8	Feasibility of automated planning for whole-brain radiation therapy using deep learning. <i>Journal of Applied Clinical Medical Physics</i> , 2021, 22, 184-190.	0.8	7
9	Reappraisal of the prognostic value of Epstein-Barr virus status in monomorphic post-transplantation lymphoproliferative disorders "diffuse large B-cell lymphoma. <i>Scientific Reports</i> , 2021, 11, 2880.	1.6	5
10	Accuracy of noninvasive continuous arterial pressure monitoring using ClearSight during one-lung ventilation. <i>Medicine (United States)</i> , 2021, 100, e25152.	0.4	5
11	Correlation between the Perfusion Index and Intraoperative Hypothermia: A Prospective Observational Pilot Study. <i>Medicina (Lithuania)</i> , 2021, 57, 364.	0.8	2
12	Prognostic Stratification of Patients with Burkitt Lymphoma Using Serum \hat{I}^2 -microglobulin Levels. <i>Cancer Research and Treatment</i> , 2021, 53, 847-856.	1.3	9
13	Safety and efficacy of 10-fraction hypofractionated radiation therapy for non-small cell lung cancer. <i>Radiation Oncology Journal</i> , 2021, 39, 202-209.	0.7	0
14	Geometric and dosimetric verification of a recurrent neural network algorithm to compensate for respiratory motion using an articulated robotic couch. <i>Journal of the Korean Physical Society</i> , 2021, 78, 64-72.	0.3	6
15	Predictive Model for the Assessment of Preoperative Frailty Risk in the Elderly. <i>Journal of Clinical Medicine</i> , 2021, 10, 4612.	1.0	3
16	Prognostic significance of serum \hat{I}^2 -microglobulin levels in patients with peripheral T-cell lymphoma not otherwise specified. <i>Leukemia and Lymphoma</i> , 2021, , 1-7.	0.6	4
17	Postoperative Pulmonary Complications after Transcatheter Aortic Valve Implantation under Monitored Anesthesia Care versus General Anesthesia: Retrospective Analysis at a Single Large Volume Center. <i>Journal of Clinical Medicine</i> , 2021, 10, 5365.	1.0	4
18	Sarcopenia as a prognostic factor for outcomes after isolated tricuspid valve surgery. <i>Journal of Cardiology</i> , 2020, 76, 585-592.	0.8	9

#	ARTICLE	IF	CITATIONS
19	Superiority of Epstein-Barr Virus DNA in the Plasma Over Whole Blood for Prognostication of Extranodal NK/T Cell Lymphoma. <i>Frontiers in Oncology</i> , 2020, 10, 594692.	1.3	8
20	Patient and haemodynamic factors affecting intraoperative graft flow during coronary artery bypass grafting: an observational pilot study. <i>Scientific Reports</i> , 2020, 10, 12968.	1.6	4
21	Feasibility Study of Polymer Gel Dosimetry Using a 3D Printed Phantom for Liver Cancer Radiotherapy. <i>Journal of the Korean Physical Society</i> , 2020, 76, 453-457.	0.3	5
22	Clinical implementation of a wide-field electron arc technique with a scatterer for widespread Kaposi's sarcoma in the distal extremities. <i>Scientific Reports</i> , 2020, 10, 9693.	1.6	0
23	PIBF1 suppresses the ATR/CHK1 signaling pathway and promotes proliferation and motility of triple-negative breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 2020, 182, 591-600.	1.1	3
24	Abdominal multi-organ auto-segmentation using 3D-patch-based deep convolutional neural network. <i>Scientific Reports</i> , 2020, 10, 6204.	1.6	59
25	The clinical outcomes of rituximab biosimilar CT-P10 (Truxima [®]) with CHOP as first-line treatment for patients with diffuse large B-cell lymphoma: real-world experience. <i>Leukemia and Lymphoma</i> , 2020, 61, 1575-1583.	0.6	17
26	Serum vitamin D level correlates with disease activity and health-related quality of life in antineutrophil cytoplasmic antibody-associated vasculitis. <i>Zeitschrift Fur Rheumatologie</i> , 2020, , 1.	0.5	10
27	Clinical significance of the post-radiotherapy ¹⁸ F-fludeoxyglucose positron emission tomography response in nasopharyngeal carcinoma. <i>British Journal of Radiology</i> , 2019, 92, 20180045.	1.0	6
28	Detection of Local Recurrence in Patients with Head and Neck Squamous Cell Carcinoma Using Voxel-Based Color Maps of Initial and Final Area under the Curve Values Derived from DCE-MRI. <i>American Journal of Neuroradiology</i> , 2019, 40, 1392-1401.	1.2	15
29	Mitotic Chromosomes in Live Cells Characterized Using High-Speed and Label-Free Optical Diffraction Tomography. <i>Cells</i> , 2019, 8, 1368.	1.8	20
30	Comparing phase- and amplitude-gated volumetric modulated arc therapy for stereotactic body radiation therapy using 3D printed lung phantom. <i>Journal of Applied Clinical Medical Physics</i> , 2019, 20, 107-113.	0.8	10
31	Thiotepa, busulfan, and cyclophosphamide or busulfan, cyclophosphamide, and etoposide high-dose chemotherapy followed by autologous stem cell transplantation for consolidation of primary central nervous system lymphoma. <i>Annals of Hematology</i> , 2019, 98, 1657-1664.	0.8	10
32	Evaluation of the Dosimetric Accuracy of Brain Stereotactic Radiotherapy by Using a Hybrid Quality Assurance (QA) Toolkit. <i>Journal of the Korean Physical Society</i> , 2019, 74, 292-297.	0.3	1
33	Enhanced Antitumor Immune Response in 2-5 Oligoadenylate Synthetase-Like 1- (OASL1-) Deficient Mice upon Cisplatin Chemotherapy and Radiotherapy. <i>Journal of Immunology Research</i> , 2019, 2019, 1-14.	0.9	3
34	Knockout rat models mimicking human atherosclerosis created by Cpf1-mediated gene targeting. <i>Scientific Reports</i> , 2019, 9, 2628.	1.6	39
35	An additional tilted-scan based ^{CT} metal-artifact-reduction method for radiation therapy planning. <i>Journal of Applied Clinical Medical Physics</i> , 2019, 20, 237-249.	0.8	7
36	Patterns of recurrence after radiation therapy for high-risk neuroblastoma. <i>Radiation Oncology Journal</i> , 2019, 37, 224-231.	0.7	5

#	ARTICLE	IF	CITATIONS
37	Radiation-Induced Phosphorylation of Serine 360 of SMC1 in Human Peripheral Blood Mononuclear Cells. <i>Radiation Research</i> , 2019, 191, 262.	0.7	2
38	Serum <i>Wisteria floribunda</i> agglutinin-positive Mac-2-binding protein can reflect systemic lupus erythematosus activity. <i>Lupus</i> , 2018, 27, 771-779.	0.8	5
39	Total Mesorectal Excision Versus Local Excision After Preoperative Chemoradiotherapy in Rectal Cancer With Lymph Node Metastasis: A Propensity Score-Matched Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 101, 630-639.	0.4	6
40	Complete metabolic response (CMR) in positron emission tomography-computed tomography (PET-CT) scans may have prognostic significance in patients with marginal zone lymphomas (MZL). <i>Hematological Oncology</i> , 2018, 36, 56-61.	0.8	6
41	Renal outcome after kidney-transplantation in Korean patients with lupus nephritis. <i>Lupus</i> , 2018, 27, 461-467.	0.8	16
42	Automated Field-In-Field (FIF) Plan Framework Combining Scripting Application Programming Interface and User-Executed Program for Breast Forward IMRT. <i>Technology in Cancer Research and Treatment</i> , 2018, 17, 153303381881039.	0.8	13
43	Dosimetric evaluation of respiratory gated volumetric modulated arc therapy for lung stereotactic body radiation therapy using 3D printing technology. <i>PLoS ONE</i> , 2018, 13, e0208685.	1.1	9
44	Evaluation of Hepatic Toxicity after Repeated Stereotactic Body Radiation Therapy for Recurrent Hepatocellular Carcinoma using Deformable Image Registration. <i>Scientific Reports</i> , 2018, 8, 16224.	1.6	13
45	Long-term outcomes of the 2-week schedule of hypofractionated radiotherapy for recurrent hepatocellular carcinoma. <i>BMC Cancer</i> , 2018, 18, 1040.	1.1	6
46	PSP1, a Phosphatidylserine-Recognizing Peptide, Is Useful for Visualizing Radiation-Induced Apoptosis in Colorectal Cancer In Vitro and In Vivo. <i>Translational Oncology</i> , 2018, 11, 1044-1052.	1.7	7
47	Prognostic nutritional index is correlated with disease activity in patients with systemic lupus erythematosus. <i>Lupus</i> , 2018, 27, 1697-1705.	0.8	18
48	Postoperative radiotherapy for mucoepidermoid carcinoma of the major salivary glands: long-term results of a single-institution experience. <i>Radiation Oncology Journal</i> , 2018, 36, 317-324.	0.7	14
49	Tumor volume/metabolic information can improve the prognostication of anatomy based staging system for nasopharyngeal cancer? Evaluation of the 8th edition of the AJCC/UICC staging system for nasopharyngeal cancer. <i>Radiation Oncology Journal</i> , 2018, 36, 295-303.	0.7	2
50	AB1345...Evaluation of macrophage activation syndrome in hospitalised febrile patients with kikuchi-fujimoto disease based on the 2016 eular/acr/printo classification criteria. , 2018, , .		0
51	AB0689...Extravascular manifestations of takayasu arteritis: historical cohort study in korea. , 2018, , .		1
52	FR10160...Interleukin-17a induces inflammatory response via nlrp3 inflammasome in ankylosing spondylitis. , 2018, , .		0
53	AB0530...Treatment outcome in lupus nephritis patients treated with mycophenolate mofetil: from real-world clinical practice. , 2018, , .		0
54	Cyberknife Dosimetric Planning Using a Dose-Limiting Shell Method for Brain Metastases. <i>Journal of Korean Neurosurgical Society</i> , 2018, 61, 753-760.	0.5	0

#	ARTICLE	IF	CITATIONS
55	Prevalence and clinical significance of cancer cachexia based on time from treatment in advanced-stage head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 716-723.	0.9	37
56	Lymph node standardized uptake values at pre-treatment ^{18}F -fluorodeoxyglucose positron emission tomography as a valuable prognostic factor for distant metastasis in nasopharyngeal carcinoma. <i>British Journal of Radiology</i> , 2017, 90, 20160239.	1.0	23
57	THU0467â€¦Safety and efficacy of febuxostat in advanced ckd patients with hyperuricemia. , 2017, , .		0
58	Clinical Implementation of 3D Printing in the Construction of Patient Specific Bolus for Photon Beam Radiotherapy for Mycosis Fungoides. <i>Progress in Medical Physics</i> , 2017, 28, 33.	0.4	6
59	Clinical characteristics, treatment, and outcome of primary rectal lymphoma: a single center experience of 16 patients. <i>Blood Research</i> , 2017, 52, 125.	0.5	7
60	Chemoradiotherapy versus surgery followed by postoperative radiotherapy in tonsil cancer: Korean Radiation Oncology Group (KROG) study. <i>BMC Cancer</i> , 2017, 17, 598.	1.1	3
61	Paradoxical induction of growth arrest and apoptosis by EGF via the up-regulation of PTEN by activating Redox factor-1/Egr-1 in human lung cancer cells. <i>Oncotarget</i> , 2017, 8, 4181-4195.	0.8	18
62	Spectra Responsibility of Quantum Dot Doped Organic Liquid Scintillation Dosimeter for Radiation Therapy. <i>Progress in Medical Physics</i> , 2017, 28, 226.	0.5	1
63	High-dose radiotherapy is associated with better local control of bone metastasis from hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 15182-15192.	0.8	35
64	Selumetinib Inhibits Melanoma Metastasis to Mouse Liver via Suppression of EMT-targeted Genes. <i>Anticancer Research</i> , 2017, 37, 607-614.	0.5	15
65	Role of fractionated radiotherapy in patients with hemangioma of the cavernous sinus. <i>Radiation Oncology Journal</i> , 2017, 35, 268-273.	0.7	14
66	Refining prognostic stratification of human papillomavirus-related oropharyngeal squamous cell carcinoma: different prognosis between T1 and T2. <i>Radiation Oncology Journal</i> , 2017, 35, 233-240.	0.7	7
67	Basaloid Squamous Cell Carcinoma of the Head and Neck: Subclassification into Basal, Ductal, and Mixed Subtypes Based on Comparison of Clinico-pathologic Features and Expression of p53, Cyclin D1, Epidermal Growth Factor Receptor, p16, and Human Papillomavirus. <i>Journal of Pathology and Translational Medicine</i> . 2017. 51. 374-380.	0.4	13
68	Comparison of the Clinical Outcomes of Patients with Squamous Cell Carcinoma of the Tonsil Receiving Postoperative Ipsilateral Versus Bilateral Neck Radiotherapy: A Propensity Score Matching Analysis (KROG 11-07). <i>Cancer Research and Treatment</i> , 2017, 49, 1097-1105.	1.3	20
69	Postoperative Radiotherapy for Pancreatic Cancer with Microscopically-positive Resection Margin. <i>Anticancer Research</i> , 2017, 37, 755-764.	0.5	3
70	Development of a Quick SOFA-Based Sepsis Clinical Decision Support System in a Tertiary Hospital Emergency Department. <i>Studies in Health Technology and Informatics</i> , 2017, 245, 1367.	0.2	1
71	AB0710â€¦Platelet Distribution Width as An Adjunctive Inflammatory Marker in Patients with Ankylosing Spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1147.2-1147.	0.5	0
72	Gated Volumetric-Modulated Arc Therapy vs. Tumor-Tracking CyberKnife Radiotherapy as Stereotactic Body Radiotherapy for Hepatocellular Carcinoma: A Dosimetric Comparison Study Focused on the Impact of Respiratory Motion Managements. <i>PLoS ONE</i> , 2016, 11, e0166927.	1.1	13

#	ARTICLE	IF	CITATIONS
73	Foam dressing with epidermal growth factor for severe radiation dermatitis in head and neck cancer patients. <i>International Wound Journal</i> , 2016, 13, 390-393.	1.3	15
74	An Introduction to a Head and Neck Cancer-Specific Frailty Index and Its Clinical Implications in Elderly Patients: A Prospective Observational Study Focusing on Respiratory and Swallowing Functions. <i>Oncologist</i> , 2016, 21, 1091-1098.	1.9	31
75	Pretreatment depression as a prognostic indicator of survival and nutritional status in patients with head and neck cancer. <i>Cancer</i> , 2016, 122, 131-140.	2.0	53
76	Hepatic reaction dose for parenchymal changes on ^{18}F - NaF - ^{18}F - NaF - ^{18}F - NaF -enhanced magnetic resonance images after stereotactic body radiation therapy for hepatocellular carcinoma. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2016, 60, 96-101.	0.9	11
77	Generation of knockout mice by Cpf1-mediated gene targeting. <i>Nature Biotechnology</i> , 2016, 34, 808-810.	9.4	159
78	Recurrence patterns of mucose-associated lymphoid tissue lymphoma after definitive radiation treatment: A single center experience. <i>Hematology</i> , 2016, 21, 542-548.	0.7	5
79	Protective effect of yeoldahanso-tang on radiation-induced oral mucositis in mice. <i>Oriental Pharmacy and Experimental Medicine</i> , 2016, 16, 77-84.	1.2	0
80	Serum beta-2 microglobulin as a prognostic biomarker in patients with mantle cell lymphoma. <i>Hematological Oncology</i> , 2016, 34, 22-27.	0.8	25
81	Effect of polypharmacy and potentially inappropriate medications on treatment and posttreatment courses in elderly patients with head and neck cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1031-1040.	1.2	38
82	Predictive factors for long-term survival in head and neck squamous cell carcinoma patients with distant metastasis after initial definitive treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 295-304.	1.2	10
83	Pretreatment whole blood Epstein-Barr virus-DNA is a significant prognostic marker in patients with Hodgkin lymphoma. <i>Annals of Hematology</i> , 2016, 95, 801-808.	0.8	18
84	Prognostic value of nutritional and hematologic markers in head and neck squamous cell carcinoma treated by chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2016, 118, 330-334.	0.3	84
85	Adjuvant role of radiation therapy for locally advanced laryngeal cancer without pathological lymph node metastasis. <i>Acta Oto-Laryngologica</i> , 2016, 136, 703-710.	0.3	5
86	Family history of diabetes and the risk of subclinical atherosclerosis. <i>Diabetes and Metabolism</i> , 2016, 42, 170-177.	1.4	9
87	Pretreatment quality of life as a prognostic factor for early survival and functional outcomes in patients with head and neck cancer. <i>Quality of Life Research</i> , 2016, 25, 165-174.	1.5	19
88	Delphinidin induces apoptosis via cleaved HDAC3-mediated p53 acetylation and oligomerization in prostate cancer cells. <i>Oncotarget</i> , 2016, 7, 56767-56780.	0.8	54
89	Protective effect of α -lipoic acid against radiation-induced fibrosis in mice. <i>Oncotarget</i> , 2016, 7, 15554-15565.	0.8	22
90	Preoperative chemoradiotherapy followed by local excision in clinical T2N0 rectal cancer. <i>Radiation Oncology Journal</i> , 2016, 34, 177-185.	0.7	10

#	ARTICLE	IF	CITATIONS
91	AB0128â€¦Expression Patterns of Nod-Like Receptors in Rheumatoid Synovium and its Effect on Inflammatory Responses of Rheumatoid Fibroblast-Like Synoviocytes. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 933.2-933.	0.5	0
92	Treatment Outcome of Breast Cancer with Pathologically Proven Synchronous Ipsilateral Supraclavicular Lymph Node Metastases. <i>Journal of Breast Cancer</i> , 2015, 18, 167.	0.8	28
93	Prognostic Factors for Distant Metastasis in Patients with Locoregional Recurrence after Mastectomy. <i>Journal of Breast Cancer</i> , 2015, 18, 279.	0.8	5
94	AB0155â€¦C-Terminal of Type II Procollagen Peptide, Chondrocalcin, is Increased in Arthritis of HLA-B27 Transgenic Mice. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 942.3-942.	0.5	0
95	Evaluation of Dosimetric Leaf Gap (DLG) at Different Depths for Dynamic IMRT. <i>Progress in Medical Physics</i> , 2015, 26, 153.	0.4	1
96	Delphinidin sensitizes prostate cancer cells to TRAIL-induced apoptosis, by inducing DR5 and causing caspase-mediated HDAC3 cleavage. <i>Oncotarget</i> , 2015, 6, 9970-9984.	0.8	38
97	Serum leucine-rich α_2 -glycoprotein is a useful biomarker for monitoring disease activity in patients with adult-onset Stillâ€™s disease. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 399-403.	0.6	24
98	Treatment outcomes of concurrent chemoradiotherapy for locally advanced sinonasal squamous cell carcinoma: A single-institution study. <i>Acta Oto-Laryngologica</i> , 2015, 135, 1189-1195.	0.3	11
99	Effect of Metformin on Progression of Head and Neck Cancers, Occurrence of Second Primary Cancers, and Cause-Specific Survival. <i>Oncologist</i> , 2015, 20, 546-553.	1.9	20
100	Prognostic factors and outcome analysis of salivary duct carcinoma. <i>Auris Nasus Larynx</i> , 2015, 42, 472-477.	0.5	24
101	Propensity Score Matching Analysis of Changes in Alpha-Fetoprotein Levels after Combined Radiotherapy and Transarterial Chemoembolization for Hepatocellular Carcinoma with Portal Vein Tumor Thrombus. <i>PLoS ONE</i> , 2015, 10, e0135298.	1.1	8
102	SKI2162, an inhibitor of the TGF- β 2 type I receptor (ALK5), inhibits radiation-induced fibrosis in mice. <i>Oncotarget</i> , 2015, 6, 4171-4179.	0.8	21
103	Clinical outcomes of synchronous head and neck and esophageal cancer. <i>Radiation Oncology Journal</i> , 2015, 33, 172.	0.7	10
104	Treatment of primary testicular diffuse large B cell lymphoma without prophylactic intrathecal chemotherapy: a single center experience. <i>Blood Research</i> , 2014, 49, 170.	0.5	14
105	Preoperative nomogram for the identification of lymph node metastasis in early cervical cancer. <i>British Journal of Cancer</i> , 2014, 110, 34-41.	2.9	44
106	Model for Assessing Cardiovascular Risk in a Korean Population. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014, 7, 944-951.	0.9	45
107	Mdm2 and p53 Expression in Radiation-Induced Sarcomas of the Head and Neck: Comparison with De Novo Sarcomas. <i>Korean Journal of Pathology</i> , 2014, 48, 346-350.	1.2	4
108	A dosimetric comparison of volumetric modulated arc therapy (VMAT) and non-coplanar intensity modulated radiotherapy (IMRT) for nasal cavity and paranasal sinus cancer. <i>Radiation Oncology</i> , 2014, 9, 193.	1.2	19

#	ARTICLE	IF	CITATIONS
109	Prognostic factors in patients with head and neck squamous cell carcinoma with cN3 neck disease: a retrospective case-control study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 117, 178-185.	0.2	4
110	Intraoperative hyperkalemia induced by administration of trimethoprim-sulfamethoxazole in a patient receiving angiotensin receptor blockers. <i>Journal of Clinical Anesthesia</i> , 2014, 26, 427-428.	0.7	4
111	THU0409...Leucine-Rich Alpha2-Glycoprotein is A Useful Biomarker for Monitoring of Disease Activity in Patients with Adult-Onset Still's Disease. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 323.1-323.	0.5	0
112	FRI0352...Ubiquitin E3 Ligase F Box Component, Fbxo3 Modulates Pro-Inflammatory Gene Expressions in Rheumatoid Arthritis via Regulation of Nuclear Factor-Kappab. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 514.2-514.	0.5	1
113	Postoperative radiation therapy following the incomplete resection of a non-small cell lung cancer. <i>Radiation Oncology Journal</i> , 2014, 32, 70.	0.7	10
114	Effects of total body irradiation-based conditioning on allogeneic stem cell transplantation for pediatric acute leukemia: a single-institution study. <i>Radiation Oncology Journal</i> , 2014, 32, 198.	0.7	10
115	AB0213...Alleviation of nephritis in lupus-prone NZB/WF1 mice by a combination treatment of thalidomide plus prednisolone. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 649.14-649.	0.5	0
116	AB0112...Caspase-5 inhibitor suppresses pro-inflammatory gene expressions in fibroblast like synoviocytes from patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A819.3-A819.	0.5	1
117	AB0113...Secreted frizzled-related protein 5 inhibits expression of pro-inflammatory mediators by down-regulation of JNK in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 644.3-644.	0.5	0
118	Whole pelvic intensity-modulated radiotherapy for high-risk prostate cancer: a preliminary report. <i>Radiation Oncology Journal</i> , 2013, 31, 199.	0.7	14
119	Prognostic Impact Of Beta-2 Microglobulin In Patients With Non-Gastric Marginal Zone Lymphoma. <i>Blood</i> , 2013, 122, 4297-4297.	0.6	0
120	The efficacy of brain F-fluorodeoxyglucose positron emission tomography in neuropsychiatric lupus patients with normal brain magnetic resonance imaging findings. <i>Lupus</i> , 2012, 21, 1531-1537.	0.8	48
121	Prognostic Value of Positron Emission Tomography- Computed Tomography in Patients with Marginal Zone Lymphoma. <i>Blood</i> , 2012, 120, 5084-5084.	0.6	1
122	Pinexol inhibits in vitro inflammatory biomarkers by blocking NF- κ B signaling pathway and protects mice from lethal endotoxemia. <i>Oriental Pharmacy and Experimental Medicine</i> , 2011, 11, 61-70.	1.2	1
123	Identification of Induced-Radioactivity in Medical LINAC Using a NaI(Tl)-Crystal Detector. <i>Progress in Nuclear Science and Technology</i> , 2011, 1, 525-528.	0.3	4
124	Associations of Methylene Tetrahydrofolate Reductase Polymorphism and Methotrexate-Related Toxicities in Korean Treated for Malignant Lymphoma. <i>Blood</i> , 2011, 118, 1607-1607.	0.6	0
125	The Preventive Effect of Recombinant Human Growth Factor (rhEGF) on the Recurrence of Radiodermatitis. <i>Journal of Radiation Research</i> , 2010, 51, 511-517.	0.8	16
126	Therapeutic Effects of Recombinant Human Epidermal Growth Factor (rhEGF) in a Murine Model of Concurrent Chemo- and Radiotherapy-Induced Oral Mucositis. <i>Journal of Radiation Research</i> , 2010, 51, 595-601.	0.8	13

#	ARTICLE	IF	CITATIONS
127	Feasibility and Outcome of Concurrent Chemoradiotherapy for Recurrent Cervical Carcinoma after Initial Surgery. <i>Tumori</i> , 2010, 96, 553-559.	0.6	14
128	Epidermal Growth Factor Induces Cell Death in the Absence of Overexpressed Epidermal Growth Factor Receptor and ErbB2 in Various Human Cancer Cell Lines. <i>Cancer Investigation</i> , 2010, 28, 505-514.	0.6	14
129	Establishment of a Radiation-Induced Fibrosis Model in BALB/c Mice. <i>The Journal of the Korean Society for Therapeutic Radiology and Oncology</i> , 2010, 28, 32.	0.1	2
130	PROGNOSTIC SIGNIFICANCE of CD68 EXPRESSION for Korean PATIENTS with HODGKIN'S LYMPHOMA. <i>Blood</i> , 2010, 116, 3888-3888.	0.6	1
131	Recombinant Human Epidermal Growth Factor Accelerates the Proliferation of Irradiated Human Fibroblasts and Keratinocytes in vitro and in vivo. <i>Journal of Radiation Research</i> , 2009, 50, 545-552.	0.8	20
132	Bortezomib attenuates murine collagen-induced arthritis. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1761-1767.	0.5	71
133	Therapeutic effect of recombinant human epidermal growth factor (rhEGF) on mucositis in patients undergoing radiotherapy, with or without chemotherapy, for head and neck cancer. <i>Cancer</i> , 2009, 115, 3699-3708.	2.0	69
134	Recombinant human epidermal growth factor treatment of radiation-induced severe oral mucositis in patients with head and neck malignancies. <i>European Journal of Cancer Care</i> , 2009, 18, 636-641.	0.7	39
135	Epidermal growth factor competes with EGF receptor inhibitors to induce cell death in EGFR-overexpressing tumor cells. <i>Cancer Letters</i> , 2009, 283, 135-142.	3.2	30
136	Recombinant Human Epidermal Growth Factor Accelerates Recovery of Mouse Small Intestinal Mucosa After Radiation Damage. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 71, 1230-1235.	0.4	27
137	Prediction of prognosis using standardized uptake value of 2-[18F] fluoro-2-deoxy-d-glucose positron emission tomography for nasopharyngeal carcinomas. <i>Radiotherapy and Oncology</i> , 2008, 87, 211-216.	0.3	97
138	E/E' ratio is more sensitive than E/A ratio for detection of left ventricular diastolic dysfunction in systemic lupus erythematosus. <i>Lupus</i> , 2008, 17, 195-201.	0.8	40
139	Adiponectin mitigates the severity of arthritis in mice with collagen-induced arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2008, 37, 260-268.	0.6	69
140	Gemcitabine-Related Radiation Recall in a Patient with Metastatic Non-small Cell Lung Cancer. <i>Journal of Lung Cancer</i> , 2008, 7, 98.	0.2	1
141	Effect of epidermal growth factor against radiotherapy-induced oral mucositis in rats. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 1172-1178.	0.4	44
142	The use of recombinant human epidermal growth factor to promote healing for chronic radiation ulcer. <i>International Wound Journal</i> , 2007, 4, 216-220.	1.3	15
143	HLA alleles in Korean patients with Takayasu arteritis. <i>Clinical and Experimental Rheumatology</i> , 2007, 25, S18-22.	0.4	20
144	Dermatopathic lymphadenopathy in a patient with adult onset Still's disease. <i>Clinical and Experimental Rheumatology</i> , 2007, 25, 312-4.	0.4	5

#	ARTICLE	IF	CITATIONS
145	Preliminary results of a phase I/II study of simultaneous modulated accelerated radiotherapy for nondisseminated nasopharyngeal carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 65, 152-160.	0.4	65
146	Expressions of Ku70 and DNA-PKcs as prognostic indicators of local control in nasopharyngeal carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 62, 1451-1457.	0.4	53
147	Early evaluation of the response to radiotherapy of patients with squamous cell carcinoma of the head and neck using 18FDG-PET. <i>Oral Oncology</i> , 2005, 41, 390-395.	0.8	35
148	Phase II study of three-dimensional conformal radiotherapy and concurrent mitomycin-C, vinblastine, and cisplatin chemotherapy for Stage III locally advanced, unresectable, non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 56, 996-1004.	0.4	25
149	Stereotactic body frame based fractionated radiosurgery on consecutive days for primary or metastatic tumors in the lung. <i>Lung Cancer</i> , 2003, 40, 309-315.	0.9	126
150	Role of Radiotherapy for Primary Orbital Lymphoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2002, 25, 261-265.	0.6	35
151	Postoperative adjuvant chemotherapy and radiotherapy for stage II and III non-small cell lung cancer (NSCLC). <i>Lung Cancer</i> , 2002, 37, 65-71.	0.9	12
152	Dose optimization of fractionated external radiation and high-dose-rate intracavitary brachytherapy for FIGO stage IB uterine cervical carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002, 52, 1338-1344.	0.4	27
153	Intensity Modulation Technique Using The Complementary Boost-Fields for Ethmoid Sinus Cancer. <i>Clinical Oncology</i> , 2002, 14, 241-249.	0.6	9
154	The significance of granzyme B expression in patients with angiocentric lymphoma of the head and neck. <i>Cancer</i> , 2001, 91, 2343-2352.	2.0	9
155	Treatment of the distal radius fractures with open reduction and internal fixation. <i>Journal of the Korean Fracture Society</i> , 1995, 8, 413.	0.1	0