Holly M Martinson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7880716/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Associational Resistance and Associational Susceptibility: Having Right or Wrong Neighbors. Annual Review of Ecology, Evolution, and Systematics, 2009, 40, 1-20.	8.3	631
2	Crop pests and predators exhibit inconsistent responses to surrounding landscape composition. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E7863-E7870.	7.1	401
3	Biology, Ecology, and Management of Brown Marmorated Stink Bug (Hemiptera: Pentatomidae). Journal of Integrated Pest Management, 2014, 5, 1-13.	2.0	320
4	Trophic disruption: a metaâ€analysis of how habitat fragmentation affects resource consumption in terrestrial arthropod systems. Ecology Letters, 2014, 17, 1178-1189.	6.4	94
5	Host Plant Use by the Invasive Halyomorpha halys (Stål) on Woody Ornamental Trees and Shrubs. PLoS ONE, 2016, 11, e0149975.	2.5	90
6	Detritivory: stoichiometry of a neglected trophic level. Ecological Research, 2008, 23, 487-491.	1.5	85
7	A metaâ€analysis of the effects of urbanization on ground beetle communities. Ecosphere, 2013, 4, 1-24.	2.2	58
8	Resource use efficiency and community effects of invasive Hypochaeris radicata (Asteraceae) during primary succession. American Journal of Botany, 2010, 97, 1772-1779.	1.7	43
9	Fruit availability influences the seasonal abundance of invasive stink bugs in ornamental tree nurseries. Journal of Pest Science, 2015, 88, 461-468.	3.7	33
10	Effects of body size, trophic mode and larval habitat on Diptera stoichiometry: a regional comparison. Oikos, 2009, 118, 615-623.	2.7	32
11	Invasive Stink Bug Wounds Trees, Liberates Sugars, and Facilitates Native Hymenoptera. Annals of the Entomological Society of America, 2013, 106, 47-52.	2.5	30
12	Edge Effects Influence the Abundance of the Invasive Halyomorpha halys (Hemiptera: Pentatomidae) in Woody Plant Nurseries. Environmental Entomology, 2015, 44, 474-479.	1.4	25
13	Traps and Trap Placement May Affect Location of Brown Marmorated Stink Bug (Hemiptera:) Tj ETQq1 1 0.7843 43, 432-438.	14 rgBT /O 1.4	verlock 10 23
14	Critical patch sizes for foodâ€web modules. Ecology, 2012, 93, 1779-1786.	3.2	18
15	Influence of Landscape Factors and Abiotic Conditions on Dispersal Behavior and Overwintering Site Selection by Halyomorpha halys (Hemiptera: Pentatomidae). Journal of Economic Entomology, 2020, 113, 2016-2021.	1.8	15
16	Invasive stink bug favors naÃ ⁻ ve plants: Testing the role of plant geographic origin in diverse, managed environments. Scientific Reports, 2016, 6, 32646.	3.3	9
17	GRASP [Genomic Resource Access for Stoichioproteomics]: comparative explorations of the atomic content of 12 Drosophila proteomes. BMC Genomics, 2013, 14, 599.	2.8	2