

Liqiang Wei

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7882220/liqiang-wei-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8

papers

19

citations

3

h-index

4

g-index

9

ext. papers

36

ext. citations

3.4

avg, IF

0.38

L-index

#	Paper	IF	Citations
8	CD56-Negative Extranodal Natural Killer/T-Cell Lymphoma: A Retrospective Study in 443 Patients Treated by Chemotherapy With or Without Asparaginase.. <i>Frontiers in Immunology</i> , 2022 , 13, 829366	8.4	
7	Using etoposide + dexamethasone-based regimens to treat nasal type extranodal natural killer/T-cell lymphoma-associated hemophagocytic lymphohistiocytosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 863-869	4.9	0
6	Outcomes of patients treated with SVILE P-GemOx for extranodal natural killer/T-cell lymphoma, nasal type: a prospective, randomized controlled study. <i>Cancer Biology and Medicine</i> , 2020 , 17, 795-804	5.2	0
5	Treatment outcomes and prognostic analysis of elderly patients with extranodal natural killer/T-cell lymphoma, nasal type: a retrospective analysis. <i>Leukemia and Lymphoma</i> , 2020 , 61, 2962-2968 ^{1,9}		
4	SVILE regimen, a combination of dexamethasone, vindesine, ifosfamide, pegaspargase, and etoposide, for treating relapsed/refractory extranodal natural killer/T-cell lymphoma, nasal type. <i>Leukemia Research</i> , 2020 , 96, 106422	2.7	0
3	Long-term outcomes of patients treated with an EPOCHL regimen as first-line chemotherapy for newly diagnosed extranodal natural killer/T-cell lymphoma: a retrospective single-center study. <i>Leukemia and Lymphoma</i> , 2020 , 61, 337-343	1.9	5
2	Autologous hematopoietic stem cell transplantation may improve long-term outcomes in patients with newly diagnosed extranodal natural killer/T-cell lymphoma, nasal type: a retrospective controlled study in a single center. <i>International Journal of Hematology</i> , 2018 , 107, 98-104	2.3	9
1	Prediction of the response of ocular adnexal lymphoma to chemotherapy using combined pretreatment dynamic contrast-enhanced and diffusion-weighted MRI. <i>Acta Radiologica</i> , 2016 , 57, 1490-1496 ⁵		5