

David A Halon

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8074474/david-a-halon-publications-by-citations.pdf>
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108 papers	10,367 citations	24 h-index	101 g-index
120 ext. papers	11,838 ext. citations	4.3 avg, IF	4.99 L-index

#	Paper	IF	Citations
108	Dabigatran versus warfarin in patients with atrial fibrillation. <i>New England Journal of Medicine</i> , 2009 , 361, 1139-51	59.2	7909
107	Usefulness of 64-slice cardiac computed tomographic angiography for diagnosing acute coronary syndromes and predicting clinical outcome in emergency department patients with chest pain of uncertain origin. <i>Circulation</i> , 2007 , 115, 1762-8	16.7	272
106	The Clopidogrel in Unstable angina to prevent Recurrent Events (CURE) trial programme; rationale, design and baseline characteristics including a meta-analysis of the effects of thienopyridines in vascular disease. <i>European Heart Journal</i> , 2000 , 21, 2033-41	9.5	199
105	The Long-Term Multicenter Observational Study of Dabigatran Treatment in Patients With Atrial Fibrillation (RELY-ABLE) Study. <i>Circulation</i> , 2013 , 128, 237-43	16.7	166
104	Prevalence and extent of obstructive coronary artery disease in patients with zero or low calcium score undergoing 64-slice cardiac multidetector computed tomography for evaluation of a chest pain syndrome. <i>American Journal of Cardiology</i> , 2007 , 99, 472-5	3	134
103	Diagnosis of coronary in-stent restenosis with multidetector row spiral computed tomography. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 1573-9	15.1	130
102	Localization of lesions in the coronary circulation. <i>American Journal of Cardiology</i> , 1983 , 52, 921-6	3	76
101	Brachial artery endothelial function in residents and fellows working night shifts. <i>American Journal of Cardiology</i> , 2004 , 93, 947-9	3	75
100	Relation between obesity and severity of coronary artery disease in patients undergoing coronary angiography. <i>American Journal of Cardiology</i> , 2006 , 97, 1277-80	3	73
99	Failure of captopril to prevent nitrate tolerance in congestive heart failure secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1990 , 66, 608-13	3	68
98	Patient comprehension and reaction to participating in a double-blind randomized clinical trial (ISIS-4) in acute myocardial infarction. <i>Archives of Internal Medicine</i> , 2000 , 160, 1142-6		63
97	Benefit of clopidogrel according to timing of percutaneous coronary intervention in patients with acute coronary syndromes: further results from the Clopidogrel in Unstable angina to prevent Recurrent Events (CURE) study. <i>American Heart Journal</i> , 2005 , 150, 1177-84	4.9	61
96	Predicting late restenosis after coronary angioplasty by very early (12 to 24 h) thallium-201 scintigraphy: implications with regard to mechanisms of late coronary restenosis. <i>Journal of the American College of Cardiology</i> , 1990 , 15, 1486-92	15.1	61
95	Impact of 64-slice cardiac computed tomographic angiography on clinical decision-making in emergency department patients with chest pain of possible myocardial ischemic origin. <i>American Journal of Cardiology</i> , 2007 , 100, 1522-6	3	58
94	The use of calcium with verapamil in the management of supraventricular tachyarrhythmias. <i>International Journal of Cardiology</i> , 1983 , 4, 275-84	3.2	55
93	Importance of increasing age on the presentation and outcome of acute coronary syndromes in elderly patients. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 346-52	15.1	53
92	Left ventricular function in beta-thalassemia and the effect of multiple transfusions. <i>American Heart Journal</i> , 1978 , 96, 636-45	4.9	49

91	Usefulness of 64-slice multidetector computed tomography in diagnostic triage of patients with chest pain and negative or nondiagnostic exercise treadmill test result. <i>American Journal of Cardiology</i> , 2007 , 99, 925-9	3	43
90	Diagnosis of obstructive coronary artery disease using computed tomography angiography in patients with stable chest pain depending on clinical probability and in clinically important subgroups: meta-analysis of individual patient data. <i>BMJ, The</i> , 2019 , 365, l1945	5.9	39
89	Identifying patients at high risk for restenosis after percutaneous transluminal coronary angioplasty for unstable angina pectoris. <i>American Journal of Cardiology</i> , 1989 , 64, 289-93	3	37
88	Plaque Morphology as Predictor of Late Plaque Events in Patients With Asymptomatic Type 2 Diabetes: A Long-Term Observational Study. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 1353-1363	8.4	31
87	Cardiac computed tomographic angiography for risk stratification and prediction of late cardiovascular outcome events in patients with a chest pain syndrome. <i>International Journal of Cardiology</i> , 2009 , 137, 108-15	3.2	28
86	Isolated right ventricular infarction with ventricular tachycardia. <i>American Heart Journal</i> , 1984 , 108, 425-6	4.9	28
85	Long-term prognosis and outcome in patients with a chest pain syndrome and myocardial bridging: a 64-slice coronary computed tomography angiography study. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 579-85	4.1	26
84	Same-day combined coronary angioplasty and minimally invasive coronary surgery. <i>American Journal of Cardiology</i> , 1999 , 84, 1246-7, A8	3	24
83	Visceral abdominal adipose tissue and coronary atherosclerosis in asymptomatic diabetics. <i>International Journal of Cardiology</i> , 2013 , 162, 184-8	3.2	22
82	Perceived disability and lifestyle modification following hospitalization for non-ST elevation versus ST elevation acute coronary syndromes: the patients' point of view. <i>European Journal of Cardiovascular Nursing</i> , 2007 , 6, 287-92	3.3	20
81	Resting heart rate and measures of effort-related cardiac autonomic dysfunction predict cardiovascular events in asymptomatic type 2 diabetes. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1298-306	3.9	19
80	Effect of the second-generation calcium channel blocker nisoldipine on left ventricular contractility in cardiac failure. <i>American Heart Journal</i> , 1988 , 115, 1238-44	4.9	19
79	Long-term (10-year) outcome in patients with unstable angina pectoris treated by coronary balloon angioplasty. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 1603-9	15.1	18
78	Late-onset heart failure as a mechanism for adverse long-term outcome in diabetic patients undergoing revascularization (a 13-year report from the Lady Davis Carmel Medical Center registry). <i>American Journal of Cardiology</i> , 2000 , 85, 1420-6	3	17
77	Coronary Computed Tomography (CT) Angiography as a Predictor of Cardiac and Noncardiac Vascular Events in Asymptomatic Type 2 Diabetics: A 7-Year Population-Based Cohort Study. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	16
76	Diagnostic accuracy of 256-row computed tomographic angiography for detection of obstructive coronary artery disease using invasive quantitative coronary angiography as reference standard. <i>American Journal of Cardiology</i> , 2013 , 111, 510-5	3	16
75	Uses and limitations of 40 slice multi-detector row spiral computed tomography for diagnosing coronary lesions in unselected patients referred for routine invasive coronary angiography. <i>Cardiology</i> , 2007 , 108, 200-9	1.6	15
74	Percutaneous treatment of aorto-ostial coronary lesions: Current challenges and future directions. <i>International Journal of Cardiology</i> , 2015 , 186, 61-6	3.2	14

73	Preliminary experiences using X-sizer catheter for mechanical thrombectomy of thrombus-containing lesions during acute coronary syndromes. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 58, 443-8	2.7	14
72	Improved criteria for localization of coronary artery disease from the exercise electrocardiogram. <i>Cardiology</i> , 1994 , 84, 331-8	1.6	14
71	Atrial natriuretic peptide in severe heart failure: response to controlled changes in atrial pressures during intravenous nitroglycerin therapy. <i>American Heart Journal</i> , 1992 , 124, 1009-16	4.9	14
70	Nitrate tolerance in heart failure: differential venous, pulmonary and systemic arterial effects. <i>American Journal of Cardiology</i> , 1990 , 65, 28J-31J	3	14
69	Perceived benefit after participating in positive or negative/neutral heart failure trials: the patients perspective. <i>European Journal of Heart Failure</i> , 2001 , 3, 217-23	12.3	13
68	Importance of diabetes mellitus and systemic hypertension rather than completeness of revascularization in determining long-term outcome after coronary balloon angioplasty (the LDCMC registry). Lady Davis Carmel Medical Center. <i>American Journal of Cardiology</i> , 1998 , 82, 547-53	3	12
67	Effect of the second-generation calcium channel blocking drug nisoldipine on diastolic left ventricular dysfunction in heart failure. <i>American Heart Journal</i> , 1989 , 118, 505-11	4.9	12
66	A graphic computerized system for reporting and analysis of coronary angiograms. <i>Journal of Biomedical Informatics</i> , 1983 , 16, 334-9		12
65	Coronary stent assessment on multidetector computed tomography: source and predictors of image distortion. <i>International Journal of Cardiology</i> , 2008 , 128, 62-8	3.2	11
64	Brachial reactivity and extent of coronary artery disease in patients with first ST-elevation acute myocardial infarction. <i>American Journal of Cardiology</i> , 2006 , 98, 754-7	3	11
63	Evaluation of isoproterenol in patients undergoing resuscitation for out-of-hospital asystolic cardiac arrest (the Israel Resuscitation with Isoproterenol Study Prospective Randomized Clinical Trial). <i>American Journal of Cardiology</i> , 2004 , 93, 1407-9, A9	3	11
62	Myocardial damage following coronary air embolism during coronary angiography. <i>Catheterization and Cardiovascular Diagnosis</i> , 1987 , 13, 39-41		11
61	Low cardiorespiratory fitness and coronary artery calcification: Complementary cardiovascular risk predictors in asymptomatic type 2 diabetics. <i>Atherosclerosis</i> , 2015 , 241, 634-40	3.1	10
60	Individual patient data meta-analysis for the clinical assessment of coronary computed tomography angiography: protocol of the Collaborative Meta-Analysis of Cardiac CT (CoMe-CCT). <i>Systematic Reviews</i> , 2013 , 2, 13	3	10
59	Usefulness of late potentials on the immediate postoperative signal-averaged electrocardiogram in predicting ventricular tachyarrhythmias early after isolated coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 1994 , 74, 33-7	3	10
58	Regional left ventricular ejection fraction from real-time two-dimensional echocardiography. <i>International Journal of Cardiology</i> , 1982 , 2, 61-70	3.2	10
57	A Poiseuille-based coronary angiographic index for prediction of fractional flow reserve. <i>International Journal of Cardiology</i> , 2013 , 167, 862-5	3.2	9
56	Improvement in regional ventricular function after percutaneous transluminal coronary angioplasty. <i>International Journal of Cardiology</i> , 1984 , 5, 299-311	3.2	9

55	Geographic miss with aorto-ostial coronary stent implantation: insights from high-resolution coronary computed tomography angiography. <i>EuroIntervention</i> , 2015 , 11, 301-7	3.1	9
54	Clinical Features and Gaps in the Management of Probable Familial Hypercholesterolemia and Cardiovascular Disease. <i>Circulation Journal</i> , 2017 , 82, 218-223	2.9	8
53	Prognostic impact of abdominal fat distribution and cardiorespiratory fitness in asymptomatic type 2 diabetics. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1146-53	3.9	8
52	Heart rate recovery after exercise and coronary atheroma in asymptomatic individuals with type 2 diabetes mellitus: a study using 64-slice coronary CT angiography. <i>International Journal of Cardiology</i> , 2010 , 145, 102-3	3.2	8
51	Myocardial perfusion abnormalities early (12-24 h) after coronary stenting or balloon angioplasty: implications regarding pathophysiology and late clinical outcome. <i>Cardiology</i> , 2002 , 98, 60-6	1.6	8
50	Importance of immediate and very early postprocedural angiographic and thallium-201 single photon emission computed tomographic perfusion measurements in predicting late results after coronary intervention. <i>American Heart Journal</i> , 1995 , 130, 425-32	4.9	8
49	Frame by frame analysis of left ventricular function. Quantitative assessment of regional and temporal function. <i>Cardiology</i> , 1983 , 70, 61-72	1.6	8
48	Identification and characterization of severe familial hypercholesterolemia in patients presenting for cardiac catheterization. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 1338-1343	4.9	8
47	Influence of Body Mass Index on Long-Term Survival After Cardiac Catheterization. <i>American Journal of Cardiology</i> , 2018 , 121, 113-119	3	7
46	Image quality in obese patients undergoing 256-row computed tomography coronary angiography. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 633-9	2.5	7
45	Thrombolysis followed by early revascularization: an effective reperfusion strategy in real world patients with ST-elevation myocardial infarction. <i>Cardiology</i> , 2007 , 107, 329-36	1.6	7
44	Prolonged intravenous eptifibatide infusion for prevention of coronary stent thrombosis. <i>International Journal of Cardiology</i> , 2007 , 114, 409-11	3.2	7
43	Exercise-induced left-axis deviation of the QRS complex in left anterior descending coronary artery disease and reversal after revascularization. <i>American Journal of Cardiology</i> , 1994 , 74, 1277-8	3	7
42	Impact of Diabetes Mellitus on Long-Term Mortality in Patients Presenting for Coronary Angiography. <i>American Journal of Cardiology</i> , 2017 , 119, 1141-1145	3	6
41	Automatic assessment of coronary artery calcium score from contrast-enhanced 256-row coronary computed tomography angiography. <i>American Journal of Cardiology</i> , 2014 , 113, 7-11	3	6
40	Relation between C-reactive protein, treadmill exercise testing, and inducible myocardial ischemia. <i>American Journal of Cardiology</i> , 2004 , 93, 614-7	3	6
39	Burden of late repeat hospitalization in patients undergoing angioplasty or bypass surgery. A long-term (13 years) report from the Lady Davis Carmel Medical Center registry. <i>Cardiology</i> , 2002 , 98, 67-74	1.6	6
38	Clinical applications and future trends in cardiac CTA. <i>European Radiology, Supplement</i> , 2005 , 15 Suppl 4, D10-4		6

37	Stenting of the unprotected left main coronary artery in patients with severe aortic stenosis prior to percutaneous valve interventions. <i>Cardiovascular Revascularization Medicine</i> , 2012 , 13, 90-4	1.6	5
36	Pulse pressure and coronary atherosclerosis in asymptomatic type 2 diabetes mellitus: a 64 channel cardiac computed tomography analysis. <i>International Journal of Cardiology</i> , 2010 , 143, 63-71	3.2	5
35	Current status and clinical applications of cardiac multidetector computed tomography. <i>Cardiology</i> , 2008 , 109, 73-84	1.6	5
34	Similar late revascularization rates 10 to 12 years after angioplasty or bypass surgery for multivessel coronary artery disease: a report from the Lady Davis Carmel Medical Center (LDCMC) Registry. <i>American Journal of Cardiology</i> , 2000 , 86, 1131-4, A6	3	5
33	Effect of isosorbide dinitrate on cardiac output in severe cardiac failure: relation to initial hemodynamics, ventricular volume, and the preload reserve mechanism. <i>Clinical Cardiology</i> , 1989 , 12, 514-20	3.3	5
32	Chronotropic effect of hydralazine and its mechanism of symptomatic sinus bradycardia. <i>American Journal of Cardiology</i> , 1987 , 59, 93-6	3	5
31	Perceived patient comprehension in acute and chronic cardiovascular clinical trials. <i>Cardiology</i> , 2003 , 99, 68-71	1.6	5
30	Resolution of an intra-coronary filling defect in the proximal left anterior descending coronary artery demonstrated by 64-slice multi-detector computed tomography. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 67, 246-9	2.7	4
29	Anaemia and heart failure: statement of the problem. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20 Suppl 7, vii3-6	4.3	4
28	Selection bias introduced by the informed consent process. <i>Lancet, The</i> , 2003 , 361, 1990-1	4.0	4
27	Can total coronary occlusions be predicted from a previous coronary arteriogram?. <i>Catheterization and Cardiovascular Diagnosis</i> , 1985 , 11, 455-62		4
26	Characterization of Coronary Artery Disease in Young Adults and Assessment of Long-term Outcomes. <i>Israel Medical Association Journal</i> , 2018 , 20, 613-618	0.9	4
25	Computer-assisted diagnosis of obstructive coronary atherosclerosis in patients undergoing 256-slice coronary computed tomography angiography: a comparison with invasive coronary angiography. <i>International Journal of Cardiology</i> , 2014 , 172, e130-1	3.2	3
24	Cardiac Computed Tomography Angiographic Findings as Predictors of Late Heart Failure in an Asymptomatic Diabetic Cohort: An 8-Year Prospective Follow-Up Study. <i>Cardiology</i> , 2017 , 138, 218-227	1.6	3
23	Primary stenting of an anomalous left main coronary artery with an interarterial course during cardiac arrest: imaging with CT angiography. <i>Circulation: Cardiovascular Imaging</i> , 2009 , 2, 351-2	3.9	3
22	Effect of nisoldipine on exercise performance in heart failure following myocardial infarction. <i>Cardiology</i> , 1991 , 79, 39-45	1.6	3
21	Automated Computer-Assisted Diagnosis of Obstructive Coronary Artery Disease in Emergency Department Patients Undergoing 256-Slice Coronary Computed Tomography Angiography for Acute Chest Pain. <i>American Journal of Cardiology</i> , 2015 , 116, 1017-21	3	2
20	Haptoglobin genotype does not predict extent of coronary artery calcification in a prospective cohort of patients with type 2 diabetes. <i>International Journal of Cardiology</i> , 2014 , 171, 307-8	3.2	2

19	Pulmonary venous drainage through a highly vascularized left atrial tumor. <i>International Journal of Cardiology</i> , 2007 , 116, e76-7	3.2	2
18	Advantages of multidetector computed tomography angiography in the evaluation of patients with chest pain. <i>Coronary Artery Disease</i> , 2006 , 17, 107-13	1.4	2
17	Doppler diastolic transmitral flow patterns in severe heart failure: response to controlled changes in filling pressure using intravenous isosorbide dinitrate. <i>Cardiology</i> , 1994 , 85, 235-43	1.6	2
16	Persistent painless ST-segment depression after exercise testing and the effect of age. <i>Clinical Cardiology</i> , 1988 , 11, 365-9	3.3	2
15	Relation between Baseline Coronary Atherosclerotic Status, Cardiovascular Events, and Malignancies in Type 2 Diabetics: A Long-Term Prospective Cohort Study. <i>Cardiology</i> , 2021 , 146, 419-425	1.6	2
14	An Intervention to Reduce the Time Interval Between Hospital Entry and Emergency Coronary Angiography in Patients with ST-Elevation Myocardial Infarction. <i>Israel Medical Association Journal</i> , 2017 , 19, 547-552	0.9	2
13	Applicability and accuracy of pretest probability calculations implemented in the NICE clinical guideline for decision making about imaging in patients with chest pain of recent onset. <i>European Radiology</i> , 2018 , 28, 4006-4017	8	1
12	Reevaluation of routine invasive strategy versus noninvasive testing following uncomplicated ST-elevation myocardial infarction. <i>Cardiology</i> , 2006 , 105, 240-5	1.6	1
11	Possible contribution of pericardial tamponade to coronary artery bypass graft occlusion. <i>International Journal of Cardiology</i> , 2007 , 115, 422-4	3.2	1
10	Effect of captopril on left ventricular end-systolic pressure-volume and stress-shortening relations in severe cardiac failure. <i>Clinical Cardiology</i> , 1987 , 10, 340-4	3.3	1
9	Value of addition of coronary artery calcium to risk scores in the prediction of major cardiovascular events in patients with type 2 diabetes. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 541	2.3	0
8	Computed tomographic angiography prior to reoperative coronary artery bypass grafting: clinical benefit at the same cost. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 955-6	2.5	
7	Acute coronary syndromes in the old and very old. <i>Aging Health</i> , 2005 , 1, 241-252		
6	Accuracy of exercise-induced left axis QRS deviation as a specific marker of left anterior descending coronary artery disease. <i>Cardiology</i> , 1998 , 89, 297-302	1.6	
5	Use and limitations of Holter electrocardiography in assessing drug therapy of myocardial ischemia during the peri-PTCA period. <i>Cardiology</i> , 1994 , 85, 28-35	1.6	
4	Transient loss of R wave during percutaneous transluminal coronary angioplasty. <i>American Heart Journal</i> , 1988 , 115, 1304-6	4.9	
3	Synergistic effect of captopril and dobutamine on left ventricular pressure-volume and pressure-shortening relations in severe cardiac failure. <i>International Journal of Cardiology</i> , 1988 , 21, 157-66	3.2	
2	Intravascular magnetic resonance imaging 2007 , 255-265		

- 1 Use of Calcium Antagonists After Myocardial Infarction: Focus on the DEFIANT Studies **1999**, 47-60