

# Kwang-Ho Park

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8110920/kwang-ho-park-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35  
papers

482  
citations

13  
h-index

21  
g-index

37  
ext. papers

553  
ext. citations

2.9  
avg, IF

3.33  
L-index

#	Paper	IF	Citations
35	Three-dimensional assessment of the anterior and inferior loop of the inferior alveolar nerve using computed tomography images in patients with and without mandibular asymmetry. <i>BMC Oral Health</i> , <b>2021</b> , 21, 71	3.7	1
34	Is There a Difference in Condyle Position Changing Pattern Between Deviated and Non-Deviated Sides After Intraoral Vertical Ramus Osteotomy in Facial Asymmetry?. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2020</b> , 78, 629.e1-629.e10	1.8	0
33	Effect of bisphosphonate on temporomandibular joint in osteopenia-induced rats by botulinum toxin A injection on masticatory muscle: a preliminary study. <i>Maxillofacial Plastic and Reconstructive Surgery</i> , <b>2019</b> , 41, 11	2.7	
32	Differential Diagnosis and Treatment of Septic Arthritis in the Temporomandibular Joint: A Case Report and Literature Review. <i>Journal of Oral Medicine and Pain</i> , <b>2019</b> , 44, 127-132	0.2	1
31	Three-dimensional computed tomography evaluation of craniofacial characteristics according to lateral deviation of chin. <i>Maxillofacial Plastic and Reconstructive Surgery</i> , <b>2019</b> , 41, 57	2.7	3
30	Modified difficult index adding extremely difficult for fully impacted mandibular third molar extraction. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2019</b> , 45, 309-315	1.6	10
29	A nomogram for classification of temporomandibular joint disk perforation based on magnetic resonance imaging. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2018</b> , 125, 682-692	2	4
28	Three-dimensional analysis of the anterior loop of the inferior alveolar nerve in relation to the growth pattern of the mandibular functional subunit. <i>Maxillofacial Plastic and Reconstructive Surgery</i> , <b>2018</b> , 40, 30	2.7	7
27	Subcutaneous emphysema related to dental procedures. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2018</b> , 44, 212-219	1.6	16
26	Expression of collagenases (matrix metalloproteinase-1, 8, 13) and tissue inhibitor of metalloproteinase-1 of retrodiscal tissue in temporomandibular joint disorder patients. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2018</b> , 44, 120-127	1.6	7
25	Comparison of volume and position of the temporomandibular joint structures in patients with mandibular asymmetry. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2016</b> , 122, 772-780	2.0	14
24	Effects of Thread Depth in the Neck Area on Peri-Implant Hard and Soft Tissues: An Animal Study. <i>Journal of Periodontology</i> , <b>2016</b> , 87, 1360-1368	4.6	3
23	Effects of thread size in the implant neck area on peri-implant hard and soft tissues: an animal study. <i>Clinical Oral Implants Research</i> , <b>2016</b> , 27, 1187-92	4.8	3
22	Autotransplantation of an impacted premolar using collagen sponge after cyst enucleation. <i>Journal of Endodontics</i> , <b>2015</b> , 41, 417-9	4.7	3
21	Effect of Crown to Implant Ratio and Anatomical Crown Length on Clinical Conditions in a Single Implant: A Retrospective Cohort Study. <i>Clinical Implant Dentistry and Related Research</i> , <b>2015</b> , 17, 724-31	3.9	8
20	Contralateral recurrence of necrotizing sialometaplasia of the hard palate after five months: a case report. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2015</b> , 41, 338-41	1.6	4
19	Conservative condylectomy alone for the correction of mandibular asymmetry caused by osteochondroma of the mandibular condyle: a report of five cases. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2015</b> , 41, 259-64	1.6	1

18	Change in masticatory ability with the implant restoration of second molars. <i>Journal of Prosthetic Dentistry</i> , <b>2014</b> , 111, 286-92	4	3
17	The effects of off-axial loading on periimplant marginal bone loss in a single implant. <i>Journal of Prosthetic Dentistry</i> , <b>2014</b> , 112, 501-7	4	9
16	Characteristics of bony changes and tooth displacement in the mandibular cystic lesion involving the impacted third molar. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2014</b> , 40, 225-32	1.6	6
15	Changes in the fractal dimension of peri-implant trabecular bone after loading: a retrospective study. <i>Journal of Periodontal and Implant Science</i> , <b>2013</b> , 43, 209-14	2	15
14	Verruciform xanthoma of the palatal gingiva: a report of two cases. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2013</b> , 39, 292-6	1.6	4
13	Effect of thread size on the implant neck area: preliminary results at 1 year of function. <i>Clinical Oral Implants Research</i> , <b>2012</b> , 23, 1147-51	4.8	17
12	Effect of conical configuration of fixture on the maintenance of marginal bone level: preliminary results at 1 year of function. <i>Clinical Oral Implants Research</i> , <b>2010</b> , 21, 439-44	4.8	15
11	Analysis of treatment patterns of temporomandibular disorders. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , <b>2010</b> , 36, 520	1.6	6
10	Comparison of interproximal soft tissue height for single implants and contra-lateral natural teeth. <i>Clinical Oral Implants Research</i> , <b>2009</b> , 20, 1320-5	4.8	4
9	Influence of early cover screw exposure on crestal bone loss around implants: intraindividual comparison of bone level at exposed and non-exposed implants. <i>Journal of Periodontology</i> , <b>2009</b> , 80, 933-9	4.6	13
8	Influence of the tooth- and implant-side marginal bone level on the interproximal papilla dimension in a single implant with a microthread, conical seal, and platform-switched design. <i>Journal of Periodontology</i> , <b>2009</b> , 80, 1541-7	4.6	19
7	Comparative analysis of peri-implant marginal bone loss based on microthread location: a 1-year prospective study after loading. <i>Journal of Periodontology</i> , <b>2009</b> , 80, 1937-44	4.6	45
6	Nasal changes after surgical correction of skeletal Class III malocclusion in Koreans. <i>Angle Orthodontist</i> , <b>2008</b> , 78, 427-32	2.6	38
5	Effect of microthread on the maintenance of marginal bone level: a 3-year prospective study. <i>Clinical Oral Implants Research</i> , <b>2007</b> , 18, 465-70	4.8	133
4	Dimension of interproximal soft tissue between adjacent implants in two distinctive implant systems. <i>Journal of Periodontology</i> , <b>2006</b> , 77, 1080-4	4.6	18
3	Dimension of keratinized mucosa and the interproximal papilla between adjacent implants. <i>Journal of Periodontology</i> , <b>2005</b> , 76, 1856-60	4.6	18
2	Non-invasive method to measure the length of soft tissue from the top of the papilla to the crestal bone. <i>Journal of Periodontology</i> , <b>2005</b> , 76, 1311-4	4.6	34
1	The retrospective study of the prognosis of implants in chronic periodontitis patients. <i>The Journal of the Korean Academy of Periodontology</i> , <b>2003</b> , 33, 373		

