

Yasser Emad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8162689/publications.pdf>

Version: 2024-02-01

75
papers

1,193
citations

394421

19
h-index

395702

33
g-index

77
all docs

77
docs citations

77
times ranked

1592
citing authors

#	ARTICLE	IF	CITATIONS
1	The clinical utility of faecal calprotectin in patients with differentiated and undifferentiated spondyloarthritis: Relevance and clinical implications. <i>ReumatologĀa ClĀnica (English Edition)</i> , 2022, 18, 69-76.	0.3	1
2	Comment on: BehĀset's disease in Emergency Department: a rare case presenting with haemoptysis and massive pulmonary arterial aneurysms. On behalf of the Hughes-Stovin syndrome (HSS) international study group.. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2022, 39, e2022004.	0.2	1
3	Contrast-enhanced magnetic resonance imaging (MRI) features of Gruberi Bursitis as a very rare cause of dorsolateral ankle pain and swelling: Case report and review of the literature. <i>Radiology Case Reports</i> , 2022, 17, 2612-2615.	0.6	1
4	Transient regional osteoporosis of the ankle with shifting bone marrow edema pattern within the joint. <i>Radiology Case Reports</i> , 2022, 17, 2983-2986.	0.6	2
5	Autoantibodies to extractable nuclear antigens (ENAs) pattern in rheumatoid arthritis patients: Relevance and clinical implications. <i>ReumatologĀa ClĀnica (English Edition)</i> , 2021, 17, 250-257.	0.3	1
6	Autoantibodies to extractable nuclear antigens (ENAs) pattern in rheumatoid arthritis patients: Relevance and clinical implications. <i>ReumatologĀa ClĀnica</i> , 2021, 17, 250-257.	0.5	2
7	A critical analysis of 57 cases of Hughes-Stovin syndrome (HSS). A report by the HSS International Study Group (HSSISG). <i>International Journal of Cardiology</i> , 2021, 331, 221-229.	1.7	18
8	Transient regional osteoporosis of the hip with extensive bone marrow edema (BME): Dramatic improvement after three months of Alendronate therapy. <i>Radiology Case Reports</i> , 2021, 16, 2487-2490.	0.6	5
9	Pulmonary vasculitis in Hughes-Stovin syndrome (HSS): a reference atlas and computed tomography pulmonary angiography guideĀa report by the HSS International Study Group. <i>Clinical Rheumatology</i> , 2021, 40, 4993-5008.	2.2	9
10	Comment on: Ankylosing spondylitis coexists with rheumatoid arthritis and SjĀgrenĀ™s syndrome: a case report with literature review. <i>Clinical Rheumatology</i> , 2021, 40, 1205-1206.	2.2	0
11	Antisynthetase syndrome complicating the course of established case with rheumatoid arthritis: A rare and under-recognized overlapping disease. <i>ReumatologĀa ClĀnica</i> , 2020, 16, 419-422.	0.5	3
12	Mycophenolate mofetil for induction and maintenance of remission in naĀve patients with granulomatosis with polyangiitis without renal involvement. <i>ReumatologĀa ClĀnica</i> , 2020, 16, 294-297.	0.5	0
13	Pattern of pulmonary vasculitis and major vascular involvement in Hughes-Stovin syndrome (HSS): brief report of eight cases. <i>Clinical Rheumatology</i> , 2020, 39, 1223-1228.	2.2	8
14	Guillain-BarrĀ Syndrome Associated With Severe Acute Respiratory Syndrome Coronavirus 2 Detection and Coronavirus Disease 2019 in a Child. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2020, 9, 510-513.	1.3	81
15	The Clinical Utility of Faecal Calprotectin in Patients with Differentiated and Undifferentiated Spondyloarthritis: Relevance and Clinical Implications. <i>ReumatologĀa ClĀnica</i> , 2020, 18, 69-69.	0.5	4
16	Atlas of the OMERACT Heel Enthesitis MRI Scoring System (HEMRIS). <i>RMD Open</i> , 2020, 6, e001150.	3.8	14
17	Mycophenolate mofetil for induction and maintenance of remission in naĀve patients with granulomatosis with polyangiitis without renal involvement. <i>ReumatologĀa ClĀnica (English Edition)</i> , 2020, 16, 294-297.	0.3	0
18	Antisynthetase syndrome complicating the course of established case with rheumatoid arthritis: A rare and under-recognized overlapping disease. <i>ReumatologĀa ClĀnica (English Edition)</i> , 2020, 16, 419-422.	0.3	0

#	ARTICLE	IF	CITATIONS
19	A case of Hughes-Stovin syndrome (incomplete Behçet's disease) with extensive arterial involvement. <i>Zeitschrift Fur Rheumatologie</i> , 2019, 78, 365-371.	1.0	14
20	Study of the osteoprotegerin/receptor activator of nuclear factor- κ B ligand system association with inflammation and atherosclerosis in systemic sclerosis. <i>Immunological Investigations</i> , 2018, 47, 241-250.	2.0	14
21	Relation of anti-annexin V antibodies to disease manifestations and activity in Behçet's disease patients. <i>Egyptian Rheumatologist</i> , 2018, 40, 51-54.	1.0	1
22	Study of the osteoprotegerin receptor activator of nuclear factor κ B ligand system association with inflammation and atherosclerosis in systemic sclerosis. <i>Rheumatology</i> , 2018, 57, .	1.9	1
23	Antibodies to extractable nuclear antigens (ENAS) in systemic lupus erythematosus patients: correlations with clinical manifestations and disease activity. <i>Reumatismo</i> , 2018, 70, 85-91.	0.9	10
24	Hippocampus dysfunction may explain symptoms of fibromyalgia syndrome. <i>Hamdan Medical Journal</i> , 2018, 11, 166.	0.1	0
25	Spinal involvement in Camptodactyly Arthropathy Coxa-vara Pericarditis (CACP) syndrome in two Yemeni sisters. <i>Egyptian Rheumatologist</i> , 2017, 39, 195-198.	1.0	0
26	Cam versus pincer femoroacetabular impingement. Which type is associated with more hip structural damage? An exploratory cross-sectional study. <i>Current Orthopaedic Practice</i> , 2017, 28, 188-194.	0.2	5
27	Magnetic resonance imaging features of hip disorders in an Egyptian pediatric population. <i>Reumatismo</i> , 2015, 67, 68-77.	0.9	5
28	Vasculopathie artérielle dans la sclérodémie systémique. Caractéristiques micro- et macrovasculaire de l'angioscanner des artères des membres supérieurs. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2015, 82, 173-178.	0.0	0
29	Gadolinium-enhanced MRI features of acute gouty arthritis on top of chronic gouty involvement in different joints. <i>Clinical Rheumatology</i> , 2015, 34, 1939-1947.	2.2	3
30	Shoulder arthroscopy remains superior to direct MR arthrography for diagnosis of subtle rotator interval lesions. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015, 25, 689-697.	1.4	9
31	In palindromic rheumatism, hand joint involvement and positive anti-CCP antibodies predict RA development after 1 year of follow-up. <i>Clinical Rheumatology</i> , 2014, 33, 791-797.	2.2	30
32	Arterial vasculopathy in systemic sclerosis: Computerized tomography (CT) angiographic features of macrovascular and microvascular upper limbs arteries. <i>Joint Bone Spine</i> , 2014, 81, 433-437.	1.6	21
33	Olecranon bursitis as initial presentation of gout in asymptomatic normouricemic patients. <i>Egyptian Rheumatologist</i> , 2014, 36, 47-50.	1.0	6
34	Liposynovitis prepatellaris in a child (Hoffa's syndrome): Lessons from MRI. <i>Egyptian Rheumatologist</i> , 2013, 35, 181-183.	1.0	1
35	Post Chlamydial reactive arthritis in a case of Vogt-Koyanagi-Harada syndrome (VKH) with negative HLA-B27: An association or just coincidence. <i>Egyptian Rheumatologist</i> , 2013, 35, 249-251.	1.0	1
36	Anti-cyclic citrullinated peptide (anti-CCP) antibody in juvenile idiopathic arthritis (JIA): Correlations with disease activity and severity of joint damage (a multicenter trial). <i>Joint Bone Spine</i> , 2013, 80, 38-43.	1.6	46

#	ARTICLE	IF	CITATIONS
37	Axial involvement with facet joint arthropathy and bony ankylosis in a case of camptodactyly, arthropathy, coxa vara, pericarditis (CACP) syndrome. <i>Joint Bone Spine</i> , 2013, 80, 520-522.	1.6	5
38	Atteinte axiale avec arthropathie des articulaires postérieures et ankylose osseuse dans un syndrome de camptodactylie, arthropathie, coxa vara et péricardite (CACP). <i>Revue Du Rhumatisme (Edition) Tj</i> 10/01/2013 / Overlock 10 Tf 5	1.6	5
39	Giant Intraosseous Synovial Cyst with Intraarticular Communication with the Ankle Joint in Longstanding Rheumatoid Arthritis: Figure 1.. <i>Journal of Rheumatology</i> , 2012, 39, 180-181.	2.0	2
40	Knee Enthesitis and Synovitis on Magnetic Resonance Imaging in Patients with Psoriasis without Arthritic Symptoms. <i>Journal of Rheumatology</i> , 2012, 39, 1979-1986.	2.0	45
41	Lichen Planus in Association with Adult-onset Still's Disease Successfully Treated with Mycophenolate Mofetil. <i>Journal of Rheumatology</i> , 2012, 39, 1305-1306.	2.0	10
42	Transient osteoporosis of the hip, complete resolution after treatment with alendronate as observed by MRI description of eight cases and review of the literature. <i>Clinical Rheumatology</i> , 2012, 31, 1641-1647.	2.2	50
43	Elevated BAFF (BLyS) and APRIL in Juvenile idiopathic arthritis patients: Relation to clinical manifestations and disease activity. <i>Joint Bone Spine</i> , 2012, 79, 285-290.	1.6	28
44	Relationship between nailfold capillary abnormalities and vestibular dysfunction in systemic sclerosis. <i>Joint Bone Spine</i> , 2011, 78, 266-269.	1.6	6
45	Correlations of Urinary Biomarkers, TNF-Like Weak Inducer of Apoptosis (TWEAK), Osteoprotegerin (OPG), Monocyte Chemoattractant Protein-1 (MCP-1), and IL-8 with Lupus Nephritis. <i>Journal of Clinical Immunology</i> , 2011, 31, 848-856.	3.8	81
46	Enthesitis in seronegative spondyloarthropathies with special attention to the knee joint by MRI: a step forward toward understanding disease pathogenesis. <i>Clinical Rheumatology</i> , 2011, 30, 313-322.	2.2	21
47	Raised serum level of APRIL in patients with systemic lupus erythematosus: Correlations with disease activity indices. <i>Clinical Immunology</i> , 2010, 135, 118-124.	3.2	45
48	Enthesitis and Related Changes in the Knees in Seronegative Spondyloarthropathies and Skin Psoriasis: Magnetic Resonance Imaging Case-Control Study. <i>Journal of Rheumatology</i> , 2010, 37, 1709-1717.	2.0	45
49	Prevalence and predictive value of anti-cyclic citrullinated protein antibodies for future development of rheumatoid arthritis in early undifferentiated arthritis. <i>Modern Rheumatology</i> , 2010, 20, 358-365.	1.8	11
50	Prevalence and predictive value of anti-cyclic citrullinated protein antibodies for future development of rheumatoid arthritis in early undifferentiated arthritis. <i>Modern Rheumatology</i> , 2010, 20, 358-365.	1.8	7
51	Can Magnetic Resonance Imaging Differentiate Undifferentiated Arthritis Based on Knee Imaging?. <i>Journal of Rheumatology</i> , 2009, 36, 1963-1970.	2.0	26
52	474 DIFFERENTIATION OF OSTEOPOROTIC AND NEOPLASTIC VERTEBRAL FRACTURES BY OPPOSED PHASED IMAGING (CHEMICAL SHIFT MR IMAGING). <i>European Journal of Pain</i> , 2009, 13, S141b.	2.8	1
53	439 CHARACTERISTIC ENHANCED MRI DIFFERENCES IN RHEUMATOID ARTHRITIS (RA) AND PSORIATIC ARTHRITIS (PsA) OF THE KNEE JOINT. <i>European Journal of Pain</i> , 2009, 13, S132b.	2.8	0
54	Differentiation of osteoporotic and neoplastic vertebral fractures by chemical shift {in-phase and out-of phase} MR imaging. <i>European Journal of Radiology</i> , 2009, 72, 125-133.	2.6	83

#	ARTICLE	IF	CITATIONS
55	Bone marrow edema syndromes of the hip: MRI features in different hip disorders. <i>Clinical Rheumatology</i> , 2008, 27, 475-482.	2.2	52
56	Enhanced MRI in early undifferentiated oligoarthritis of the knee joints: Improvements already visible after 2 months of DMARDs treatment. <i>Clinical Rheumatology</i> , 2008, 27, 1177-1182.	2.2	7
57	CD4+CD25+ regulatory T cells (TREG) in Systemic Lupus Erythematosus (SLE) patients: The possible influence of treatment with corticosteroids. <i>Clinical Immunology</i> , 2008, 127, 151-157.	3.2	89
58	Hippocampus dysfunction may explain symptoms of fibromyalgia syndrome. A study with single-voxel magnetic resonance spectroscopy. <i>Journal of Rheumatology</i> , 2008, 35, 1371-7.	2.0	74
59	Arthritis in a child secondary to congenital insensitivity to pain and self-aggression. Why and when pain is good?. <i>Clinical Rheumatology</i> , 2007, 26, 1164-1166.	2.2	4
60	Renal angiographic findings in systemic sclerosis: ?the Egyptian experience?. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 43-48.	0.2	0
61	Bilateral avascular necrosis of both hips and both shoulders in a case with systemic lupus erythematosus: What should we blame, steroid or secondary antiphospholipid syndrome?. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 69-71.	0.2	0
62	High-resolution CT pulmonary findings in idiopathic ankylosing spondylitis: correlations with clinical assessment, plain chest X-ray and pulmonary function tests. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 130-136.	0.2	0
63	Aggressive autoimmune hepatitis in a case of mixed connective tissue disease. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 146-149.	0.2	3
64	The diagnostic dilemma of undifferentiated inflammatory synovitis of the knee joint/joints: a comprehensive approach. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 182-189.	0.2	3
65	Pulseless disease with extensive vascular involvement. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 258-259.	0.2	0
66	Long-standing ulcerative colitis complicated by right subclavian artery occlusion and upper limbs arteriolitis with digital ischemia. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 326-329.	0.2	1
67	Pauciarticular severe destructive arthropathy in a child secondary to synovial osteochondromatosis. <i>Clinical Rheumatology</i> , 2007, 26, 604-606.	2.2	3
68	A case of polyarteritis nodosa complicated by left central retinal artery occlusion, ischemic optic neuropathy, and retinal vasculitis. <i>Clinical Rheumatology</i> , 2007, 26, 814-816.	2.2	27
69	Liposynovitis prepatellaris in athletic runner (Hoffa's syndrome): case report and review of the literature. <i>Clinical Rheumatology</i> , 2007, 26, 1201-1203.	2.2	17
70	Multislice CT pulmonary findings in Behçet's disease (Report of 16 cases). <i>Clinical Rheumatology</i> , 2007, 26, 879-884.	2.2	46
71	Inflammatory synovitis due to underlying lipoma arborescens (gadolinium-enhanced MRI features): report of two cases. <i>Clinical Rheumatology</i> , 2007, 26, 1791-1794.	2.2	14
72	Clinical utility of magnetic resonance angiography (MRA) in the diagnosis and treatment of Takayasu's arteritis. <i>Clinical Rheumatology</i> , 2007, 26, 1393-1395.	2.2	6

#	ARTICLE	IF	CITATIONS
73	Hughesâ€™Stovin syndrome: is it incomplete Behçetâ€™s?. Clinical Rheumatology, 2007, 26, 1993-1996.	2.2	64
74	Bilateral coronary and renal artery stenosis in a case with limited scleroderma. APLAR Journal of Rheumatology, 2006, 9, 278-281.	0.2	0
75	Successful treatment of extensive muscle calcification in a patient with primary idiopathic polymyositis with diltiazem. APLAR Journal of Rheumatology, 2006, 9, 305-306.	0.2	0