
Mamta Gupta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8177431/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Bromodomain Epigenetic Protein Promotes Metastatic Potential in Melanoma Cells through Increased Invasiveness and Decreased Macrophage-Mediated Phagocytosis. Journal of Investigative Dermatology, 2021, 141, 454-458.e2.	0.7	4
2	JAK2 activation promotes tumorigenesis in ALK-negative anaplastic large cell lymphoma via regulating oncogenic STAT1-PVT1 lncRNA axis. Blood Cancer Journal, 2021, 11, 56.	6.2	3
3	Mantle cell lymphoma polarizes tumor-associated macrophages into M2-like macrophages, which in turn promote tumorigenesis. Blood Advances, 2021, 5, 2863-2878.	5.2	19
4	Targeting MYC activity in double-hit lymphoma with MYC and BCL2 and/or BCL6 rearrangements with epigenetic bromodomain inhibitors. Journal of Hematology and Oncology, 2019, 12, 73.	17.0	71
5	RIP sequencing in mantle cell lymphoma identifies functional long non-coding RNAs associated with translation machinery. Blood Cancer Journal, 2019, 9, 55.	6.2	4
6	RNA m6A methyltransferase METTL3 regulates invasiveness of melanoma cells by matrix metallopeptidase 2. Melanoma Research, 2019, 29, 382-389.	1.2	65
7	Elevated GLI3 expression in germinal center diffuse large B cell lymphoma. Leukemia and Lymphoma, 2018, 59, 2743-2745.	1.3	4
8	Prognostic and therapeutic significance of phosphorylated STAT3 and protein tyrosine phosphatase-6 in peripheral-T cell lymphoma. Blood Cancer Journal, 2018, 8, 110.	6.2	22
9	Anchimerically Activated ProTides as Inhibitors of Cap-Dependent Translation and Inducers of Chemosensitization in Mantle Cell Lymphoma. Journal of Medicinal Chemistry, 2017, 60, 8131-8144.	6.4	23
10	The mTORC1 inhibitor everolimus has antitumor activity in vitro and produces tumor responses in patients with relapsed T-cell lymphoma. Blood, 2015, 126, 328-335.	1.4	92
11	Translation initiation complex elF4F is a therapeutic target for dual mTOR kinase inhibitors in non-Hodgkin lymphoma. Oncotarget, 2015, 6, 9488-9501.	1.8	42
12	Loss of function mutations in PTPN6 promote STAT3 deregulation <i>via</i> JAK3 kinase in diffuse large B-cell lymphoma. Oncotarget, 2015, 6, 44703-44713.	1.8	21
13	The Long Non-Coding RNA GAS5 Cooperates with the Eukaryotic Translation Initiation Factor 4E to Regulate c-Myc Translation. PLoS ONE, 2014, 9, e107016.	2.5	102
14	Expression of Myc, but not pSTAT3, is an adverse prognostic factor for diffuse large B-cell lymphoma treated with epratuzumab/R-CHOP. Blood, 2012, 120, 4400-4406.	1.4	53
15	Elevated serum IL-10 levels in diffuse large B-cell lymphoma: a mechanism of aberrant JAK2 activation. Blood, 2012, 119, 2844-2853.	1.4	149
16	OSI-027, a Dual TORC1/TORC2 Inhibitor, Induces Bim- and Puma-Mediated Apoptosis In Lymphoid Malignancy. Blood, 2010, 116, 970-970.	1.4	1
17	A Newly Identified Translocation t(X;14)(p11;q32) In MALT Lymphoma Involving IGHS and GPR34 Reveals A Novel Role for GPR34 In Cell Growth and Tumor Development. Blood, 2010, 116, 1999-1999.	1.4	0
18	Inhibition of histone deacetylase overcomes rapamycin-mediated resistance in diffuse large B-cell lymphoma by inhibiting Akt signaling through mTORC2. Blood, 2009, 114, 2926-2935.	1.4	152

Мамта Gupta

#	Article	IF	CITATIONS
19	Interplay Between Histone Deacetylases (HDACs) and STAT3: Mechanism of Activated JAK/STAT3 Oncogenic Pathway in ABC (Activated B-cell) Type Diffuse Large B Cell Lymphoma Blood, 2009, 114, 925-925.	1.4	1
20	Elevated Expression of GPR34 in Mucosa-Associated Lymphoid Tissue (MALT) Lymphoma and Its Association with Increased Cell Growth, Erk Activation, and AP-1 and CRE-Mediated Transcription Blood, 2009, 114, 3927-3927.	1.4	1
21	Inhibition of the Jak/Stat Pathway Downregulates Immunoglobulin Production and Induces Cell Death in Waldenstrol`m Macroglobulinemia Blood, 2009, 114, 1691-1691.	1.4	1
22	Elevated Expression of GPR34 and Its Association with a Novel Translocation T(X;14)(p11;q32) Involving IGHS and GPR34 in MALT Lymphoma Blood, 2008, 112, 2251-2251.	1.4	3
23	Histone Deacetylase Inhibition with LBH589 Inhibits the Rapamycin Insensitive Rictor-mTOR (mTORC2) Complex and Translation Initiation Factor eIF4E Activation in Diffuse Large B-Cell Lymphoma. Blood, 2008, 112, 603-603.	1.4	4