

Kathryn H Schmitz

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8330121/kathryn-h-schmitz-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

268
papers

20,825
citations

58
h-index

141
g-index

283
ext. papers

24,102
ext. citations

5.7
avg, IF

6.63
L-index

#	Paper	IF	Citations
268	Compendium of physical activities: an update of activity codes and MET intensities. <i>Medicine and Science in Sports and Exercise</i> , 2000 , 32, S498-504	1.2	5195
267	American College of Sports Medicine roundtable on exercise guidelines for cancer survivors. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 1409-26	1.2	1778
266	An update of controlled physical activity trials in cancer survivors: a systematic review and meta-analysis. <i>Journal of Cancer Survivorship</i> , 2010 , 4, 87-100	5.1	907
265	Exercise Guidelines for Cancer Survivors: Consensus Statement from International Multidisciplinary Roundtable. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 2375-2390	1.2	633
264	Controlled physical activity trials in cancer survivors: a systematic review and meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1588-95	4	505
263	Weight lifting in women with breast-cancer-related lymphedema. <i>New England Journal of Medicine</i> , 2009 , 361, 664-73	59.2	444
262	A two-year randomized trial of obesity treatment in primary care practice. <i>New England Journal of Medicine</i> , 2011 , 365, 1969-79	59.2	362
261	Defining accelerometer thresholds for activity intensities in adolescent girls. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, 1259-66	1.2	325
260	Weight lifting for women at risk for breast cancer-related lymphedema: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 304, 2699-705	27.4	282
259	The Impact of Exercise on Cancer Mortality, Recurrence, and Treatment-Related Adverse Effects. <i>Epidemiologic Reviews</i> , 2017 , 39, 71-92	4.1	278
258	Effects and moderators of exercise on quality of life and physical function in patients with cancer: An individual patient data meta-analysis of 34 RCTs. <i>Cancer Treatment Reviews</i> , 2017 , 52, 91-104	14.4	272
257	Lymphedema and quality of life in breast cancer survivors: the Iowa Women's Health Study. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5689-96	2.2	260
256	The metabolic syndrome and risk of incident colorectal cancer. <i>Cancer</i> , 2006 , 107, 28-36	6.4	250
255	Randomized controlled trial of weight training and lymphedema in breast cancer survivors. <i>Journal of Clinical Oncology</i> , 2006 , 24, 2765-72	2.2	247
254	Safety and efficacy of weight training in recent breast cancer survivors to alter body composition, insulin, and insulin-like growth factor axis proteins. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1672-80	4	231
253	Exercise is medicine in oncology: Engaging clinicians to help patients move through cancer. <i>Ca-A Cancer Journal for Clinicians</i> , 2019 , 69, 468-484	220.7	225
252	Design and Destinations: Factors Influencing Walking and Total Physical Activity. <i>Urban Studies</i> , 2008 , 45, 1973-1996	3.2	222

251	Does Residential Density Increase Walking and Other Physical Activity?. <i>Urban Studies</i> , 2007 , 44, 679-697	3.2	219
250	Upper-body morbidity after breast cancer: incidence and evidence for evaluation, prevention, and management within a prospective surveillance model of care. <i>Cancer</i> , 2012 , 118, 2237-49	6.4	207
249	American College of Sports Medicine Roundtable Report on Physical Activity, Sedentary Behavior, and Cancer Prevention and Control. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 2391-2402	1.2	207
248	The role of obesity in cancer survival and recurrence. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1244-59	4	206
247	Psychosocial correlates of physical activity and sedentary leisure habits in young adolescents: the Teens Eating for Energy and Nutrition at School study. <i>Preventive Medicine</i> , 2002 , 34, 266-78	4.3	197
246	Cancer, physical activity, and exercise. <i>Comprehensive Physiology</i> , 2012 , 2, 2775-809	7.7	186
245	Randomized exercise trial of aromatase inhibitor-induced arthralgia in breast cancer survivors. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1104-11	2.2	183
244	A prospective surveillance model for rehabilitation for women with breast cancer. <i>Cancer</i> , 2012 , 118, 2191-200	6.4	173
243	Functional limitations in elderly female cancer survivors. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 521-9	9.7	169
242	Effects of weight training on quality of life in recent breast cancer survivors: the Weight Training for Breast Cancer Survivors (WTBS) study. <i>Cancer</i> , 2006 , 106, 2076-83	6.4	156
241	Changes in inflammatory biomarkers following one-year of moderate resistance training in overweight women. <i>International Journal of Obesity</i> , 2007 , 31, 996-1003	5.5	153
240	The built environment, walking, and physical activity: Is the environment more important to some people than others?. <i>Transportation Research, Part D: Transport and Environment</i> , 2009 , 14, 42-49	6.4	147
239	Implementing the exercise guidelines for cancer survivors. <i>The Journal of Supportive Oncology</i> , 2012 , 10, 171-7		134
238	The effects of neighborhood density and street connectivity on walking behavior: the Twin Cities walking study. <i>Epidemiologic Perspectives and Innovations</i> , 2007 , 4, 16		130
237	Changes in the Body Image and Relationship Scale following a one-year strength training trial for breast cancer survivors with or at risk for lymphedema. <i>Breast Cancer Research and Treatment</i> , 2010 , 121, 421-30	4.4	126
236	Tolerability of red yeast rice (2,400 mg twice daily) versus pravastatin (20 mg twice daily) in patients with previous statin intolerance. <i>American Journal of Cardiology</i> , 2010 , 105, 198-204	3	116
235	Risk factors for lymphedema in breast cancer survivors, the Iowa Women's Health Study. <i>Breast Cancer Research and Treatment</i> , 2011 , 130, 981-91	4.4	114
234	Comparison of two approaches to structured physical activity surveys for adolescents. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, 2135-43	1.2	109

233	Risk factors for lymphedema in a prospective breast cancer survivorship study: the Pathways Study. <i>Archives of Surgery</i> , 2010 , 145, 1055-63		105
232	Physical Activity and Lymphedema (the PAL trial): assessing the safety of progressive strength training in breast cancer survivors. <i>Contemporary Clinical Trials</i> , 2009 , 30, 233-45	2.3	101
231	Outcomes of a weight loss intervention among rural breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 631-9	4.4	97
230	Weekend and weekday patterns of physical activity in overweight and normal-weight adolescent girls. <i>Obesity</i> , 2007 , 15, 1782-8	8	97
229	Prevalence of breast cancer treatment sequelae over 6 years of follow-up: the Pulling Through Study. <i>Cancer</i> , 2012 , 118, 2217-25	6.4	96
228	Impact of obesity on cancer survivorship and the potential relevance of race and ethnicity. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 1344-54	9.7	94
227	Sleep duration and adolescent obesity. <i>Pediatrics</i> , 2013 , 131, e1428-34	7.4	90
226	Travel by walking before and after school and physical activity among adolescent girls. <i>JAMA Pediatrics</i> , 2007 , 161, 153-8		88
225	Physical activity in young adults and incident hypertension over 15 years of follow-up: the CARDIA study. <i>American Journal of Public Health</i> , 2007 , 97, 703-9	5.1	88
224	Greater screen time is associated with adolescent obesity: a longitudinal study of the BMI distribution from Ages 14 to 18. <i>Obesity</i> , 2013 , 21, 572-5	8	87
223	Clinical practice guidelines for breast cancer rehabilitation: syntheses of guideline recommendations and qualitative appraisals. <i>Cancer</i> , 2012 , 118, 2312-24	6.4	83
222	Effect of exercise on oxidative stress: a 12-month randomized, controlled trial. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 1448-53	1.2	83
221	Strength training and adiposity in premenopausal women: strong, healthy, and empowered study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 566-72	7	81
220	Moderate resistance training and vascular health in overweight women. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 1558-64	1.2	78
219	Predicting energy expenditure from accelerometry counts in adolescent girls. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, 155-61	1.2	78
218	Overview of REJOIN: A Clinical Trial to Use Exercise to Relieve Joint Pain in Older Breast Cancer Survivors. <i>Innovation in Aging</i> , 2020 , 4, 650-650	0.1	78
217	Weight management and physical activity throughout the cancer care continuum. <i>Ca-A Cancer Journal for Clinicians</i> , 2018 , 68, 64-89	220.7	75
216	Prospective surveillance and management of cardiac toxicity and health in breast cancer survivors. <i>Cancer</i> , 2012 , 118, 2270-6	6.4	73

215	School-level intraclass correlation for physical activity in adolescent girls. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, 876-82	1.2	64
214	Balancing lymphedema risk: exercise versus deconditioning for breast cancer survivors. <i>Exercise and Sport Sciences Reviews</i> , 2010 , 38, 17-24	6.7	63
213	But I like PE: factors associated with enjoyment of physical education class in middle school girls. <i>Research Quarterly for Exercise and Sport</i> , 2008 , 79, 18-27	1.9	63
212	Objectively measured physical activity in sixth-grade girls. <i>JAMA Pediatrics</i> , 2006 , 160, 1262-8		63
211	Disordered eating and body dissatisfaction in adolescents with type 1 diabetes and a population-based comparison sample: comparative prevalence and clinical implications. <i>Pediatric Diabetes</i> , 2008 , 9, 312-9	3.6	61
210	Feasibility of using accelerometers to measure physical activity in young adolescents. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, 867-71	1.2	57
209	Sixteen weeks of exercise reduces C-reactive protein levels in young women. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 1002-9	1.2	56
208	Lack of association of physical activity and obesity with incident pancreatic cancer in elderly women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1571-3	4	53
207	The body image and relationships scale: development and validation of a measure of body image in female breast cancer survivors. <i>Journal of Clinical Oncology</i> , 2008 , 26, 1269-74	2.2	52
206	Current perspectives and emerging issues on cancer rehabilitation. <i>Cancer</i> , 2013 , 119 Suppl 11, 2170-8	6.4	51
205	Shoulder impairments and their association with symptomatic rotator cuff disease in breast cancer survivors. <i>Medical Hypotheses</i> , 2011 , 77, 481-7	3.8	51
204	The effect of exercise on body composition and bone mineral density in breast cancer survivors taking aromatase inhibitors. <i>Obesity</i> , 2017 , 25, 346-351	8	50
203	Targeting Exercise Interventions to Patients With Cancer in Need: An Individual Patient Data Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2018 , 110, 1190-1200	9.7	50
202	Effect of physical activity on menopausal symptoms among urban women. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 50-8	1.2	48
201	The association of physical activity with lung cancer incidence in a cohort of older women: the Iowa Women's Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2359-63	4	48
200	Accelerometer test-retest reliability by data processing algorithms: results from the Twin Cities Walking Study. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 668-74	2.5	46
199	Prescription and adherence to lymphedema self-care modalities among women with breast cancer-related lymphedema. <i>Supportive Care in Cancer</i> , 2014 , 22, 135-43	3.9	45
198	Lifestyle risk factors associated with arm swelling among women with breast cancer. <i>Annals of Surgical Oncology</i> , 2013 , 20, 842-9	3.1	45

197	Effects and moderators of exercise on muscle strength, muscle function and aerobic fitness in patients with cancer: a meta-analysis of individual patient data. <i>British Journal of Sports Medicine</i> , 2019 , 53, 812	10.3	43
196	The 2011-2016 Transdisciplinary Research on Energetics and Cancer (TREC) initiative: rationale and design. <i>Cancer Causes and Control</i> , 2013 , 24, 695-704	2.8	42
195	Exercise lowers estrogen and progesterone levels in premenopausal women at high risk of breast cancer. <i>Journal of Applied Physiology</i> , 2011 , 111, 1687-93	3.7	42
194	Weight lifting in patients with lower-extremity lymphedema secondary to cancer: a pilot and feasibility study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 1070-6	2.8	42
193	Social factors matter in cancer risk and survivorship. <i>Cancer Causes and Control</i> , 2018 , 29, 611-618	2.8	42
192	Effect of team sport participation on genetic predisposition to adolescent smoking progression. <i>Archives of General Psychiatry</i> , 2006 , 63, 433-41		41
191	Scan-associated distress in lung cancer: Quantifying the impact of "scanxiety". <i>Lung Cancer</i> , 2016 , 100, 110-113	5.9	41
190	Exercise adherence in a randomized trial of exercise on aromatase inhibitor arthralgias in breast cancer survivors: the Hormones and Physical Exercise (HOPE) study. <i>Journal of Cancer Survivorship</i> , 2016 , 10, 654-62	5.1	40
189	Physical functioning and rehabilitation for the cancer survivor. <i>Seminars in Oncology</i> , 2013 , 40, 784-95	5.5	40
188	Exercise for secondary prevention of breast cancer: moving from evidence to changing clinical practice. <i>Cancer Prevention Research</i> , 2011 , 4, 476-80	3.2	40
187	Standards for Environmental Measurement Using GIS: Toward a Protocol for Protocols. <i>Journal of Physical Activity and Health</i> , 2006 , 3, S241-S257	2.5	40
186	"It still affects our economic situation": long-term economic burden of breast cancer and lymphedema. <i>Supportive Care in Cancer</i> , 2019 , 27, 1697-1708	3.9	39
185	A hybrid effectiveness-implementation trial of an evidence-based exercise intervention for breast cancer survivors. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 338-45	4.8	39
184	Weight Lifting and Physical Function Among Survivors of Breast Cancer: A Post Hoc Analysis of a Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2184-9	2.2	38
183	A Randomized Trial on the Effect of Exercise Mode on Breast Cancer-Related Lymphedema. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 1866-74	1.2	37
182	Influence of weight training on skeletal health of breast cancer survivors with or at risk for breast cancer-related lymphedema. <i>Journal of Cancer Survivorship</i> , 2014 , 8, 260-8	5.1	36
181	The effects of aerobic exercise on estrogen metabolism in healthy premenopausal women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 756-64	4	36
180	Impact of obesity on breast cancer recurrence and minimal residual disease. <i>Breast Cancer Research</i> , 2019 , 21, 41	8.3	35

179	The effects of exercise on cardiovascular outcomes before, during, and after treatment for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2014 , 143, 219-26	4.4	35
178	Water-based exercise for patients with chronic arm lymphedema: a randomized controlled pilot trial. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013 , 92, 312-9	2.6	34
177	Energy expenditure comparison: a pilot study of standing instead of sitting at work for obesity prevention. <i>Preventive Medicine</i> , 2011 , 52, 283-4	4.3	34
176	Does the effect of weight lifting on lymphedema following breast cancer differ by diagnostic method: results from a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2011 , 130, 227-34	4.4	34
175	Risks and benefits of physical activity among breast cancer survivors who have completed treatment. <i>Women's Health</i> , 2010 , 6, 221-38	3	34
174	Exercise effect on oxidative stress is independent of change in estrogen metabolism. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 220-3	4	34
173	Effects of exercise training on calf muscle oxygen extraction and blood flow in patients with peripheral artery disease. <i>Journal of Applied Physiology</i> , 2017 , 123, 1599-1609	3.7	33
172	Aromatase inhibitor associated musculoskeletal symptoms are associated with reduced physical activity among breast cancer survivors. <i>Breast Journal</i> , 2014 , 20, 22-8	1.2	33
171	Safety of weightlifting among women with or at risk for breast cancer-related lymphedema: musculoskeletal injuries and health care use in a weightlifting rehabilitation trial. <i>Oncologist</i> , 2012 , 17, 1120-8	5.7	33
170	Healthy Living after Cancer: a dissemination and implementation study evaluating a telephone-delivered healthy lifestyle program for cancer survivors. <i>BMC Cancer</i> , 2015 , 15, 992	4.8	31
169	School-level intraclass correlation for physical activity in sixth grade girls. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 926-36	1.2	31
168	A randomized dose-response trial of aerobic exercise and health-related quality of life in colon cancer survivors. <i>Psycho-Oncology</i> , 2018 , 27, 1221-1228	3.9	30
167	Physical and social contexts of physical activities among adolescent girls. <i>Journal of Physical Activity and Health</i> , 2009 , 6, 144-52	2.5	30
166	Test-retest reliability of the Twin Cities Walking Survey. <i>Journal of Physical Activity and Health</i> , 2009 , 6, 119-31	2.5	30
165	Associations of body size and composition with physical activity in adolescent girls. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 1175-81	1.2	30
164	Weight loss maintenance strategies among rural breast cancer survivors: The rural women connecting for better health trial. <i>Obesity</i> , 2016 , 24, 2070-7	8	30
163	Dose-response effects of aerobic exercise on estrogen among women at high risk for breast cancer: a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2015 , 154, 309-18	4.4	29
162	Adverse breast cancer treatment effects: the economic case for making rehabilitative programs standard of care. <i>Supportive Care in Cancer</i> , 2015 , 23, 1807-17	3.9	29

161	Effect of Home-Based Exercise and Weight Loss Programs on Breast Cancer-Related Lymphedema Outcomes Among Overweight Breast Cancer Survivors: The WISER Survivor Randomized Clinical Trial. <i>JAMA Oncology</i> , 2019 , 5, 1605-1613	13.4	29
160	Integrating a prospective surveillance model for rehabilitation into breast cancer survivorship care. <i>Cancer</i> , 2012 , 118, 2201-6	6.4	29
159	Physical activity and breast cancer survivorship. <i>Recent Results in Cancer Research</i> , 2011 , 186, 189-215	1.5	29
158	The intersection of cancer and aging: establishing the need for breast cancer rehabilitation. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 866-72	4	29
157	The prescription or proscription of exercise in colorectal cancer care. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2202-9	1.2	28
156	Reliability and validity of a brief questionnaire to assess calcium intake of middle-school-aged children. <i>Journal of the American Dietetic Association</i> , 2006 , 106, 1790-5		28
155	Interactions between insulin, body fat, and insulin-like growth factor axis proteins. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 593-7	4	27
154	Consumer credit as a novel marker for economic burden and health after cancer in a diverse population of breast cancer survivors in the USA. <i>Journal of Cancer Survivorship</i> , 2018 , 12, 306-315	5.1	26
153	Attrition and adherence of young women to aerobic exercise: lessons from the WISER study. <i>Contemporary Clinical Trials</i> , 2012 , 33, 298-301	2.3	26
152	Adherence to a Strength Training Intervention in Adult Women. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 111-118	2.5	26
151	The prevalence of lymphedema symptoms among survivors of long-term cancer with or at risk for lower limb lymphedema. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013 , 92, 223-31	2.6	25
150	Dose-response Effects of Aerobic Exercise Among Colon Cancer Survivors: A Randomized Phase II Trial. <i>Clinical Colorectal Cancer</i> , 2018 , 17, 32-40	3.8	24
149	Vulnerable elders survey and socioeconomic status predict functional decline and death among older women with newly diagnosed nonmetastatic breast cancer. <i>Cancer</i> , 2016 , 122, 2579-86	6.4	24
148	Weight lifting and appendicular skeletal muscle mass among breast cancer survivors: a randomized controlled trial. <i>Breast Cancer Research and Treatment</i> , 2015 , 151, 385-92	4.4	24
147	Association of physical activity with reproductive hormones: the Penn Ovarian Aging Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2042-7	4	24
146	Dose-response effects of aerobic exercise on body composition among colon cancer survivors: a randomised controlled trial. <i>British Journal of Cancer</i> , 2017 , 117, 1614-1620	8.7	23
145	Aerobic training reduces systemic oxidative stress in young women with elevated levels of F2-isoprostanes. <i>Contemporary Clinical Trials</i> , 2013 , 34, 212-7	2.3	22
144	Vascular structure and function in women: relationship with body mass index. <i>American Journal of Preventive Medicine</i> , 2006 , 30, 487-92	6.1	22

143	Effects of a 9-month strength training intervention on insulin, insulin-like growth factor (IGF)-I, IGF-binding protein (IGFBP)-1, and IGFBP-3 in 30-50-year-old women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2002 , 11, 1597-604	4	22
142	Exercise-Induced Dose-Response Alterations in Adiponectin and Leptin Levels Are Dependent on Body Fat Changes in Women at Risk for Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1195-200	4	21
141	The women in steady exercise research (WISER) survivor trial: The innovative transdisciplinary design of a randomized controlled trial of exercise and weight-loss interventions among breast cancer survivors with lymphedema. <i>Contemporary Clinical Trials</i> , 2017 , 61, 63-72	2.3	21
140	Life events, perceived stress and depressive symptoms in a physical activity intervention with young adult women. <i>Mental Health and Physical Activity</i> , 2012 , 5, 148-154	5	21
139	Physical activity and lower limb lymphedema among uterine cancer survivors. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 2091-7	1.2	21
138	No effect of exercise on insulin-like growth factor-I, insulin, and glucose in young women participating in a 16-week randomized controlled trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2987-90	4	21
137	An exercise oncology clinical pathway: Screening and referral for personalized interventions. <i>Cancer</i> , 2020 , 126, 2750-2758	6.4	20
136	Women in Steady Exercise Research (WISER): study design and methods. <i>Contemporary Clinical Trials</i> , 2010 , 31, 457-65	2.3	20
135	Variation in receipt of opioids by pediatric oncology patients who died in children's hospitals. <i>Pediatric Blood and Cancer</i> , 2009 , 52, 761-6	3	20
134	Effects of aerobic exercise on premenopausal sex hormone levels: results of the WISER study, a randomized clinical trial in healthy, sedentary, eumenorrheic women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1098-106	4	20
133	The relationship of weight-related perceptions, goals, and behaviors with fruit and vegetable consumption in young adolescents. <i>Preventive Medicine</i> , 2005 , 40, 203-8	4.3	20
132	Moderators of Exercise Effects on Cancer-related Fatigue: A Meta-analysis of Individual Patient Data. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 303-314	1.2	20
131	Dose-response effects of exercise on insulin among colon cancer survivors. <i>Endocrine-Related Cancer</i> , 2018 , 25, 11-19	5.7	19
130	Agenda for Translating Physical Activity, Nutrition, and Weight Management Interventions for Cancer Survivors into Clinical and Community Practice. <i>Obesity</i> , 2017 , 25 Suppl 2, S9-S22	8	19
129	Quality of life, body mass index, and physical activity among uterine cancer patients. <i>International Journal of Gynecological Cancer</i> , 2014 , 24, 1027-32	3.5	19
128	Protocol and recruitment results from a randomized controlled trial comparing group phone-based versus newsletter interventions for weight loss maintenance among rural breast cancer survivors. <i>Contemporary Clinical Trials</i> , 2014 , 37, 261-71	2.3	19
127	Prospective evaluation of physical rehabilitation needs in breast cancer survivors: a call to action. <i>Cancer</i> , 2012 , 118, 2187-90	6.4	19
126	Physical activities in adolescent girls: variability in energy expenditure. <i>American Journal of Preventive Medicine</i> , 2006 , 31, 328-31	6.1	19

125	The Dose-Response Effects of Aerobic Exercise on Body Composition and Breast Tissue among Women at High Risk for Breast Cancer: A Randomized Trial. <i>Cancer Prevention Research</i> , 2016 , 9, 581-8	3.2	19
124	AACR White Paper: Shaping the Future of Cancer Prevention - A Roadmap for Advancing Science and Public Health. <i>Cancer Prevention Research</i> , 2018 , 11, 735-778	3.2	19
123	Effects of exercise on circulating tumor cells among patients with resected stage I-III colon cancer. <i>PLoS ONE</i> , 2018 , 13, e0204875	3.7	19
122	Physical activity, daily walking, and lower limb lymphedema associate with physical function among uterine cancer survivors. <i>Supportive Care in Cancer</i> , 2014 , 22, 3017-25	3.9	18
121	Exercise for breast cancer survivors: bridging the gap between evidence and practice. <i>Translational Behavioral Medicine</i> , 2011 , 1, 539-44	3.2	18
120	Changes in arm tissue composition with slowly progressive weight-lifting among women with breast cancer-related lymphedema. <i>Breast Cancer Research and Treatment</i> , 2017 , 164, 79-88	4.4	17
119	A randomized phase II dose-response exercise trial among colon cancer survivors: Purpose, study design, methods, and recruitment results. <i>Contemporary Clinical Trials</i> , 2016 , 47, 366-75	2.3	17
118	Women In Steady Exercise Research (WISER) Sister: study design and methods. <i>Contemporary Clinical Trials</i> , 2015 , 41, 17-30	2.3	17
117	Cancer-related impairments influence physical activity in uterine cancer survivors. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2195-201	1.2	17
116	Assessment and outcomes of HealthPartners 10,000 Steps program in an academic work site. <i>Health Promotion Practice</i> , 2010 , 11, 741-50	1.8	17
115	Acute Inflammatory Response to Low-, Moderate-, and High-Load Resistance Exercise in Women With Breast Cancer-Related Lymphedema. <i>Integrative Cancer Therapies</i> , 2016 , 15, 308-17	3	16
114	An Executive Summary of Reports From an International Multidisciplinary Roundtable on Exercise and Cancer: Evidence, Guidelines, and Implementation. <i>Rehabilitation Oncology</i> , 2019 , 37, 144-152	0.8	16
113	A Precision Medicine Approach to Improve Cancer Rehabilitation Impact and Integration with Cancer Care and Optimize Patient Wellness. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2017 , 5, 64-73	0.7	15
112	The prescription or proscription of exercise in endometrial cancer care. <i>Gynecologic Oncology</i> , 2015 , 139, 155-9	4.9	15
111	TREC to WHERE? Transdisciplinary Research on Energetics and Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 1565-71	12.9	15
110	Nocturnal Enuresis as a Risk Factor for Falls in Older Community Dwelling Women with Urinary Incontinence. <i>Journal of Urology</i> , 2016 , 195, 1512-1516	2.5	15
109	Exercise Among Women With Ovarian Cancer: A Feasibility and Pre-/Post-Test Exploratory Pilot Study. <i>Oncology Nursing Forum</i> , 2017 , 44, 366-374	1.7	15
108	Geographic recruitment of breast cancer survivors into community-based exercise interventions. <i>Medicine and Science in Sports and Exercise</i> , 2009 , 41, 1413-20	1.2	15

107	Recruiting Participants for Neighborhood Effects Research: Strategies and Outcomes of the Twin Cities Walking Study. <i>Environment and Behavior</i> , 2009 , 41, 787-805	5.6	15
106	Dual conversations: body talk among young women and their social contacts. <i>Qualitative Health Research</i> , 2011 , 21, 1191-204	3.9	15
105	Cancer- and Chemotherapy-Induced Musculoskeletal Degradation. <i>JBMR Plus</i> , 2019 , 3, e10187	3.9	14
104	Exercise in the Prevention and Treatment of Breast Cancer: What Clinicians Need to Tell Their Patients. <i>Current Sports Medicine Reports</i> , 2017 , 16, 263-267	1.9	14
103	Urinary incontinence and other pelvic floor disorders after radiation therapy in endometrial cancer survivors. <i>Maturitas</i> , 2017 , 105, 83-88	5	13
102	Barriers and motivators for strength training among women of color and Caucasian women. <i>Women and Health</i> , 2008 , 47, 41-62	1.7	13
101	Strength training effects on bone mineral content and density in premenopausal women. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 1282-8	1.2	13
100	Moving through cancer: Setting the agenda to make exercise standard in oncology practice. <i>Cancer</i> , 2021 , 127, 476-484	6.4	13
99	Drivers of cost differences between US breast cancer survivors with or without lymphedema. <i>Journal of Cancer Survivorship</i> , 2019 , 13, 804-814	5.1	12
98	Healthy Living After Cancer Treatment: Considerations for Clinical and Community Practice. <i>American Journal of Lifestyle Medicine</i> , 2018 , 12, 215-219	1.9	12
97	Commercially available lifestyle modification program: randomized controlled trial addressing heart and bone health in BRCA1/2+ breast cancer survivors after risk-reducing salpingo-oophorectomy. <i>Journal of Cancer Survivorship</i> , 2017 , 11, 246-255	5.1	12
96	Association between lymphedema self-care adherence and lymphedema outcomes among women with breast cancer-related lymphedema. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015 , 94, 288-96	2.6	11
95	Perspective of older African-American and Non-Hispanic white breast cancer survivors from diverse socioeconomic backgrounds toward physical activity: A qualitative study. <i>Journal of Geriatric Oncology</i> , 2018 , 9, 235-242	3.6	11
94	Sarcopenia in aging, obesity, and cancer. <i>Translational Cancer Research</i> , 2020 , 9, 5760-5771	0.3	11
93	Bone resorption and bone metastasis risk. <i>Medical Hypotheses</i> , 2018 , 118, 36-41	3.8	11
92	Obesity and Endometrial Cancer: A Lack of Knowledge but Opportunity for Intervention. <i>Nutrition and Cancer</i> , 2017 , 69, 990-995	2.8	10
91	Association Between Maximal Bench Press Strength and Isometric Handgrip Strength Among Breast Cancer Survivors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 264-269	2.8	10
90	Advancing Transdisciplinary Research: The Transdisciplinary Research on Energetics and Cancer Initiative 2014 , 2, 1032		10

89	Exercise Recommendation for People With Bone Metastases: Expert Consensus for Health Care Providers and Exercise Professionals.. <i>JCO Oncology Practice</i> , 2022 , OP2100454	2.3	10
88	Strategic recruitment of an ethnically diverse cohort of overweight survivors of breast cancer with lymphedema. <i>Cancer</i> , 2018 , 124, 95-104	6.4	9
87	Development of a risk-screening tool for cancer survivors to participate in unsupervised moderate-to vigorous-intensity exercise: results from a survey study. <i>PM and R</i> , 2015 , 7, 113-22	2.2	9
86	Consumption of a high glycemic load but not a high glycemic index diet is marginally associated with oxidative stress in young women. <i>Nutrition Research</i> , 2015 , 35, 7-13	4	9
85	Shifting motivations: Young women's reflections on physical activity over time and across contexts. <i>Health Education and Behavior</i> , 2010 , 37, 547-67	4.2	9
84	Purposeful exercise and lifestyle physical activity in the lives of young adult women: findings from a diary study. <i>Women and Health</i> , 2009 , 49, 642-61	1.7	9
83	Safety of strength training in premenopausal women: musculoskeletal injuries from a two-year randomized trial. <i>American Journal of Health Promotion</i> , 2009 , 23, 309-14	2.5	9
82	Adherence to a strength training intervention in adult women. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 111-8	2.5	9
81	Race or Resource? BMI, Race, and Other Social Factors as Risk Factors for Interlimb Differences among Overweight Breast Cancer Survivors with Lymphedema. <i>Journal of Obesity</i> , 2016 , 2016, 8241710	3.7	9
80	Unsupervised exercise in survivors of human papillomavirus related head and neck cancer: how many can go it alone?. <i>Journal of Cancer Survivorship</i> , 2017 , 11, 462-468	5.1	8
79	Dose-dependent effect of aerobic exercise on inflammatory biomarkers in a randomized controlled trial of women at high risk of breast cancer. <i>Cancer</i> , 2020 , 126, 329-336	6.4	8
78	Nonalcoholic steatohepatitis Fitness Intervention in Thrombosis (NASHFit): Study protocol for a randomized controlled trial of a supervised aerobic exercise program to reduce elevated clotting risk in patients with NASH. <i>Contemporary Clinical Trials Communications</i> , 2020 , 18, 100560	1.8	8
77	Medical Rehabilitation: Guidelines to Advance the Field With High-Impact Clinical Trials. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 2637-2648	2.8	8
76	Patient preference and timing for exercise in breast cancer care. <i>Supportive Care in Cancer</i> , 2018 , 26, 507-514	3.9	7
75	Change in Inflammatory Biomarkers and Adipose Tissue in Breast Cancer Survivors Following a Yearlong Lifestyle Modification Program. <i>Cancer Prevention Research</i> , 2018 , 11, 545-550	3.2	7
74	Physical Activity in Older Cancer Survivors: What Role Do Multimorbidity and Perceived Disability Play?. <i>Journal of Aging and Physical Activity</i> , 2020 , 28, 311-319	1.6	7
73	Intra- and Interrater Reliability and Concurrent Validity of a New Tool for Assessment of Breast Cancer-Related Lymphedema of the Upper Extremity. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019 , 100, 315-326	2.8	7
72	The Spectrum of Bladder Health: The Relationship Between Lower Urinary Tract Symptoms and Interference with Activities. <i>Journal of Womens Health</i> , 2019 , 28, 827-841	3	6

71	Physical activity barriers and resources among black women with a history of breast and endometrial cancer: a systematic review. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 556-577	5.1	6
70	Stakeholder perspectives on dissemination and implementation of a prospective surveillance model of rehabilitation for breast cancer treatment. <i>Cancer</i> , 2012 , 118, 2331-4	6.4	6
69	Association between Body Mass Index and Physical Function among Endometrial Cancer Survivors. <i>PLoS ONE</i> , 2016 , 11, e0160954	3.7	6
68	Muscle hypertrophy in cancer patients and survivors via strength training. A meta-analysis and meta-regression. <i>Critical Reviews in Oncology/Hematology</i> , 2021 , 163, 103371	7	6
67	Rural-urban differences in meeting physical activity recommendations and health status in cancer survivors in central Pennsylvania. <i>Supportive Care in Cancer</i> , 2020 , 28, 5013-5022	3.9	5
66	Applying pre-participation exercise screening to breast cancer survivors: a cross-sectional study. <i>Supportive Care in Cancer</i> , 2018 , 26, 1825-1831	3.9	5
65	NASHFit: A randomized controlled trial of an exercise training program to reduce clotting risk in patients with NASH. <i>Hepatology</i> , 2021 ,	11.2	5
64	Development of Conceptual Models to Guide Public Health Research, Practice, and Policy: Synthesizing Traditional and Contemporary Paradigms. <i>Health Promotion Practice</i> , 2020 , 21, 510-524	1.8	5
63	Recruitment strategies and design considerations in a trial of resistance training to prevent dose-limiting toxicities in colon cancer patients undergoing chemotherapy. <i>Contemporary Clinical Trials</i> , 2021 , 101, 106242	2.3	5
62	IMPROVE, a community-based exercise intervention versus support group to improve functional and health outcomes among older African American and non-Hispanic White breast cancer survivors from diverse socioeconomic backgrounds: Rationale, design and methods. <i>Contemporary Clinical Trials</i> , 2020 , 92, 106001	2.3	4
61	The impact of arm lymphedema on healthcare utilization during long-term breast cancer survivorship: a population-based cohort study. <i>Journal of Cancer Survivorship</i> , 2020 , 14, 347-355	5.1	4
60	Post-treatment weight change in oral cavity and oropharyngeal squamous cell carcinoma. <i>Supportive Care in Cancer</i> , 2016 , 24, 2333-2340	3.9	4
59	Young women's physical activity from one year to the next: What changes? What stays the same?. <i>Translational Behavioral Medicine</i> , 2012 , 2, 129-136	3.2	4
58	Synergy Between Licensed Rehabilitation Professionals and Clinical Exercise Physiologists: Optimizing Patient Care for Cancer Rehabilitation. <i>Seminars in Oncology Nursing</i> , 2020 , 36, 150975	3.7	4
57	The dose-response effects of aerobic exercise on musculoskeletal injury: a post hoc analysis of a randomized trial. <i>Research in Sports Medicine</i> , 2017 , 25, 277-289	3.8	3
56	Cross-sectional study of factors influencing sex hormone-binding globulin concentrations in normally cycling premenopausal women. <i>Fertility and Sterility</i> , 2015 , 104, 1544-51	4.8	3
55	Incorporating Strength Training into Cancer Care: Translating PAL into the Strength After Breast Cancer Program. <i>Obesity</i> , 2017 , 25 Suppl 2, S32-S33	8	3
54	A joint latent variable model approach to item reduction and validation. <i>Biostatistics</i> , 2012 , 13, 48-60	3.7	3

53	Exercise Therapy and Radiation Therapy for Cancer: A Systematic Review. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 973-983	4	3
52	Exercise Training Reverses Gut Dysbiosis in Patients With Biopsy-Proven Nonalcoholic Steatohepatitis: A Proof of Concept Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1723-1725 ^{6.9}	6.9	3
51	Effects of Diet and Exercise-Induced Weight Loss on Biomarkers of Inflammation in Breast Cancer Survivors: A Systematic Review and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1048-1062	4	3
50	Measuring the Feasibility and Effectiveness of an Individualized Exercise Program Delivered Virtually to Cancer Survivors. <i>Current Sports Medicine Reports</i> , 2021 , 20, 271-276	1.9	3
49	A randomized trial of exercise and diet on health-related quality of life in survivors of breast cancer with overweight or obesity. <i>Cancer</i> , 2021 , 127, 3856-3864	6.4	3
48	Great expectations: racial differences in outcome expectations for a weight lifting intervention among black and white breast cancer survivors with or without lymphedema. <i>Psycho-Oncology</i> , 2016 , 25, 1064-70	3.9	3
47	Standardization of lower extremity quantitative lymphedema measurements and associated patient-reported outcomes in gynecologic cancers. <i>Gynecologic Oncology</i> , 2021 , 160, 625-632	4.9	3
46	The exercise in all chemotherapy trial. <i>Cancer</i> , 2021 , 127, 1507-1516	6.4	3
45	Tai Chi for cancer survivors: A systematic review toward consensus-based guidelines. <i>Cancer Medicine</i> , 2021 , 10, 7447-7456	4.8	3
44	Feasibility and outcomes: Pilot Randomized Controlled Trial of a home-based integrated physical exercise and bladder-training program vs usual care for community-dwelling older women with urinary incontinence. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1399-1408	2.3	2
43	The influence of mastectomy and reconstruction on residual upper limb function in breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2020 , 182, 531-541	4.4	2
42	The Body Image and Relationship Scale: A Swedish translation, cultural adaptation, and reliability and validity testing. <i>European Journal of Physiotherapy</i> , 2014 , 16, 67-75	0.5	2
41	Relationship between insulin sensitivity and long-term weight change in adults. <i>Endocrine Practice</i> , 2011 , 17, 58-64	3.2	2
40	Increased Duration of Exercise Decreases Rate of Nonresponse to Exercise but May Not Decrease Risk for Cancer Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 928-935	1.2	2
39	Impact of Obesity, Race, and Ethnicity on Cancer Survivorship 2014 , 63-90		2
38	The role of nutrition and physical activity in the obesity epidemic 2010 , 91-104		2
37	Developing "Nurse AMIE": A tablet-based supportive care intervention for women with metastatic breast cancer. <i>Psycho-Oncology</i> , 2020 , 29, 232-236	3.9	2
36	The Exercise Oncology Knowledge Mobilization Initiative: An International Modified Delphi Study. <i>Frontiers in Oncology</i> , 2021 , 11, 713199	5.3	2

35	Relationship Between Cancer Related Fatigue, Physical Activity Related Health Competence, and Leisure Time Physical Activity in Cancer Patients and Survivors. <i>Frontiers in Sports and Active Living</i> , 2021 , 3, 687365	2.3	2
34	Age-varying associations between physical activity and psychological outcomes among rural cancer survivors. <i>Journal of Behavioral Medicine</i> , 2021 , 44, 484-491	3.6	1
33	Stress and Physical Activity in Rural Cancer Survivors: The Moderating Role of Social Support. <i>Journal of Rural Health</i> , 2020 , 36, 543-548	4.6	1
32	Is the juice worth the squeeze? Transdisciplinary team science in bladder health. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1601-1611	2.3	1
31	Black-white disparity in physical performance among older women with newly diagnosed non-metastatic breast cancer: Exploring the role of inflammation and physical activity. <i>Journal of Geriatric Oncology</i> , 2018 , 9, 613-619	3.6	1
30	Exercise and chemotherapy-induced amenorrhea. <i>Medical Hypotheses</i> , 2018 , 116, 49-53	3.8	1
29	Physical Activity and Sedentary Behavior in Older Gastrointestinal Cancer Survivors: Need and Acceptability of Digital Health Interventions. <i>Journal of Gastrointestinal Cancer</i> , 2018 , 50, 703	1.6	1
28	A scoping review to map the evidence of physical activity interventions in post-treatment adolescent and young adult cancer survivors.. <i>Critical Reviews in Oncology/Hematology</i> , 2022 , 171, 103620	7	1
27	Sexual Violence in Sport: Expanding Awareness and Knowledge for Sports Medicine Providers. <i>Current Sports Medicine Reports</i> , 2021 , 20, 531-539	1.9	1
26	Understanding Nutritional Problems of Metastatic Breast Cancer Patients: Opportunities for Supportive Care Through eHealth. <i>Cancer Nursing</i> , 2021 , 44, 154-162	2.6	1
25	Implementing Strength after Breast Cancer (SABC) in outpatient rehabilitation clinics: mapping clinician survey data onto key implementation outcomes. <i>Implementation Science Communications</i> , 2020 , 1, 69	2.2	1
24	Feasibility and impact of a 1-minute daily functional exercise regimen prescribed to older adults by their primary care physician. <i>Preventive Medicine Reports</i> , 2021 , 21, 101307	2.6	1
23	Cost evaluation of an exercise oncology intervention: The exercise in all chemotherapy trial. <i>Cancer Reports</i> , 2021 , e1490	1.5	1
22	Race-based disparities in loss of functional independence after hysterectomy for uterine cancer. <i>Supportive Care in Cancer</i> , 2016 , 24, 3573-80	3.9	1
21	Transdisciplinary Research in Energetics and Cancer early career investigator training program: first year results. <i>Translational Behavioral Medicine</i> , 2021 , 11, 549-562	3.2	1
20	IMPROVE, a community-based exercise intervention versus support group to improve functional and health outcomes among older African American and Non-Hispanic White breast cancer survivors from diverse socioeconomic backgrounds: Recruitment strategies and baseline characteristics. <i>Cancer</i> , 2021 , 127, 1836-1846	6.4	1
19	Testing the acceptability and feasibility of a tablet-based supportive cancer platform for patients with metastatic breast cancer. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 410-413	5.1	1
18	Physical Activity, Weight Control, and Cancer Prognosis 2011 , 165-182		1

17	Association of IGF axis hormones with waist-to-hip ratio varies by physical activity. <i>In Vivo</i> , 2011 , 25, 245-50		1
16	Implementation of Physical Activity Programs for Rural Cancer Survivors: Challenges and Opportunities.. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
15	Association of Inflammatory Diets with Inflammatory Biomarkers in Women at High Genetic Risk for Breast Cancer. <i>Nutrition and Cancer</i> , 2021 , 1-4	2.8	0
14	A systematic review of home-based dietary interventions during radiation therapy for cancer. <i>Technical Innovations and Patient Support in Radiation Oncology</i> , 2020 , 16, 10-16	1.9	0
13	A randomized trial of exercise and diet on body composition in survivors of breast cancer with overweight or obesity. <i>Breast Cancer Research and Treatment</i> , 2021 , 189, 145-154	4.4	0
12	Dose-dependent effects of aerobic exercise on clinically relevant biomarkers among healthy women at high genetic risk for breast cancer: A secondary analysis of a randomized controlled study. <i>Cancer Reports</i> , 2021 , e1497	1.5	0
11	Study design and methods for the using exercise to relieve joint pain and improve AI adherence in older breast cancer survivors (REJOIN) trial. <i>Journal of Geriatric Oncology</i> , 2021 , 12, 1146-1153	3.6	0
10	Feasibility of a tailored home-based exercise intervention during neoadjuvant chemotherapy in breast cancer patients.. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022 , 14, 31	2.4	0
9	Exercise Across the Cancer Care Continuum: Why It Matters, How to Implement It, and Motivating Patients to Move.. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2022 , 42, 1-7	7.1	0
8	Cost-Savings Analysis of an Individualized Exercise Oncology Program in Early-Stage Breast Cancer Survivors: A Randomized Clinical Control Trial.. <i>JCO Oncology Practice</i> , 2022 , OP2100690	2.3	0
7	Light-intensity and moderate-to-vigorous intensity physical activity among older adult breast cancer survivors with obesity: A narrative review. <i>Cancer Medicine</i> ,	4.8	0
6	Transdisciplinary Research on Energetics and Cancer: From Adipose Tissue to the American Society of Clinical Oncology (ASCO) Summit Recommendations. <i>Obesity</i> , 2017 , 25 Suppl 2, S7-S8	8	
5	Effect of physical activity on nonmelanoma skin cancer risk in kidney, liver, and pancreatic transplant patients. <i>Dermatologic Surgery</i> , 2010 , 36, 1510-3	1.7	
4	Monitoring and caring for breast cancer patients with post-treatment problems: what can we do?. <i>Breast Cancer Management</i> , 2012 , 1, 253-256	0.7	
3	Exercise Oncology: The Past and Present 2020 , 1-10		
2	Changes in arm tissue composition with slowly-progressive weight-lifting among women with breast cancer-related lymphedema.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 114-114	2.2	
1	Adapting an Evidence-based Physical Activity Program for The REJOIN Trial for Older Breast Cancer Survivors. <i>Innovation in Aging</i> , 2021 , 5, 779-779	0.1	