

Mahmut Miski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8451172/publications.pdf>

Version: 2024-02-01

53
papers

1,158
citations

331538

21
h-index

395590

33
g-index

55
all docs

55
docs citations

55
times ranked

1073
citing authors

#	ARTICLE	IF	CITATIONS
1	Next Chapter in the Legend of Silphion: Preliminary Morphological, Chemical, Biological and Pharmacological Evaluations, Initial Conservation Studies, and Reassessment of the Regional Extinction Event. <i>Plants</i> , 2021, 10, 102.	1.6	5
2	Cytotoxic Sesquiterpene Coumarins from the Roots of <i>Heptaptera cilicica</i> . <i>Records of Natural Products</i> , 2021, 15, 529-536.	1.3	3
3	Chemical Composition and Cytotoxic Effect of <i>Prangos turcica</i> A. Duran, M. Sagioglu & H. Duman. <i>Records of Natural Products</i> , 2021, 15, 503-512.	1.3	4
4	Butyrylcholinesterase-inhibiting natural coumarin molecules as potential leads. <i>Phytochemistry Letters</i> , 2021, 44, 48-54.	0.6	7
5	A New <i>Ferula</i> (Apiaceae) Species from Southwest Anatolia: <i>Ferula pisidica</i> Akalın & Miski. <i>Plants</i> , 2020, 9, 740.	1.6	11
6	Neopapillarine, an Unusual Coumarino-Alkaloid from the Root Extract of <i>Neocryptodiscus papillaris</i> with Cytotoxic Activity on Renal Cancer Cells. <i>Molecules</i> , 2020, 25, 3040.	1.7	6
7	Anatolicin, a Highly Potent and Selective Cytotoxic Sesquiterpene Coumarin from the Root Extract of <i>Heptaptera anatolica</i> . <i>Molecules</i> , 2019, 24, 1153.	1.7	17
8	Antibacterial Activities of Pyrenylated Coumarins from the Roots of <i>Prangos hulussii</i> . <i>Molecules</i> , 2017, 22, 1098.	1.7	60
9	Ethnobotany of medicinal plants used in Antakya: A multicultural district in Hatay Province of Turkey. <i>Journal of Ethnopharmacology</i> , 2015, 174, 118-152.	2.0	104
10	Biologically Active Sesquiterpenes from the Indigenous <i>Ferula</i> species (Apiaceae) of Turkey. <i>Planta Medica</i> , 2013, 79, .	0.7	2
11	Biological Activities of the Essential Oil, Fruit and Root Extracts of <i>Ferula Drudeana</i> Korovin. <i>Planta Medica</i> , 2013, 79, .	0.7	0
12	Unusual chemical transformations of a germacrane ester from <i>Ferulago antiochia</i> Saya & Miski; A natural pro-drug in disguise?. <i>Planta Medica</i> , 2012, 78, .	0.7	0
13	Approach to the discovery of novel, selective inhibitors of p56lck tyrosine kinase: Identification of non-hydroxylated chromones as p56lck inhibitors. <i>Drug Development Research</i> , 1995, 34, 344-352.	1.4	17
14	Aporphine alkaloids, CD45 protein tyrosine phosphatase inhibitors, from <i>Rollinia ulei</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 1519-1522.	1.0	36
15	Damnacanthol is a Highly Potent, Selective Inhibitor of p56lck Tyrosine Kinase Activity. <i>Biochemistry</i> , 1995, 34, 12404-12410.	1.2	78
16	Structure of sesamin. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1992, 48, 574-576.	0.4	4
17	Structure of 3,6-diacetyl-8-benzoylantakyaatriol. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1992, 48, 1857-1859.	0.4	1
18	Sesquiterpene aryl esters from <i>Ferulago antiochia</i> . <i>Phytochemistry</i> , 1990, 29, 881-886.	1.4	28

#	ARTICLE	IF	CITATIONS
19	Cyclic farnesyl-coumarin and farnesyl-chromone derivatives from <i>Ferula communis</i> subsp. <i>communis</i> . <i>Phytochemistry</i> , 1990, 29, 1995-1998.	1.4	56
20	Geranyl derivatives of p-coumaric acid from <i>Chrysothamnus pulchellus</i> . <i>Phytochemistry</i> , 1990, 29, 617-620.	1.4	6
21	Daucane esters from <i>Ferula rigidula</i> . <i>Phytochemistry</i> , 1990, 29, 173-178.	1.4	38
22	Sesquiterpene lactones of <i>Onopordon tauricum</i> . <i>Phytochemistry</i> , 1988, 27, 1417-1420.	1.4	16
23	Gas chromatographic determination of racemic cis- and trans-chrysanthemols and their potential aldehyde and carboxylic acid microbial metabolites. <i>Journal of Chromatography A</i> , 1988, 437, 436-441.	1.8	2
24	Sesquiterpene lactones from <i>Chromolaena opadoclinia</i> . <i>Phytochemistry</i> , 1988, 27, 3312-3314.	1.4	6
25	Microbiologically Catalyzed Enantio- and Diastereoselective Oxidation of Chrysanthemol Stereoisomers to Chrysanthemic Acids. <i>Applied and Environmental Microbiology</i> , 1988, 54, 2268-2272.	1.4	3
26	The structure and absolute configuration of tauremisin. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1987, 43, 1354-1356.	0.4	2
27	Terpenoids of <i>Piptothrix sinaloae</i> . <i>Phytochemistry</i> , 1987, 26, 2753-2757.	1.4	6
28	Apiene esters from <i>Ferula haussknechtii</i> . <i>Phytochemistry</i> , 1987, 26, 1733-1737.	1.4	17
29	Sesquiterpene lactones of <i>Piptothrix pubens</i> . <i>Phytochemistry</i> , 1987, 26, 3277-3280.	1.4	7
30	New Daucane and Germacrane Esters from <i>Ferula orientalis</i> var. <i>orientalis</i> . <i>Journal of Natural Products</i> , 1987, 50, 829-834.	1.5	30
31	The absolute configuration of an iodo derivative of xerantholide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1987, 43, 2180-2182.	0.4	1
32	Fercoperol, an Unusual Cyclic-Endoperoxynerylidol Derivative from <i>Ferula communis</i> subsp. <i>communis</i> . <i>Journal of Natural Products</i> , 1986, 49, 916-918.	1.5	15
33	7Î±-Hydroxy-sesquiterpene lactones from <i>Decachaeta ovatifolia</i> . <i>Phytochemistry</i> , 1986, 25, 1917-1922.	1.4	16
34	Fercolide, a type of sesquiterpene lactone from <i>Ferula communis</i> subsp. <i>communis</i> and the correct structure of vaginatin. <i>Phytochemistry</i> , 1986, 25, 1673-1675.	1.4	32
35	Sesquiterpene lactones from <i>Perityle vaseyi</i> . <i>Phytochemistry</i> , 1986, 26, 195-198.	1.4	10
36	Guaiane sesquiterpenes from <i>Decachaeta scabrella</i> . <i>Phytochemistry</i> , 1986, 26, 199-200.	1.4	24

#	ARTICLE	IF	CITATIONS
37	11,13-oxygenated-sesquiterpene lactones from <i>bartlettina karwinskiana</i> . <i>Phytochemistry</i> , 1986, 25, 1231-1233.	1.4	7
38	New Daucane Esters from <i>Ferula tingitana</i> . <i>Journal of Natural Products</i> , 1986, 49, 657-660.	1.5	24
39	Terpenoids from <i>Salvia palaestina</i> . <i>Phytochemistry</i> , 1985, 24, 1386-1387.	1.4	37
40	Daucane esters from <i>Ferula communis</i> subsp. <i>communis</i> . <i>Phytochemistry</i> , 1985, 24, 1735-1741.	1.4	56
41	Sesquiterpene-Coumarin Ethers of <i>Ferula tingitana</i> . <i>Journal of Natural Products</i> , 1985, 48, 326-327.	1.5	22
42	A new <i>Ferulago</i> (Apiaceae) species from Turkey. <i>Plant Systematics and Evolution</i> , 1985, 151, 141-143.	0.3	5
43	Quercetagenin 6,7,4-trimethyl ether and 3-sulphate from <i>Decachaeta haenkeana</i> . <i>Phytochemistry</i> , 1985, 24, 3078-3080.	1.4	11
44	(1S,7S,8R,10S)-3-Oxoguaia-4,11(13)-dien-8,12-olide, C ₁₅ H ₁₈ O ₃ . <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1985, 41, 1126-1128.	0.4	2
45	Terpenoids from <i>Viguiera potosina</i> . <i>Journal of Natural Products</i> , 1985, 48, 489-490.	1.5	16
46	Terpenoid Constituents of <i>Viguiera dentata</i> . <i>Journal of Natural Products</i> , 1985, 48, 316-318.	1.5	17
47	A New sesquiterpene ester from <i>ferula tingitana</i> . <i>Tetrahedron</i> , 1984, 40, 5197-5201.	1.0	21
48	Six sesquiterpene alcohol esters from <i>ferula elaeochytris</i> . <i>Phytochemistry</i> , 1983, 22, 2231-2233.	1.4	46
49	6-Hydroxyflavones from <i>Thymbra spicata</i> . <i>Phytochemistry</i> , 1983, 22, 2093-2094.	1.4	21
50	Antibacterial Activity Studies of Flavonoids From <i>Salvia palaestina</i> . <i>Journal of Natural Products</i> , 1983, 46, 874-875.	1.5	99
51	Further Flavones and Triterpenes and the New 6-Hydroxyluteolin 5- β -D-Glucoside From <i>Salvia tomentosa</i> . <i>Journal of Natural Products</i> , 1981, 44, 586-587.	1.5	21
52	A New Diterpene Acid From <i>Salvia tomentosa</i> . <i>Journal of Natural Products</i> , 1981, 44, 119-124.	1.5	36
53	Flavonoids of <i>Salvia tomentosa</i> (Labiatae). <i>Journal of Natural Products</i> , 1979, 42, 261-263.	1.5	47