

# Guillem Pera

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8707434/publications.pdf>

Version: 2024-02-01

83  
papers

5,133  
citations

94269

37  
h-index

88477

70  
g-index

97  
all docs

97  
docs citations

97  
times ranked

7265  
citing authors

#	ARTICLE	IF	CITATIONS
1	Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2004, 111, 762-771.	2.3	484
2	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 345-354.	3.0	301
3	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006, 118, 2559-2566.	2.3	292
4	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008, 15, 485-497.	1.6	228
5	Contribution of C-Reactive Protein to the Diagnosis and Assessment of Severity of Community-Acquired Pneumonia. <i>Chest</i> , 2004, 125, 1335-1342.	0.4	220
6	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003, 107, 629-634.	2.3	209
7	Prevalence and factors associated with the presence of nonalcoholic fatty liver disease in an adult population in Spain. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 24-32.	0.8	196
8	High Prevalence of Liver Fibrosis Among European Adults With Unknown Liver Disease: A Population-Based Study. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1138-1145.e5.	2.4	180
9	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	1.3	162
10	The Peripheral Arterial disease study (PERART/ARTPER): prevalence and risk factors in the general population. <i>BMC Public Health</i> , 2010, 10, 38.	1.2	161
11	TP53 and KRAS2 Mutations in Plasma DNA of Healthy Subjects and Subsequent Cancer Occurrence: A Prospective Study. <i>Cancer Research</i> , 2006, 66, 6871-6876.	0.4	158
12	Development of a Food Database of Nitrosamines, Heterocyclic Amines, and Polycyclic Aromatic Hydrocarbons. <i>Journal of Nutrition</i> , 2004, 134, 2011-2014.	1.3	133
13	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006, 27, 2250-2257.	1.3	123
14	CagA+ <i>Helicobacter pylori</i> infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 120, 859-867.	2.3	114
15	The evaluation of the diet/disease relation in the EPIC study: considerations for the calibration and the disease models. <i>International Journal of Epidemiology</i> , 2008, 37, 368-378.	0.9	109
16	Transient elastography for screening of liver fibrosis: Cost-effectiveness analysis from six prospective cohorts in Europe and Asia. <i>Journal of Hepatology</i> , 2019, 71, 1141-1151.	1.8	104
17	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76.	0.9	81
18	Low Accuracy of FIB-4 and NAFLD Fibrosis Scores for Screening for Liver Fibrosis in the Population. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 2567-2576.e6.	2.4	80

#	ARTICLE	IF	CITATIONS
19	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 3133-3139.	2.3	73
20	Within- and Between-Cohort Variation in Measured Macronutrient Intakes, Taking Account of Measurement Errors, in the European Prospective Investigation into Cancer and Nutrition Study. <i>American Journal of Epidemiology</i> , 2004, 160, 814-822.	1.6	71
21	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008, 37, 1316-1325.	0.9	68
22	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2416-2424.	1.1	60
23	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2427-2434.	1.1	57
24	Incidencia y consecuencias de las caídas en las personas mayores que viven en la comunidad. <i>Medicina Clínica</i> , 2004, 122, 172-176.	0.3	57
25	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 81-90.	1.6	56
26	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 23-29.	1.1	54
27	Asymptomatic Peripheral Arterial Disease in Type 2 Diabetes Patients: A 10-Year Follow-Up Study of the Utility of the Ankle Brachial Index as a Prognostic Marker of Cardiovascular Disease. <i>Annals of Vascular Surgery</i> , 2010, 24, 985-993.	0.4	53
28	Vegetable and fruit consumption associated with anthropometric, dietary and lifestyle factors in Spain. <i>Public Health Nutrition</i> , 1999, 2, 263-271.	1.1	49
29	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 121, 1618-1623.	2.3	49
30	Structural brain changes and cognition in relation to markers of vascular dysfunction. <i>Neurobiology of Aging</i> , 2012, 33, 1003.e9-1003.e17.	1.5	47
31	Pathology findings and validation of gastric and esophageal cancer cases in a European cohort (EPIC/EUR-GAST). <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 618-627.	0.6	45
32	Ischemic stroke incidence in Santa Coloma de Gramenet (ISISCOG), Spain. A community-based study. <i>BMC Neurology</i> , 2008, 8, 5.	0.8	42
33	Peripheral Arterial Disease Study (PERART): Prevalence and predictive values of asymptomatic peripheral arterial occlusive disease related to cardiovascular morbidity and mortality. <i>BMC Public Health</i> , 2007, 7, 348.	1.2	41
34	Ankle-brachial index and the incidence of cardiovascular events in the Mediterranean low cardiovascular risk population ARTPER cohort. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 119.	0.7	40
35	Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. <i>Public Health Nutrition</i> , 2006, 9, 785-791.	1.1	38
36	Cognitive Patterns in Relation to Biomarkers of Cerebrovascular Disease and Vascular Risk Factors. <i>Cerebrovascular Diseases</i> , 2013, 36, 98-105.	0.8	38

#	ARTICLE	IF	CITATIONS
37	Prevalence and factors associated with the presence of non alcoholic fatty liver disease in an apparently healthy adult population in primary care units. <i>BMC Gastroenterology</i> , 2007, 7, 41.	0.8	35
38	Genetic Variation in the Growth Hormone Synthesis Pathway in Relation to Circulating Insulin-Like Growth Factor-I, Insulin-Like Growth Factor Binding Protein-3, and Breast Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2316-2325.	1.1	33
39	Derivation and validation of REASON: A risk score identifying candidates to screen for peripheral arterial disease using ankle brachial index. <i>Atherosclerosis</i> , 2011, 214, 474-479.	0.4	32
40	The Barcelona-Asymptomatic Intracranial Atherosclerosis study: Subclinical intracranial atherosclerosis as predictor of long-term vascular events. <i>Atherosclerosis</i> , 2019, 282, 132-136.	0.4	29
41	The population-based Barcelona-Asymptomatic Intracranial Atherosclerosis Study (ASIA): rationale and design. <i>BMC Neurology</i> , 2011, 11, 22.	0.8	28
42	Evaluation of a telemedicine system for heart failure patients: feasibility, acceptance rate, satisfaction and changes in patient behavior: results from the CARME (Catalan Remote Management Evaluation) study. <i>European Journal of Cardiovascular Nursing</i> , 2012, 11, 410-418.	0.4	28
43	Impact of comorbid conditions on participation in an organised colorectal cancer screening programme: a cross-sectional study. <i>BMC Cancer</i> , 2017, 17, 524.	1.1	28
44	Asymptomatic cervicocerebral atherosclerosis, intracranial vascular resistance and cognition: The AsIA-Neuropsychology Study. <i>Atherosclerosis</i> , 2013, 230, 330-335.	0.4	27
45	El Índice tobillo-brazo mejora la clasificación del riesgo cardiovascular: estudio ARTPER/PERART. <i>Revista Espanola De Cardiologia</i> , 2011, 64, 186-192.	0.6	26
46	Remote thalamic microstructural abnormalities related to cognitive function in ischemic stroke patients.. <i>Neuropsychology</i> , 2014, 28, 984-996.	1.0	26
47	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1043-1045.	1.1	25
48	Ankle-brachial index in screening for asymptomatic carotid and intracranial atherosclerosis. <i>Atherosclerosis</i> , 2014, 233, 72-75.	0.4	25
49	Metabolic syndrome and nonalcoholic fatty liver disease in a Spanish population. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 1007-1011.	0.8	24
50	Using Transient Elastography to Detect Chronic Liver Diseases in a Primary Care Nurse Consultancy. <i>Nursing Research</i> , 2013, 62, 450-454.	0.8	21
51	Incidence of peripheral arterial disease in the ARTPER population cohort after 5 years of follow-up. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 8.	0.7	18
52	Changes in smoking habits in adults: results from a prospective study in Spain. <i>Annals of Epidemiology</i> , 2004, 14, 235-243.	0.9	17
53	Risk factors associated with non-alcoholic fatty liver disease in subjects from primary care units. A case-control study. <i>BMC Gastroenterology</i> , 2008, 8, 44.	0.8	17
54	Safety of cilostazol in peripheral artery disease: a cohort from a primary healthcare electronic database. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 85.	0.7	17

#	ARTICLE	IF	CITATIONS
55	Interaction between metabolic syndrome and alcohol consumption, risk factors of liver fibrosis: A population-based study. <i>Liver International</i> , 2021, 41, 1556-1564.	1.9	16
56	Contribution of the ankle-brachial index to improve the prediction of coronary risk: The ARTPER cohort. <i>PLoS ONE</i> , 2018, 13, e0191283.	1.1	16
57	Aneuploidy of chromosome Y in prostate tumors and seminal vesicles: A possible sign of aging rather than an indicator of carcinogenesis?. <i>Molecular Carcinogenesis</i> , 2007, 46, 543-552.	1.3	14
58	Incidence and risk factors of exacerbations among COPD patients in primary health care: APMPOC study. <i>BMC Public Health</i> , 2009, 9, 8.	1.2	14
59	Ankle-Brachial Index Improves the Classification of Cardiovascular Risk: PERART/ARTPER Study. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2011, 64, 186-192.	0.4	14
60	Increase of Dioxin Blood Levels over the Last 4 Years in the General Population in Spain. <i>Epidemiology</i> , 2001, 12, 365.	1.2	14
61	Educational intervention to improve adherence to the Mediterranean diet among parents and their children aged 1-2 years. EniM clinical trial. <i>Public Health Nutrition</i> , 2016, 19, 1131-1144.	1.1	13
62	Relaci3n entre el hipotiroidismo y el h3gado graso no alcohol3lico en una poblaci3n espa±ola. <i>Medicina Cl3nica</i> , 2020, 154, 1-6.	0.3	13
63	Haplotype-Based Analysis of Common Variation in the Acetyl-CoA Carboxylase 1 Gene and Breast Cancer Risk: A Case-Control Study Nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 409-415.	1.1	12
64	Prevalence of lower extremity peripheral arterial disease in individuals with chronic immune mediated inflammatory disorders. <i>Atherosclerosis</i> , 2015, 242, 1-7.	0.4	12
65	Atherogenic dyslipidemia, but not hyperglycemia, is an independent factor associated with liver fibrosis in subjects with type 2 diabetes and NAFLD: a population-based study. <i>European Journal of Endocrinology</i> , 2021, 184, 587-596.	1.9	12
66	TSH Levels as an Independent Risk Factor for NAFLD and Liver Fibrosis in the General Population. <i>Journal of Clinical Medicine</i> , 2021, 10, 2907.	1.0	12
67	Rationale, design and organization of the delayed antibiotic prescription (DAP) trial: a randomized controlled trial of the efficacy and safety of delayed antibiotic prescribing strategies in the non-complicated acute respiratory tract infections in general practice. <i>BMC Family Practice</i> , 2013, 14, 63.	2.9	11
68	Relationship between hypothyroidism and non-alcoholic fatty liver disease in the Spanish population. <i>Medicina Cl3nica (English Edition)</i> , 2020, 154, 1-6.	0.1	9
69	Sex-Specific Protective Effects of APOE 12 on Cognitive Performance. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 41-49.	1.7	9
70	Consumo de suplementos vitam3nicos y minerales en poblaci3n adulta sana de cinco provincias de Espa±a. <i>Gaceta Sanitaria</i> , 1999, 13, 326-327.	0.6	6
71	Low, borderline and normal ankle-brachial index as a predictor of incidents outcomes in the Mediterranean based-population ARTPER cohort after 9 years follow-up. <i>PLoS ONE</i> , 2019, 14, e0209163.	1.1	6
72	Adequacy and quality of abdominal echographies requested by primary care professionals. <i>BMC Gastroenterology</i> , 2010, 10, 101.	0.8	5

#	ARTICLE	IF	CITATIONS
73	Evoluci3n y grado de control de los factores de riesgo cardiovascular tras 5 a±os de seguimiento y su relaci3n con la incidencia de arteriopatAa perifA©rica: cohorte poblacional ARTPER. Medicina ClA©nica, 2017, 148, 107-113.	0.3	4
74	Long-Term Morbidity and Mortality after First and Recurrent Cardiovascular Events in the ARTPER Cohort. Journal of Clinical Medicine, 2020, 9, 4064.	1.0	4
75	Risk of Liver Fibrosis According to TSH Levels in Euthyroid Subjects. Journal of Clinical Medicine, 2021, 10, 1350.	1.0	4
76	Prevalence of Early Chronic Kidney Disease and Main Associated Factors in Spanish Population: Populational Study. Journal of Clinical Medicine, 2019, 8, 1384.	1.0	3
77	Tissue Imprints or Primary Cultures. Diagnostic Molecular Pathology, 2005, 14, 243-246.	2.1	2
78	Evolution and degree of control of cardiovascular risk factors after 5 years of follow-up and their relationship with the incidence of peripheral arterial disease: ARTPER cohort. Medicina ClA©nica (English Edition), 2017, 148, 107-113.	0.1	2
79	Acceptability and quality of abdominal ultrasound studies requested by medical professionals. GastroenterologAa Y HepatologAa (English Edition), 2016, 39, 516-525.	0.0	1
80	Riesgo vascular, diabetes e A©ndice tobillo-brazo. Respuesta. Revista Espanola De Cardiologia, 2011, 64, 729-730.	0.6	0
81	Vascular Risk, Diabetes, and the Ankle-Brachial Index. Response. Revista Espanola De Cardiologia (English Ed ), 2011, 64, 729-730.	0.4	0
82	The relationship between physical activity in leisure time and the ankle-brachial index in a general Spanish population: The ARTPER study. Medicina ClA©nica (English Edition), 2015, 145, 419-426.	0.1	0
83	Supervised physical activity in patients with symptomatic peripheral arterial disease: protocol for a randomized clinical trial (ARTPERfit Study). BMJ Open, 2022, 12, e054352.	0.8	0