Kathleen M Carroll

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8742882/kathleen-m-carroll-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

319	19,913	78	128
papers	citations	h-index	g-index
330	21,985	4.5 avg, IF	6.84
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
319	A pilot randomized trial of CBT4CBT for women in residential treatment for substance use disorders. <i>Journal of Substance Abuse Treatment</i> , 2022 , 132, 108622	4.2	O
318	Modafinil does not reduce cocaine use in methadone-maintained individuals 2022 , 2, 100032		
317	Religiosity and Spirituality in Latinx Individuals with Substance Use Disorders: Association with Treatment Outcomes in a Randomized Clinical Trial <i>Journal of Religion and Health</i> , 2022 , 1	2.6	
316	Dissociable neural substrates of opioid and cocaine use identified via connectome-based modelling. <i>Molecular Psychiatry</i> , 2021 , 26, 4383-4393	15.1	12
315	Identification and Validation of Distinct Latent Neurodevelopmental Profiles in the Adolescent Brain and Cognitive Development Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 ,	3.4	2
314	Cognitive-Behavioral Interventions Targeting Alcohol or Other Drug Use and Co-Occurring Mental Health Disorders: A Meta-Analysis. <i>Alcohol and Alcoholism</i> , 2021 , 56, 535-544	3.5	2
313	A feasibility study providing substance use treatment in the Black church. <i>Journal of Substance Abuse Treatment</i> , 2021 , 124, 108218	4.2	6
312	Measurement invariance of the Barratt Impulsiveness Scale across black and white adults with cocaine use disorder. <i>Addictive Behaviors</i> , 2021 , 114, 106721	4.2	
311	The profound heterogeneity of substance use disorders: Implications for treatment development. <i>Current Directions in Psychological Science</i> , 2021 , 30, 358-364	6.5	3
310	Detecting change in psychiatric functioning in clinical trials for cocaine use disorder: sensitivity of the Addiction Severity Index and Brief Symptom Inventory. <i>Drug and Alcohol Dependence</i> , 2021 , 228, 109070	4.9	1
309	The state of clinical outcome assessments for cannabis use disorder clinical trials: A review and research agenda. <i>Drug and Alcohol Dependence</i> , 2020 , 212, 107993	4.9	25
308	The search for mechanisms of cognitive behavioral therapy for alcohol or other drug use disorders: A systematic review. <i>Behaviour Research and Therapy</i> , 2020 , 131, 103648	5.2	10
307	Short- and long-term changes in substance-related coping as mediators of in-person and computerized CBT for alcohol and drug use disorders. <i>Drug and Alcohol Dependence</i> , 2020 , 212, 108044	4.9	3
306	Evaluating a longitudinal mediation model of perceived stress, depressive symptoms, and substance use treatment outcomes. <i>Psychology of Addictive Behaviors</i> , 2020 , 34, 660-668	3.4	5
305	Computerized Cognitive Behavioral Therapy for Substance Use Disorders in a Specialized Primary Care Practice: A Randomized Feasibility Trial to Address the RT Component of SBIRT. <i>Journal of Addiction Medicine</i> , 2020 , 14, e303-e309	3.8	2
304	Impact of 12 step mutual help groups on drug use disorder patients across six clinical trials. <i>Drug and Alcohol Dependence</i> , 2020 , 215, 108213	4.9	6
303	An integrated behavioural intervention combined with varenicline for heavy-drinking smokers: a randomized pilot study. <i>Journal of Smoking Cessation</i> , 2020 , 15, 119-127	0.5	2

Combined Pharmacotherapy and Cognitive Behavioral Therapy for Adults With Alcohol or Substance Use Disorders: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2020 , 3, e2082	79 ^{O.4}	31
Use Without Consequences? A Commentary on Bonn et al. (2020). <i>Journal of Studies on Alcohol and Drugs</i> , 2020 , 81, 561	1.9	1
Sociodemographic and clinical outcome differences among individuals seeking treatment for cocaine use disorders. The intersection of gender and race. <i>Journal of Substance Abuse Treatment</i> , 2019 , 106, 65-72	4.2	5
Patterns of Cocaine Use During Treatment: Associations With Baseline Characteristics and Follow-Up Functioning. <i>Journal of Studies on Alcohol and Drugs</i> , 2019 , 80, 431-440	1.9	9
Randomized placebo-controlled trial of galantamine in individuals with cocaine use disorder. Journal of Substance Abuse Treatment, 2019 , 107, 29-37	4.2	8
Anhedonia as a key clinical feature in the maintenance and treatment of opioid use disorder. <i>Clinical Psychological Science</i> , 2019 , 7, 1190-1206	6	20
Pharmacological and Behavioral Treatment of Opioid Use Disorder. <i>Psychiatric Research and Clinical Practice</i> , 2019 , 1, 4-15	2.7	29
Double-Blind Placebo-Controlled Trial of Galantamine for Methadone-Maintained Individuals With Cocaine Use Disorder: Secondary Analysis of Effects on Illicit Opioid Use. <i>American Journal on Addictions</i> , 2019 , 28, 238-245	3.7	9
Randomized pilot trial of Web-based cognitive-behavioral therapy adapted for use in office-based buprenorphine maintenance. <i>Substance Abuse</i> , 2019 , 40, 132-135	3.8	15
Short and long-term improvements in psychiatric symptomatology to validate clinically meaningful treatment outcomes for cocaine use disorders. <i>Drug and Alcohol Dependence</i> , 2019 , 198, 126-132	4.9	11
Galantamine to reduce relapse after agonist taper for individuals with opioid use disorder. <i>Drug and Alcohol Dependence</i> , 2019 , 203, 98	4.9	2
Buprenorphine treatment for opioid use disorder: recent progress. <i>Expert Review of Clinical Pharmacology</i> , 2019 , 12, 791-803	3.8	5
The Role of Behavioral Interventions in Buprenorphine Maintenance Treatment: A Review. <i>Focus</i> (American Psychiatric Publishing), 2019 , 17, 183-192	1.1	2
Change in employment status and cocaine use treatment outcomes: A secondary analysis across six clinical trials. <i>Journal of Substance Abuse Treatment</i> , 2019 , 106, 89-96	4.2	4
Clinical validation of reduction in cocaine frequency level as an endpoint in clinical trials for cocaine use disorder. <i>Drug and Alcohol Dependence</i> , 2019 , 205, 107648	4.9	17
Correlates of Opioid Abstinence in a 42-Month Posttreatment Naturalistic Follow-Up Study of Prescription Opioid Dependence. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	10
A meta-analysis of cognitive-behavioral therapy for alcohol or other drug use disorders: Treatment efficacy by contrast condition. <i>Journal of Consulting and Clinical Psychology</i> , 2019 , 87, 1093-1105	6.5	49
fMRI Stroop and behavioral treatment for cocaine-dependence: Preliminary findings in methadone-maintained individuals. <i>Addictive Behaviors</i> , 2019 , 89, 10-14	4.2	7
	Substance Use Disorders: A Systematic Review and Meta-analysis. JAMA Network Open, 2020, 3, e2082 Use Without Consequences? A Commentary on Bonn et al. (2020). Journal of Studies on Alcohol and Drugs, 2020, 81, 561 Sociodemographic and clinical outcome differences among individuals seeking treatment for cocaine use disorders. The intersection of gender and race. Journal of Substance Abuse Treatment, 2019, 106, 65-72 Patterns of Cocaine Use During Treatment: Associations With Baseline Characteristics and Follow-Up Functioning. Journal of Studies on Alcohol and Drugs, 2019, 80, 431-440 Randomized placebo-controlled trial of galantamine in individuals with cocaine use disorder. Journal of Substance Abuse Treatment, 2019, 107, 29-37 Anhedonia as a key clinical feature in the maintenance and treatment of opioid use disorder. Clinical Psychological Science, 2019, 7, 1190-1206 Pharmacological and Behavioral Treatment of Opioid Use Disorder. Psychiatric Research and Clinical Practice, 2019, 1, 4-15 Double-Blind Placebo-Controlled Trial of Galantamine for Methadone-Maintained Individuals With Cocaine Use Disorder: Secondary Analysis of Effects on Illicit Opioid Use. American Journal on Addictions, 2019, 28, 238-245 Randomized pilot trial of Web-based cognitive-behavioral therapy adapted for use in office-based buprenorphine maintenance. Substance Abuse, 2019, 40, 132-135 Short and long-term improvements in psychiatric symptomatology to validate clinically meaningful treatment outcomes for cocaine use disorders. Drug and Alcohol Dependence, 2019, 198, 126-132 Galantamine to reduce relapse after agonist taper for individuals with opioid use disorder. Drug and Alcohol Dependence, 2019, 203, 98 Buprenorphine treatment for opioid use disorder: recent progress. Expert Review of Clinical Pharmacology, 2019, 12, 791-803 The Role of Behavioral Interventions in Buprenorphine Maintenance Treatment: A Review. Focus (American Psychiatric Publishing), 2019, 17, 183-192 Change in employment status and cocaine use treatmen	Substance Use Disorders: A Systematic Review and Meta-analysis. JAMA Network Open, 2020, 3, e208279 0.4 Use Without Consequences? A Commentary on Bonn et al. (2020). Journal of Studies on Alcohol and Drugs, 2020, 81, 561 Sociodemographic and clinical outcome differences among individuals seeking treatment for cocaine use disorders. The intersection of gender and race. Journal of Substance Abuse Treatment, 2019, 106, 65-72 Patterns of Cocaine Use During Treatment: Associations With Baseline Characteristics and Follow-Up Functioning. Journal of Studies on Alcohol and Drugs, 2019, 80, 431-440 Randomized placebo-controlled trial of galantamine in individuals with cocaine use disorder. Journal of Substance Abuse Treatment, 2019, 107, 29-37 Anhedonia as a key clinical feature in the maintenance and treatment of opioid use disorder. Clinical Psychological Science, 2019, 7, 1190-1206 Pharmacological and Behavioral Treatment of Opioid Use Disorder. Psychiatric Research and Clinical Practice, 2019, 1, 4-15 Double-Blind Placebo-Controlled Trial of Galantamine for Methadone-Maintained Individuals Wilth Cocaine Use Disorder: Secondary Analysis of Effects on Illicit Opioid Use. American Journal on Addictions, 2019, 28, 238-245 Randomized pilot trial of Web-based cognitive-behavioral therapy adapted for use in office-based buprenorphine maintenance. Substance Abuse, 2019, 40, 132-135 Short and long-term improvements in psychiatric symptomatology to validate clinically meaningful treatment outcomes for cocaine use disorders. Drug and Alcohol Dependence, 2019, 198, 126-132 Galantamine to reduce relapse after agonist taper for individuals with opioid use disorder. Drug and Alcohol Dependence, 2019, 198, 126-132 Galantamine to reduce relapse after agonist taper for individuals with opioid use disorder. Drug and Alcohol Dependence, 2019, 17, 183-192 Change in employment status and cocaine use treatment outcomes: A secondary analysis across six (Inical trials. Journal of Substance Abuse Treatment, 2019, 106, 89-96 Clin

284	Connectome-Based Prediction of Cocaine Abstinence. American Journal of Psychiatry, 2019, 176, 156-16	54 1.9	55
283	Drug Stroop: Mechanisms of response to computerized cognitive behavioral therapy for cocaine dependence in a randomized clinical trial. <i>Drug and Alcohol Dependence</i> , 2018 , 183, 162-168	4.9	14
282	Gray-matter relationships to diagnostic and transdiagnostic features of drug and behavioral addictions. <i>Addiction Biology</i> , 2018 , 23, 394-402	4.6	83
281	Change in DSM-5 Alcohol Use Disorder Criteria Count and Severity Level as a Treatment Outcome Indicator: Results from a Randomized Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 15	5 ể ∙7	13
280	Galantamine and Computerized Cognitive Behavioral Therapy for Cocaine Dependence: A Randomized Clinical Trial. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	30
279	Modified cognitive behavioral therapy (M-CBT) for cocaine dependence: Development of treatment for cognitively impaired users and results from a Stage 1 trial. <i>Psychology of Addictive Behaviors</i> , 2018 , 32, 800-811	3.4	4
278	A randomized trial of contingency management reinforcing attendance at treatment: Do duration and timing of reinforcement matter?. <i>Journal of Consulting and Clinical Psychology</i> , 2018 , 86, 799-809	6.5	18
277	No Ordinary Addiction Scientist: Remembering Nancy Petry. <i>Journal of Studies on Alcohol and Drugs</i> , 2018 , 79, 669-671	1.9	
276	The Cholinergic System as a Treatment Target for Opioid Use Disorder. CNS Drugs, 2018, 32, 981-996	6.7	15
275	Accounting for the uncounted: Physical and affective distress in individuals dropping out of oral naltrexone treatment for opioid use disorder. <i>Drug and Alcohol Dependence</i> , 2018 , 192, 264-270	4.9	57
274	Culturally Adapted, Web-Based Cognitive Behavioral Therapy for Spanish-Speaking Individuals With Substance Use Disorders: A Randomized Clinical Trial. <i>American Journal of Public Health</i> , 2018 , 108, 153	5 ⁵ 1 ¹ 542	19
273	Randomized Clinical Trial of Computerized and Clinician-Delivered CBT in Comparison With Standard Outpatient Treatment for Substance Use Disorders: Primary Within-Treatment and Follow-Up Outcomes. <i>American Journal of Psychiatry</i> , 2018 , 175, 853-863	11.9	82
272	Positive and negative affect in cocaine use disorder treatment: Change across time and relevance to treatment outcome. <i>American Journal on Addictions</i> , 2018 , 27, 375	3.7	2
271	No Ordinary Addiction Scientist: Remembering Nancy Petry. <i>Journal of Studies on Alcohol and Drugs</i> , 2018 , 79, 669-671	1.9	
270	Shared microstructural features of behavioral and substance addictions revealed in areas of crossing fibers. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017 , 2, 188-195	3.4	61
269	Comparable efficacy of behavioral and pharmacological treatments among African American and White cocaine users. <i>Journal of Ethnicity in Substance Abuse</i> , 2017 , 16, 445-459	1.1	5
268	A randomized placebo-controlled trial of N-acetylcysteine for cannabis use disorder in adults. <i>Drug and Alcohol Dependence</i> , 2017 , 177, 249-257	4.9	79
267	Reward-related frontostriatal activity and smoking behavior among adolescents in treatment for smoking cessation. <i>Drug and Alcohol Dependence</i> , 2017 , 177, 268-276	4.9	51

(2016-2017)

266	Carvedilol does not reduce cocaine use in methadone-maintained cocaine users. <i>Journal of Substance Abuse Treatment</i> , 2017 , 73, 63-69	4.2	5
265	The Role of Behavioral Interventions in Buprenorphine Maintenance Treatment: A Review. <i>American Journal of Psychiatry</i> , 2017 , 174, 738-747	11.9	120
264	Initial validation of a proxy indicator of functioning as a potential tool for establishing a clinically meaningful cocaine use outcome. <i>Drug and Alcohol Dependence</i> , 2017 , 179, 400-407	4.9	11
263	Effect of computerized cognitive behavioral therapy on acquisition of coping skills among cocaine-dependent individuals enrolled in methadone maintenance. <i>Journal of Substance Abuse Treatment</i> , 2017 , 82, 87-92	4.2	15
262	Performance-Based Contingency Management in Cognitive Remediation Training: A Pilot Study. Journal of Substance Abuse Treatment, 2017 , 72, 80-88	4.2	10
261	Functional neural changes following behavioral therapies and disulfiram for cocaine dependence. <i>Psychology of Addictive Behaviors</i> , 2017 , 31, 534-547	3.4	14
260	Cognitive behavioral interventions for alcohol and drug use disorders: Through the stage model and back again. <i>Psychology of Addictive Behaviors</i> , 2017 , 31, 847-861	3.4	92
259	Anticipatory reward processing among cocaine-dependent individuals with and without concurrent methadone-maintenance treatment: Relationship to treatment response. <i>Drug and Alcohol Dependence</i> , 2016 , 166, 134-42	4.9	14
258	Brain mechanisms of Change in Addictions Treatment: Models, Methods, and Emerging Findings. <i>Current Addiction Reports</i> , 2016 , 3, 332-342	3.9	19
257	Emotion regulation strategies in individuals with cocaine use disorder maintained on methadone. <i>American Journal on Addictions</i> , 2016 , 25, 529-32	3.7	3
256	Alexithymia and Addiction: A Review and Preliminary Data Suggesting Neurobiological Links to Reward/Loss Processing. <i>Current Addiction Reports</i> , 2016 , 3, 239-248	3.9	37
255	Long-term outcomes after randomization to buprenorphine/naloxone versus methadone in a multi-site trial. <i>Addiction</i> , 2016 , 111, 695-705	4.6	126
254	Neurofunctional Reward Processing Changes in Cocaine Dependence During Recovery. <i>Neuropsychopharmacology</i> , 2016 , 41, 2112-21	8.7	26
253	Measures of outcome for stimulant trials: ACTTION recommendations and research agenda. <i>Drug and Alcohol Dependence</i> , 2016 , 158, 1-7	4.9	42
252	A randomized factorial trial of disulfiram and contingency management to enhance cognitive behavioral therapy for cocaine dependence. <i>Drug and Alcohol Dependence</i> , 2016 , 160, 135-42	4.9	32
251	Integrated Cognitive Behavioral Therapy for Comorbid Cannabis Use and Anxiety Disorders. <i>Clinical Case Studies</i> , 2016 , 15, 68-83	0.6	12
250	Cognitive Function as a Transdiagnostic Treatment Target in Stimulant Use Disorders. <i>Journal of Dual Diagnosis</i> , 2016 , 12, 90-106	2.4	54
249	Psychometric properties of the Positive and Negative Affect Schedule (PANAS) in a heterogeneous sample of substance users. <i>American Journal of Drug and Alcohol Abuse</i> , 2016 , 42, 203-12	3.7	40

248	Toward Refinement of Our Understanding of the Fundamental Nature of Addiction. <i>Biological Psychiatry</i> , 2016 , 80, 172-3	7.9	5
247	The Effectiveness and Cost of Clinical Supervision for Motivational Interviewing: A Randomized Controlled Trial. <i>Journal of Substance Abuse Treatment</i> , 2016 , 68, 11-23	4.2	38
246	Anger and its Association with Substance Use Treatment Outcomes in a Sample of Adolescents. Journal of Child and Adolescent Substance Abuse, 2016 , 25, 391-398	0.6	18
245	Intra-individual changes in Stroop-related activations linked to cigarette abstinence in adolescent tobacco smokers: Preliminary findings. <i>Drug and Alcohol Dependence</i> , 2016 , 167, 182-9	4.9	4
244	The Alcohol Intervention Mechanisms Scale (AIMS): Preliminary Reliability and Validity of a Common Factor Observational Rating Measure. <i>Journal of Substance Abuse Treatment</i> , 2016 , 70, 28-34	4.2	4
243	Just showing up is not enough: Homework adherence and outcome in cognitive-behavioral therapy for cocaine dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 907-12	6.5	19
242	Patient Pre-Treatment Expectations Do Not Predict Cocaine Use Outcomes: Data From Four Clinical Trials. <i>Substance Use and Misuse</i> , 2016 , 51, 1484-92	2.2	3
241	Randomized Trial of Computerized Cognitive Behavioral Therapy for Alcohol Use Disorders: Efficacy as a Virtual Stand-Alone and Treatment Add-On Compared with Standard Outpatient Treatment. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 1991-2000	3.7	39
240	Training in vain?. <i>Addiction</i> , 2016 , 111, 1153-4	4.6	50
239	Alexithymia level and response to computer-based training in cognitive behavioral therapy among cocaine-dependent methadone maintained individuals. <i>Drug and Alcohol Dependence</i> , 2015 , 152, 157-63	3 ^{4.9}	16
238	Self-reported impulsivity is negatively correlated with amygdalar volumes in cocaine dependence. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 212-7	2.9	10
237	Long-term outcomes from the National Drug Abuse Treatment Clinical Trials Network Prescription Opioid Addiction Treatment Study. <i>Drug and Alcohol Dependence</i> , 2015 , 150, 112-9	4.9	91
236	Prompted to treatment by the criminal justice system: Relationships with treatment retention and outcome among cocaine users. <i>American Journal on Addictions</i> , 2015 , 24, 225-232	3.7	11
235	Contingency management improves smoking cessation treatment outcomes among highly impulsive adolescent smokers relative to cognitive behavioral therapy. <i>Addictive Behaviors</i> , 2015 , 42, 86-90	4.2	29
234	Initial abstinence status and contingency management treatment outcomes: does race matter?. Journal of Consulting and Clinical Psychology, 2015 , 83, 473-81	6.5	11
233	Standard magnitude prize reinforcers can be as efficacious as larger magnitude reinforcers in cocaine-dependent methadone patients. <i>Journal of Consulting and Clinical Psychology</i> , 2015 , 83, 464-72	6.5	18
232	Catehol-o-methyltransferase gene Val158met polymorphism as a potential predictor of response to computer-assisted delivery of cognitive-behavioral therapy among cocaine-dependent individuals: Preliminary findings from a randomized controlled trial. <i>American Journal on Addictions</i> ,	3.7	5
231	2015 , 24, 443-51 Outcome expectations and associated treatment outcomes in motivational enhancement therapy delivered in English and Spanish. <i>American Journal on Addictions</i> , 2015 , 24, 732-9	3.7	5

Translational Approaches to Addiction Treatment 2015, 3-14 1 230 Reenvisioning Clinical Science: Unifying the Discipline to Improve the Public Health. Clinical 6 229 346 Psychological Science, 2014, 2, 22-34 Only connect: The working alliance in computer-based cognitive behavioral therapy. Behaviour 228 5.2 47 Research and Therapy, **2014**, 63, 139-46 Progesterone Reduces Cocaine Use in Postpartum Women with a Cocaine Use Disorder: A 227 23.3 33 Randomized, Double-Blind Study. Lancet Psychiatry, the, 2014, 1, 360-367 Hippocampal volume mediates the relationship between measures of pre-treatment cocaine use 226 4.9 11 and within-treatment cocaine abstinence. Drug and Alcohol Dependence, 2014, 143, 74-80 Achieving cannabis cessation -- evaluating N-acetylcysteine treatment (ACCENT): design and implementation of a multi-site, randomized controlled study in the National Institute on Drug 225 2.3 35 Abuse Clinical Trials Network. Contemporary Clinical Trials, 2014, 39, 211-23 Who benefits from additional drug counseling among prescription opioid-dependent patients receiving buprenorphine-naloxone and standard medical management?. Drug and Alcohol 224 4.9 33 Dependence, 2014, 140, 118-22 What happens in treatment doesn@stay in treatment: cocaine abstinence during treatment is associated with fewer problems at follow-up. Journal of Consulting and Clinical Psychology, 2014, 223 6.5 22 82, 619-27 Lost in translation? Moving contingency management and cognitive behavioral therapy into clinical 6.5 222 32 practice. Annals of the New York Academy of Sciences, 2014, 1327, 94-111 Cannabis abstinence during treatment and one-year follow-up: relationship to neural activity in 8.7 48 men. Neuropsychopharmacology, 2014, 39, 2288-98 Gender differences in clinical outcomes for cocaine dependence: randomized clinical trials of 220 41 4.9 behavioral therapy and disulfiram. Drug and Alcohol Dependence, 2014, 145, 156-67 Assessing craving and its relationship to subsequent prescription opioid use among treatment-seeking prescription opioid dependent patients. Drug and Alcohol Dependence, 2014, 219 62 4.9 145, 121-6 Assessment concordance and predictive validity of self-report and biological assay of cocaine use in 218 3.7 12 treatment trials. American Journal on Addictions, 2014, 23, 466-74 Development of the Therapist Empathy Scale. Behavioural and Cognitive Psychotherapy, 2014, 42, 339-542.1 217 20 The feasibility and acceptability of groups for pain management in methadone maintenance 216 3.8 19 treatment. Journal of Addiction Medicine, 2014, 8, 338-44 Computer-assisted delivery of cognitive-behavioral therapy: efficacy and durability of CBT4CBT among cocaine-dependent individuals maintained on methadone. American Journal of Psychiatry, 215 109 11.9 **2014**, 171, 436-44 Integrating a Behavioural Sleep Intervention into Smoking Cessation Treatment for Smokers with 214 0.5 21 Insomnia: A Randomised Pilot Study. Journal of Smoking Cessation, 2014, 9, 31-38 Pretreatment measures of brain structure and reward-processing brain function in cannabis dependence: an exploratory study of relationships with abstinence during behavioral treatment. 213 45 Drug and Alcohol Dependence, 2014, 140, 33-41

212	Toward empirical identification of a clinically meaningful indicator of treatment outcome: features of candidate indicators and evaluation of sensitivity to treatment effects and relationship to one year follow up cocaine use outcomes. <i>Drug and Alcohol Dependence</i> , 2014 , 137, 3-19	4.9	72
211	Technology-based interventions for the treatment and recovery management of substance use disorders: a JSAT special issue. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 1-4	4.2	76
210	Computerized Cognitive-Behavioral Therapy 2014 , 36, 127-30		1
209	New developments in behavioral treatments for substance use disorders. <i>Current Psychiatry Reports</i> , 2013 , 15, 420	9.1	23
208	Marijuana use is associated with risky sexual behaviors in treatment-seeking polysubstance abusers. <i>American Journal of Drug and Alcohol Abuse</i> , 2013 , 39, 266-71	3.7	40
207	An exploratory randomized controlled trial of a novel high-school-based smoking cessation intervention for adolescent smokers using abstinence-contingent incentives and cognitive behavioral therapy. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 346-51	4.9	36
206	Gender differences in a clinical trial for prescription opioid dependence. <i>Journal of Substance Abuse Treatment</i> , 2013 , 45, 38-43	4.2	135
205	The Short Inventory of Problems - revised (SIP-R): psychometric properties within a large, diverse sample of substance use disorder treatment seekers. <i>Psychology of Addictive Behaviors</i> , 2013 , 27, 307-1	43.4	92
204	Cognitive enhancement as a treatment for drug addictions. <i>Neuropharmacology</i> , 2013 , 64, 452-63	5.5	215
203	Correspondence of motivational interviewing adherence and competence ratings in real and role-played client sessions. <i>Psychological Assessment</i> , 2013 , 25, 306-12	5.3	59
202	Personality disorders as maladaptive, extreme variants of normal personality: borderline personality disorder and neuroticism in a substance using sample. <i>Journal of Personality Disorders</i> , 2013 , 27, 625-35	2.6	35
201	A preliminary investigation of Stroop-related intrinsic connectivity in cocaine dependence: associations with treatment outcomes. <i>American Journal of Drug and Alcohol Abuse</i> , 2013 , 39, 392-402	3.7	43
200	Treatment integrity and dissemination: Rethinking fidelity via the stage model <i>Clinical Psychology: Science and Practice</i> , 2013 , 20, 99-106	3.7	12
199	Delay discounting in adults receiving treatment for marijuana dependence. <i>Experimental and Clinical Psychopharmacology</i> , 2013 , 21, 46-54	3.2	37
198	Psychometric properties of a Spanish-language version of the Short Inventory of Problems. <i>Psychology of Addictive Behaviors</i> , 2013 , 27, 893-900	3.4	5
197	Smokers versus snorters: do treatment outcomes differ according to route of cocaine administration?. <i>Experimental and Clinical Psychopharmacology</i> , 2013 , 21, 490-8	3.2	21
196	Illegal Drug Use 2013 , 1339-1358		
195	Cognitive Behavioral Therapies 2013 , 23-28		1

(2011-2013)

194	Functional brain networks associated with cognitive control, cocaine dependence, and treatment outcome. <i>Psychology of Addictive Behaviors</i> , 2013 , 27, 477-88	3.4	66
193	Contingency management is efficacious in opioid-dependent outpatients not maintained on agonist pharmacotherapy. <i>Psychology of Addictive Behaviors</i> , 2013 , 27, 1036-43	3.4	13
192	Clinical correlates of co-occurring cannabis and tobacco use: a systematic review. <i>Addiction</i> , 2012 , 107, 1404-17	4.6	183
191	Combining cognitive behavioral therapy and contingency management to enhance their effects in treating cannabis dependence: less can be more, more or less. <i>Addiction</i> , 2012 , 107, 1650-9	4.6	59
190	A randomized trial adapting contingency management targets based on initial abstinence status of cocaine-dependent patients. <i>Journal of Consulting and Clinical Psychology</i> , 2012 , 80, 276-85	6.5	78
189	Design and methodological considerations of an effectiveness trial of a computer-assisted intervention: an example from the NIDA Clinical Trials Network. <i>Contemporary Clinical Trials</i> , 2012 , 33, 386-95	2.3	45
188	A preliminary study of the neural effects of behavioral therapy for substance use disorders. <i>Drug and Alcohol Dependence</i> , 2012 , 122, 228-35	4.9	81
187	Efficacy of disulfiram and Twelve Step Facilitation in cocaine-dependent individuals maintained on methadone: a randomized placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2012 , 126, 224-31	4.9	50
186	Moderating effects of race in clinical trial participation and outcomes among marijuana-dependent young adults. <i>Drug and Alcohol Dependence</i> , 2012 , 126, 333-9	4.9	19
185	Motivational enhancement therapy coupled with cognitive behavioral therapy versus brief advice: a randomized trial for treatment of hazardous substance use in pregnancy and after delivery. <i>General Hospital Psychiatry</i> , 2012 , 34, 439-49	5.6	83
184	White matter integrity and behavioral activation in healthy subjects. <i>Human Brain Mapping</i> , 2012 , 33, 994-1002	5.9	23
183	Primary outcome indices in illicit drug dependence treatment research: systematic approach to selection and measurement of drug use end-points in clinical trials. <i>Addiction</i> , 2012 , 107, 694-708	4.6	134
182	Differences in treatment outcome among marijuana-dependent young adults with and without antisocial personality disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2012 , 38, 305-13	3.7	8
181	An initial study of neural responses to monetary incentives as related to treatment outcome in cocaine dependence. <i>Biological Psychiatry</i> , 2011 , 70, 553-60	7.9	121
180	Randomized, double blind, placebo-controlled trial of disulfiram for the treatment of cocaine dependence in methadone-stabilized patients. <i>Drug and Alcohol Dependence</i> , 2011 , 113, 184-91	4.9	53
179	Mutual influence in therapist competence and adherence to motivational enhancement therapy. Drug and Alcohol Dependence, 2011 , 115, 229-36	4.9	61
178	Primary outcomes in two randomized controlled trials of treatments for cannabis use disorders. Drug and Alcohol Dependence, 2011 , 118, 408-16	4.9	17
177	Mindfulness training for smoking cessation: results from a randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2011 , 119, 72-80	4.9	264

176	A criterion-based stepwise approach for training counselors in motivational interviewing. <i>Journal of Substance Abuse Treatment</i> , 2011 , 40, 357-65	4.2	49
175	Neuroscience of behavioral and pharmacological treatments for addictions. <i>Neuron</i> , 2011 , 69, 695-712	13.9	162
174	Cost and cost-effectiveness of three strategies for training clinicians in motivational interviewing. Drug and Alcohol Dependence, 2011 , 116, 195-202	4.9	41
173	A Vision of the Next Generation of Behavioral Therapies Research in the Addictions. <i>Focus</i> (American Psychiatric Publishing), 2011 , 9, 118-129	1.1	
172	Galantamine improves sustained attention in chronic cocaine users. <i>Experimental and Clinical Psychopharmacology</i> , 2011 , 19, 11-9	3.2	34
171	Teaching community program clinicians motivational interviewing using expert and train-the-trainer strategies. <i>Addiction</i> , 2011 , 106, 428-41	4.6	78
170	Bruce Rounsaville (1949-2011). <i>Addiction</i> , 2011 , 106, 1363-4	4.6	
169	Treatment outcomes of a stage 1 cognitive-behavioral trial to reduce alcohol use among human immunodeficiency virus-infected out-patients in western Kenya. <i>Addiction</i> , 2011 , 106, 2156-66	4.6	83
168	Effects of galantamine on cocaine use in chronic cocaine users. <i>American Journal on Addictions</i> , 2011 , 20, 302-3	3.7	19
167	Relationship of cognitive function and the acquisition of coping skills in computer assisted treatment for substance use disorders. <i>Drug and Alcohol Dependence</i> , 2011 , 114, 169-76	4.9	44
166	Ten take home lessons from the first 10 years of the CTN and 10 recommendations for the future. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 275-82	3.7	16
165	A methodological analysis of randomized clinical trials of computer-assisted therapies for psychiatric disorders: toward improved standards for an emerging field. <i>American Journal of Psychiatry</i> , 2011 , 168, 790-9	11.9	68
164	Intraclass correlation associated with therapists: estimates and applications in planning psychotherapy research. <i>Cognitive Behaviour Therapy</i> , 2011 , 40, 15-33	4.4	48
163	Cognitive function and treatment response in a randomized clinical trial of computer-based training in cognitive-behavioral therapy. <i>Substance Use and Misuse</i> , 2011 , 46, 23-34	2.2	61
162	Perhaps it is the Dodo Bird Verdict that should be extinct. <i>Addiction</i> , 2010 , 105, 18-20	4.6	7
161	Treatment process, alliance and outcome in brief versus extended treatments for marijuana dependence. <i>Addiction</i> , 2010 , 105, 1799-808	4.6	23
160	Quality versus quantity: acquisition of coping skills following computerized cognitive-behavioral therapy for substance use disorders. <i>Addiction</i> , 2010 , 105, 2120-7	4.6	89
159	Neurocognitive indicators predict results of an informed-consent quiz among substance-dependent treatment seekers entering a randomized clinical trial. <i>Journal of Studies on Alcohol and Drugs</i> , 2010 71 704-12	1.9	11

(2009-2010)

158	White matter integrity is associated with treatment outcome measures in cocaine dependence. <i>Neuropsychopharmacology</i> , 2010 , 35, 1541-9	8.7	67
157	Pharmacologic Interventions for Alcohol- and Cocaine-Abusing Individuals. <i>American Journal on Addictions</i> , 2010 , 2, 77-79	3.7	2
156	Multisite effectiveness trials of treatments for substance abuse and co-occurring problems: have we chosen the best designs?. <i>Journal of Substance Abuse Treatment</i> , 2010 , 38 Suppl 1, S97-112	4.2	23
155	Informal discussions in substance abuse treatment sessions with Spanish-speaking clients. <i>Journal of Substance Abuse Treatment</i> , 2010 , 39, 353-63	4.2	16
154	Increased error-related thalamic activity during early compared to late cocaine abstinence. <i>Drug and Alcohol Dependence</i> , 2010 , 109, 181-9	4.9	28
153	Cost-effectiveness of computer-assisted training in cognitive-behavioral therapy as an adjunct to standard care for addiction. <i>Drug and Alcohol Dependence</i> , 2010 , 110, 200-7	4.9	53
152	Effect of anxiety on treatment presentation and outcome: results from the Marijuana Treatment Project. <i>Psychiatry Research</i> , 2010 , 178, 493-500	9.9	35
151	Community program therapist adherence and competence in a motivational interviewing assessment intake session. <i>American Journal of Drug and Alcohol Abuse</i> , 2010 , 36, 342-9	3.7	19
150	Do therapist cultural characteristics influence the outcome of substance abuse treatment for Spanish-speaking adults?. <i>Cultural Diversity and Ethnic Minority Psychology</i> , 2010 , 16, 199-205	3.2	11
149	Cognitive function as an emerging treatment target for marijuana addiction. <i>Experimental and Clinical Psychopharmacology</i> , 2010 , 18, 109-19	3.2	46
148	Coping strategy use following computerized cognitive-behavioral therapy for substance use disorders. <i>Psychology of Addictive Behaviors</i> , 2010 , 24, 689-95	3.4	14
147	Systematic cultural adaptation of cognitive-behavioral therapy to reduce alcohol use among HIV-infected outpatients in western Kenya. <i>AIDS and Behavior</i> , 2010 , 14, 669-78	4.3	54
146	Computer-assisted therapy in psychiatry: be brave-it@a new world. <i>Current Psychiatry Reports</i> , 2010 , 12, 426-32	9.1	69
145	No train, no gain?. Clinical Psychology: Science and Practice, 2010 , 17, 36-40	3.7	29
144	Enduring effects of a computer-assisted training program for cognitive behavioral therapy: a 6-month follow-up of CBT4CBT. <i>Drug and Alcohol Dependence</i> , 2009 , 100, 178-81	4.9	135
143	Construct, concurrent and predictive validity of the URICA: data from two multi-site clinical trials. <i>Drug and Alcohol Dependence</i> , 2009 , 101, 115-23	4.9	52
142	Evaluating motivational enhancement therapy adherence and competence among Spanish-speaking therapists. <i>Drug and Alcohol Dependence</i> , 2009 , 103, 44-51	4.9	30
141	D-Cycloserine attenuates reactivity to smoking cues in nicotine dependent smokers: a pilot investigation. <i>Drug and Alcohol Dependence</i> , 2009 , 104, 220-7	4.9	78

140	Informal discussions in substance abuse treatment sessions. <i>Journal of Substance Abuse Treatment</i> , 2009 , 36, 366-75	4.2	23
139	Correspondence of motivational enhancement treatment integrity ratings among therapists, supervisors, and observers. <i>Psychotherapy Research</i> , 2009 , 19, 181-93	3.6	136
138	Mindfulness training and stress reactivity in substance abuse: results from a randomized, controlled stage I pilot study. <i>Substance Abuse</i> , 2009 , 30, 306-17	3.8	209
137	A Randomized Controlled Trial of a Money Management-Based Substance Use Intervention. <i>Psychiatric Services</i> , 2009 , 60, 498-504	3.3	21
136	A multisite randomized effectiveness trial of motivational enhancement therapy for Spanish-speaking substance users. <i>Journal of Consulting and Clinical Psychology</i> , 2009 , 77, 993-9	6.5	81
135	The alliance in motivational enhancement therapy and counseling as usual for substance use problems. <i>Journal of Consulting and Clinical Psychology</i> , 2009 , 77, 1125-35	6.5	61
134	A randomized controlled trial of a money management-based substance use intervention. <i>Psychiatric Services</i> , 2009 , 60, 498-504	3.3	17
133	Pretreatment brain activation during stroop task is associated with outcomes in cocaine-dependent patients. <i>Biological Psychiatry</i> , 2008 , 64, 998-1004	7.9	180
132	What is usual about "treatment-as-usual"? Data from two multisite effectiveness trials. <i>Journal of Substance Abuse Treatment</i> , 2008 , 35, 369-79	4.2	65
131	Community program therapist adherence and competence in motivational enhancement therapy. Drug and Alcohol Dependence, 2008 , 96, 37-48	4.9	129
130	Computer-assisted delivery of cognitive-behavioral therapy for addiction: a randomized trial of CBT4CBT. <i>American Journal of Psychiatry</i> , 2008 , 165, 881-8	11.9	275
129	A Step Forward in Teaching Addiction Counselors How to Supervise Motivational Interviewing Using a Clinical Trials Training Approach. <i>Journal of Teaching in the Addictions</i> , 2008 , 6, 39-67		8
128	Using the experience sampling method in the context of contingency management for substance abuse treatment. <i>Journal of Applied Behavior Analysis</i> , 2008 , 41, 635-44	2.6	1
127	Serious adverse events in randomized psychosocial treatment studies: safety or arbitrary edicts?. <i>Journal of Consulting and Clinical Psychology</i> , 2008 , 76, 1076-82	6.5	30
126	Making consent more informed: preliminary results from a multiple-choice test among probation-referred marijuana users entering a randomized clinical trial. <i>Journal of the American Academy of Psychiatry and the Law</i> , 2008 , 36, 354-9	1	11
125	A vision of the next generation of behavioral therapies research in the addictions. <i>Addiction</i> , 2007 , 102, 850-62; discussion 863-9	4.6	132
124	W(H)ITHER EMPIRICALLY SUPPORTED THERAPIES (ESTS)? REPLY TO COMMENTARIES. <i>Addiction</i> , 2007 , 102, 867-869	4.6	1
123	The cost-effectiveness of four treatments for marijuana dependence. <i>Addiction</i> , 2007 , 102, 1443-53	4.6	43

(2006-2007)

122	A cognitive behavioral therapy for alcohol-dependent domestic violence offenders: an integrated substance abuse-domestic violence treatment approach (SADV). <i>American Journal on Addictions</i> , 2007 , 16, 24-31	3.7	116
121	Issues in designing and implementing a Spanish-language multi-site clinical trial. <i>American Journal on Addictions</i> , 2007 , 16, 206-15	3.7	22
120	Combining cognitive behavioral therapy with contingency management for smoking cessation in adolescent smokers: a preliminary comparison of two different CBT formats. <i>American Journal on Addictions</i> , 2007 , 16, 468-74	3.7	49
119	A perfect platform: combining contingency management with medications for drug abuse. <i>American Journal of Drug and Alcohol Abuse</i> , 2007 , 33, 343-65	3.7	29
118	Contingency Management to reduce substance use in individuals who are homeless with co-occurring psychiatric disorders. <i>American Journal of Drug and Alcohol Abuse</i> , 2007 , 33, 253-8	3.7	35
117	Behavioral Therapies for Drug Abuse. Focus (American Psychiatric Publishing), 2007, 5, 240-248	1.1	5
116	Site matters: multisite randomized trial of motivational enhancement therapy in community drug abuse clinics. <i>Journal of Consulting and Clinical Psychology</i> , 2007 , 75, 556-67	6.5	148
115	Naltrexone and disulfiram in patients with alcohol dependence and current depression. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 160-5	1.7	47
114	Differences in treatment outcome between male alcohol dependent offenders of domestic violence with and without positive drug screens. <i>Addictive Behaviors</i> , 2007 , 32, 2151-63	4.2	28
113	Behavioral impulsivity predicts treatment outcome in a smoking cessation program for adolescent smokers. <i>Drug and Alcohol Dependence</i> , 2007 , 88, 79-82	4.9	386
112	Enhancing brief cognitive-behavioral therapy with motivational enhancement techniques in cocaine users. <i>Drug and Alcohol Dependence</i> , 2007 , 91, 97-101	4.9	54
111	Treatment retention and outcome among cocaine-dependent patients with and without active criminal justice involvement. <i>Journal of the American Academy of Psychiatry and the Law</i> , 2007 , 35, 83-91	1	12
110	Disulfiram, cocaine, and alcohol: two outcomes for the price of one?. <i>Alcohol and Alcoholism</i> , 2006 , 41, 119-20	3.5	12
109	Naltrexone and disulfiram in patients with alcohol dependence and comorbid post-traumatic stress disorder. <i>Biological Psychiatry</i> , 2006 , 60, 777-83	7.9	108
108	Reasons for dropout from drug abuse treatment: symptoms, personality, and motivation. <i>Addictive Behaviors</i> , 2006 , 31, 320-30	4.2	155
107	Motivational interviewing to improve treatment engagement and outcome in individuals seeking treatment for substance abuse: a multisite effectiveness study. <i>Drug and Alcohol Dependence</i> , 2006 , 81, 301-12	4.9	362
106	One small step for manuals: Computer-assisted training in twelve-step facilitation. <i>Journal of Studies on Alcohol and Drugs</i> , 2006 , 67, 939-45		49
105	The use of contingency management and motivational/skills-building therapy to treat young adults with marijuana dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2006 , 74, 955-66	6.5	164

104	Contingency management treatments: Reinforcing abstinence versus adherence with goal-related activities. <i>Journal of Consulting and Clinical Psychology</i> , 2006 , 74, 592-601	6.5	102
103	A randomized controlled pilot study of motivational interviewing for patients with psychotic and drug use disorders. <i>Addiction</i> , 2006 , 101, 1479-92	4.6	66
102	Naltrexone and disulfiram in patients with alcohol dependence and comorbid psychiatric disorders. <i>Biological Psychiatry</i> , 2005 , 57, 1128-37	7.9	156
101	Temporoparietal transcranial magnetic stimulation for auditory hallucinations: safety, efficacy and moderators in a fifty patient sample. <i>Biological Psychiatry</i> , 2005 , 58, 97-104	7.9	197
100	We don@train in vain: a dissemination trial of three strategies of training clinicians in cognitive-behavioral therapy. <i>Journal of Consulting and Clinical Psychology</i> , 2005 , 73, 106-15	6.5	487
99	Practice makes progress? Homework assignments and outcome in treatment of cocaine dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2005 , 73, 749-55	6.5	60
98	Only connect?. <i>Addiction</i> , 2005 , 100, 267-8	4.6	4
97	Recent advances in the psychotherapy of addictive disorders. Current Psychiatry Reports, 2005, 7, 329-3	6 9.1	30
96	Behavioral therapies for drug abuse. American Journal of Psychiatry, 2005, 162, 1452-60	11.9	310
95	Methadone versus buprenorphine with contingency management or performance feedback for cocaine and opioid dependence. <i>American Journal of Psychiatry</i> , 2005 , 162, 340-9	11.9	106
94	Efficacy of disulfiram and cognitive behavior therapy in cocaine-dependent outpatients: a randomized placebo-controlled trial. <i>Archives of General Psychiatry</i> , 2004 , 61, 264-72		338
93	Prize reinforcement contingency management for treating cocaine users: how low can we go, and with whom?. <i>Addiction</i> , 2004 , 99, 349-60	4.6	202
92	Behavioral therapies for co-occurring substance use and mood disorders. <i>Biological Psychiatry</i> , 2004 , 56, 778-84	7.9	41
91	Choosing a behavioral therapy platform for pharmacotherapy of substance users. <i>Drug and Alcohol Dependence</i> , 2004 , 75, 123-34	4.9	77
90	Sex differences in cocaine-dependent individuals Qesponse to disulfiram treatment. <i>Addictive Behaviors</i> , 2004 , 29, 1123-8	4.2	36
89	Cost effectiveness of disulfiram: treating cocaine use in methadone-maintained patients. <i>Journal of Substance Abuse Treatment</i> , 2004 , 26, 225-32	4.2	16
88	Ethnic differences in substance abuse treatment retention, compliance, and outcome from two clinical trials. <i>Psychiatric Services</i> , 2004 , 55, 167-73	3.3	58
87	Millon Clinical Multiaxial Inventory-III subtypes of opioid dependence: validity and matching to behavioral therapies. <i>Journal of Consulting and Clinical Psychology</i> , 2004 , 72, 698-711	6.5	19

(2002-2004)

86	Psychosis induced by smoking cessation clinic administered anticholinergic overload. <i>Annals of Clinical Psychiatry</i> , 2004 , 16, 171-5	1.4	8
85	Bridging the gap: a hybrid model to link efficacy and effectiveness research in substance abuse treatment. <i>Psychiatric Services</i> , 2003 , 54, 333-9	3.3	131
84	Engaging Young Probation-referred Marijuana-abusing Individuals in Treatment: A Pilot Trial. <i>American Journal on Addictions</i> , 2003 , 12, 314-323	3.7	52
83	Evidence-based practices for substance use disorders. <i>Psychiatric Clinics of North America</i> , 2003 , 26, 991	- <u>3.0</u> 10	60
82	Transcranial magnetic stimulation of left temporoparietal cortex and medication-resistant auditory hallucinations. <i>Archives of General Psychiatry</i> , 2003 , 60, 49-56		376
81	Single versus multiple drug focus in substance abuse clinical trials research. <i>Drug and Alcohol Dependence</i> , 2003 , 70, 117-25	4.9	62
8o	Treating marijuana dependence in adults: A multisite, randomized clinical trial. <i>New Directions for Evaluation</i> , 2002 , 2002, 17-30	0.6	6
79	Tailoring cannabis dependence treatment for a diverse population. <i>Addiction</i> , 2002 , 97 Suppl 1, 135-42	4.6	32
78	Client satisfaction with three therapies in the treatment of alcohol dependence: results from project MATCH. <i>American Journal on Addictions</i> , 2002 , 11, 291-307	3.7	42
77	Commentary on dodo bird revisited: Why aren@we dodos yet?. <i>Clinical Psychology: Science and Practice</i> , 2002 , 9, 17-20	3.7	9
76	One size cannot fit all: A stage model for psychotherapy manual development <i>Clinical Psychology: Science and Practice</i> , 2002 , 9, 396-406	3.7	118
75	Contingency management to enhance naltrexone treatment of opioid dependence: A randomized clinical trial of reinforcement magnitude <i>Experimental and Clinical Psychopharmacology</i> , 2002 , 10, 54-6	3 ^{3.2}	68
74	Clinical and translational research: Introduction to the special issue <i>Experimental and Clinical Psychopharmacology</i> , 2002 , 10, 155-158	3.2	4
73	Repetitive male genital self-mutilation: a case report and discussion of possible risk factors. <i>Journal of Sex and Marital Therapy</i> , 2002 , 28, 27-37	2.7	16
72	The URICA as a measure of motivation to change among treatment-seeking individuals with concurrent alcohol and cocaine problems <i>Psychology of Addictive Behaviors</i> , 2002 , 16, 299-307	3.4	70
71	On beyond urine: clinically useful assessment instruments in the treatment of drug dependence. <i>Behaviour Research and Therapy</i> , 2002 , 40, 1329-44	5.2	17
7°	MET meets the real world: design issues and clinical strategies in the Clinical Trials Network. Journal of Substance Abuse Treatment, 2002 , 23, 73-80	4.2	66
69	Characteristics, beliefs, and practices of community clinicians trained to provide manual-guided therapy for substance abusers. <i>Journal of Substance Abuse Treatment</i> , 2002 , 23, 309-18	4.2	94

68	Dual Diagnosis Motivational Interviewing: a modification of Motivational Interviewing for substance-abusing patients with psychotic disorders. <i>Journal of Substance Abuse Treatment</i> , 2002 , 23, 297-308	4.2	55
67	Intention-to-treat meets missing data: implications of alternate strategies for analyzing clinical trials data. <i>Drug and Alcohol Dependence</i> , 2002 , 68, 121-30	4.9	73
66	Connecticut partnership targets substance-abusing parents. Science & Practice Perspectives / A Publication of the National Institute on Drug Abuse, National Institutes of Health, 2002, 1, 49-53		
65	Contingency management to enhance naltrexone treatment of opioid dependence: a randomized clinical trial of reinforcement magnitude. <i>Experimental and Clinical Psychopharmacology</i> , 2002 , 10, 54-6	3 ^{3.2}	40
64	The URICA as a measure of motivation to change among treatment-seeking individuals with concurrent alcohol and cocaine problems. <i>Psychology of Addictive Behaviors</i> , 2002 , 16, 299-307	3.4	20
63	Clinical and translational research: introduction to the special issue. <i>Experimental and Clinical Psychopharmacology</i> , 2002 , 10, 155-8	3.2	
62	Focus on therapeutic alliance: The psychometric properties of six measures across three treatments <i>Psychotherapy</i> , 2001 , 38, 1-11	2.5	33
61	Manual-guided cognitive-behavioral therapy training: A promising method for disseminating empirically supported substance abuse treatments to the practice community <i>Psychology of Addictive Behaviors</i> , 2001 , 15, 83-88	3.4	124
60	A stage model of behavioral therapies research: Getting started and moving on from stage I <i>Clinical Psychology: Science and Practice</i> , 2001 , 8, 133-142	3.7	495
59	Methodological diversity and theory in the stage model: Reply to Kazdin <i>Clinical Psychology: Science and Practice</i> , 2001 , 8, 152-154	3.7	6
58	Motivational Interviewing to Enhance Treatment Initiation in Substance Abusers: An Effectiveness Study. <i>American Journal on Addictions</i> , 2001 , 10, 335-339	3.7	66
57	Targeting behavioral therapies to enhance naltrexone treatment of opioid dependence: efficacy of contingency management and significant other involvement. <i>Archives of General Psychiatry</i> , 2001 , 58, 755-61		159
56	Exposure therapy in the treatment of PTSD among cocaine-dependent individuals: description of procedures. <i>Journal of Substance Abuse Treatment</i> , 2001 , 21, 35-45	4.2	87
55	Exposure therapy in the treatment of PTSD among cocaine-dependent individuals: preliminary findings. <i>Journal of Substance Abuse Treatment</i> , 2001 , 21, 47-54	4.2	243
54	Engaging Young Probation-Referred Marijuana-Abusing Individuals in Treatment 2001 , 297-312		
53	Motivational interviewing to enhance treatment initiation in substance abusers: an effectiveness study. <i>American Journal on Addictions</i> , 2001 , 10, 335-9	3.7	22
52	Disulfiram treatment for cocaine dependence in methadone-maintained opioid addicts. <i>Addiction</i> , 2000 , 95, 219-28	4.6	160
51	One-year follow-up of disulfiram and psychotherapy for cocaine-alcohol users: sustained effects of treatment. <i>Addiction</i> , 2000 , 95, 1335-49	4.6	163

(1998-2000)

50	Motivational interviewing with psychiatrically ill substance abusing patients. <i>American Journal on Addictions</i> , 2000 , 9, 88-91	3.7	91
49	Implications of recent research for program quality in cocaine dependence treatment. <i>Substance Use and Misuse</i> , 2000 , 35, 2011-30	2.2	13
48	Disulfiram versus placebo for cocaine dependence in buprenorphine-maintained subjects: a preliminary trial. <i>Biological Psychiatry</i> , 2000 , 47, 1080-6	7.9	139
47	A general system for evaluating therapist adherence and competence in psychotherapy research in the addictions. <i>Drug and Alcohol Dependence</i> , 2000 , 57, 225-38	4.9	307
46	Gender differences in treatment-seeking cocaine abusersimplications for treatment and prognosis. <i>American Journal on Addictions</i> , 1999 , 8, 300-11	3.7	111
45	Options for managing psychotropic medications in drug-abusing patients participating in behavioral therapies clinical trials. <i>American Journal on Addictions</i> , 1999 , 8, 178-89	3.7	3
44	Substance dependence posttraumatic stress disorder therapy. An integrated cognitive-behavioral approach. <i>Journal of Substance Abuse Treatment</i> , 1999 , 17, 3-14	4.2	132
43	Research Versus Real-world Patients: representativeness of participants in clinical trials of treatments for cocaine dependence. <i>Drug and Alcohol Dependence</i> , 1999 , 54, 171-7	4.9	24
42	Do patients change in the ways we intend? Assessing acquisition of coping skills among cocaine-dependent patients <i>Psychological Assessment</i> , 1999 , 11, 77-85	5.3	36
41	Old psychotherapies for cocaine dependence revisited. <i>Archives of General Psychiatry</i> , 1999 , 56, 505-6		9
40	Old psychotherapies for cocaine dependence revisited. <i>Archives of General Psychiatry</i> , 1999 , 56, 505-6 Compliance with Treatment and Follow-up Protocols in Project MATCH: Predictors and Relationship to Outcome. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1328-1339	3.7	9
	Compliance with Treatment and Follow-up Protocols in Project MATCH: Predictors and	3·7 4.6	
40	Compliance with Treatment and Follow-up Protocols in Project MATCH: Predictors and Relationship to Outcome. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1328-1339 Treatment of cocaine and alcohol dependence with psychotherapy and disulfiram. <i>Addiction</i> , 1998 ,		24
40	Compliance with Treatment and Follow-up Protocols in Project MATCH: Predictors and Relationship to Outcome. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1328-1339 Treatment of cocaine and alcohol dependence with psychotherapy and disulfiram. <i>Addiction</i> , 1998 , 93, 713-27 Fluoxetine treatment of depressive disorders in methadone-maintained opioid addicts. <i>Drug and</i>	4.6	24
40 39 38	Compliance with Treatment and Follow-up Protocols in Project MATCH: Predictors and Relationship to Outcome. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1328-1339 Treatment of cocaine and alcohol dependence with psychotherapy and disulfiram. <i>Addiction</i> , 1998 , 93, 713-27 Fluoxetine treatment of depressive disorders in methadone-maintained opioid addicts. <i>Drug and Alcohol Dependence</i> , 1998 , 50, 221-6 A randomized trial of buprenorphine maintenance for heroin dependence in a primary care clinic	4.6	24 274 71
40 39 38 37	Compliance with Treatment and Follow-up Protocols in Project MATCH: Predictors and Relationship to Outcome. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1328-1339 Treatment of cocaine and alcohol dependence with psychotherapy and disulfiram. <i>Addiction</i> , 1998 , 93, 713-27 Fluoxetine treatment of depressive disorders in methadone-maintained opioid addicts. <i>Drug and Alcohol Dependence</i> , 1998 , 50, 221-6 A randomized trial of buprenorphine maintenance for heroin dependence in a primary care clinic for substance users versus a methadone clinic. <i>American Journal of Medicine</i> , 1998 , 105, 100-5 Utility of Therapist Session Checklists to Monitor Delivery of Coping Skills Treatment for Cocaine	4.6	2427471153
4039383736	Compliance with Treatment and Follow-up Protocols in Project MATCH: Predictors and Relationship to Outcome. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 1328-1339 Treatment of cocaine and alcohol dependence with psychotherapy and disulfiram. <i>Addiction</i> , 1998 , 93, 713-27 Fluoxetine treatment of depressive disorders in methadone-maintained opioid addicts. <i>Drug and Alcohol Dependence</i> , 1998 , 50, 221-6 A randomized trial of buprenorphine maintenance for heroin dependence in a primary care clinic for substance users versus a methadone clinic. <i>American Journal of Medicine</i> , 1998 , 105, 100-5 Utility of Therapist Session Checklists to Monitor Delivery of Coping Skills Treatment for Cocaine Abusers. <i>Psychotherapy Research</i> , 1998 , 8, 307-320 Internal validity of project MATCH treatments: Discriminability and integrity <i>Journal of Consulting</i>	4.6 4.9 2.4 3.6	24 274 71 153 68

32	Listening to Smoking Researchers: Negative Affect and Drug Abuse Treatment. <i>Psychological Science</i> , 1997 , 8, 190-193	7.9	
31	The therapeutic alliance and its relationship to alcoholism treatment participation and outcome <i>Journal of Consulting and Clinical Psychology</i> , 1997 , 65, 588-598	6.5	223
30	Now you see it, now you don@: A comparison of traditional versus random-effects regression models in the analysis of longitudinal follow-up data from a clinical trial <i>Journal of Consulting and Clinical Psychology</i> , 1997 , 65, 252-261	6.5	113
29	Contribution of the therapeutic alliance to outcome in active versus control psychotherapies <i>Journal of Consulting and Clinical Psychology</i> , 1997 , 65, 510-514	6.5	62
28	Manual-guided psychosocial treatment. A new virtual requirement for pharmacotherapy trials?. <i>Archives of General Psychiatry</i> , 1997 , 54, 923-8		58
27	Nonpharmacologic approaches to substance abuse treatment. <i>Medical Clinics of North America</i> , 1997 , 81, 927-44	7	23
26	Integrating psychotherapy and pharmacotherapy to improve drug abuse outcomes. <i>Addictive Behaviors</i> , 1997 , 22, 233-45	4.2	57
25	Addiction Severity and MMPI-Derived Typologies in Cocaine Abusers. <i>American Journal on Addictions</i> , 1997 , 6, 83-86	3.7	3
24	Relapse prevention as a psychosocial treatment: A review of controlled clinical trials. 1997 , 697-717		3
23	A pilot study of primary-care-based buprenorphine maintenance for heroin dependence. <i>American Journal of Drug and Alcohol Abuse</i> , 1996 , 22, 523-31	3.7	40
22	Relapse prevention as a psychosocial treatment: A review of controlled clinical trials <i>Experimental and Clinical Psychopharmacology</i> , 1996 , 4, 46-54	3.2	187
21	Psychotherapeutic considerations in pharmacological trials. <i>Alcoholism: Clinical and Experimental Research</i> , 1996 , 20, 17A-22A	3.7	33
20	Primary care-based ambulatory opioid detoxification: the results of a clinical trial. <i>Journal of General Internal Medicine</i> , 1995 , 10, 255-60	4	69
19	Improving Treatment Outcome in Pregnant, Methadone-Maintained Women:Results from a Randomized Clinical Trial. <i>American Journal on Addictions</i> , 1995 , 4, 56-59	3.7	13
18	Improving Treatment Outcome in Pregnant, Methadone-Maintained Women: Results From a Randomized Clinical Trial. <i>American Journal on Addictions</i> , 1995 , 4, 56-59	3.7	29
17	Alexithymia in Cocaine Abusers. <i>American Journal on Addictions</i> , 1995 , 4, 234-244	3.7	27
16	Differential symptom reduction in depressed cocaine abusers treated with psychotherapy and pharmacotherapy. <i>Journal of Nervous and Mental Disease</i> , 1995 , 183, 251-9	1.8	78
15	Methodological issues and problems in the assessment of substance use <i>Psychological Assessment</i> , 1995 , 7, 349-358	5.3	81

LIST OF PUBLICATIONS

One-year follow-up of psychotherapy and pharmacotherapy for cocaine dependence. Delayed emergence of psychotherapy effects. <i>Archives of General Psychiatry</i> , 1994, 51, 989-97 Blind man@ bluff: Effectiveness and significance of psychotherapy and pharmacotherapy blinding procedures in a clinical trial <i>Journal of Consulting and Clinical Psychology</i> , 1994, 62, 276-280 One-year follow-up status of treatment-seeking cocaine abusers. Psychopathology and dependence severity as predictors of outcome. <i>Journal of Nervous and Mental Disease</i> , 1993, 181, 71-9 Pharmacologic Interventions for Alcohol- and Cocaine-Abusing Individuals: A Pilot Study of Disulfiram vs. Naltrexone. <i>American Journal on Addictions</i> , 1993, 2, 77-79 History and significance of childhood attention deficit disorder in treatment-seeking cocaine abusers. <i>Comprehensive Psychiatry</i> , 1993, 34, 75-82 Improving treatment outcome in pregnant opiate-dependent women. <i>Journal of Substance Abuse Treatment</i> , 1992, 9, 327-30 A comparative trial of psychotherapies for ambulatory cocaine abusers: relapse prevention and interpersonal psychotherapy. <i>American Journal of Drug and Alcohol Abuse</i> , 1991, 17, 229-47 Meta-Analysis of Therapist Effects in Psychotherapy Outcome Studies. <i>Psychotherapy Research</i> , 1991, 1, 81-91 Relapse prevention strategies for the treatment of cocaine abuse. <i>American Journal of Drug and Alcohol Abuse</i> , 1991, 17, 249-65 Empirically validated psychological therapies for drug dependence351-368 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	14	Fluoxetine treatment for dually diagnosed methadone maintained opioid addicts: a pilot study. Journal of Addictive Diseases, 1994 , 13, 25-32	1.7	8
Blind man@ bluff: Effectiveness and significance of psychotherapy and pharmacotherapy blinding procedures in a clinical trial <i>Journal of Consulting and Clinical Psychology</i> , 1994, 62, 276-280 6.5 31 One-year follow-up status of treatment-seeking cocaine abusers. Psychopathology and dependence severity as predictors of outcome. <i>Journal of Nervous and Mental Disease</i> , 1993, 181, 71-9 1.8 1.9 Pharmacologic Interventions for Alcohol- and Cocaine-Abusing Individuals: A Pilot Study of Disulfiram vs. Naltrexone. <i>American Journal on Addictions</i> , 1993, 2, 77-79 3.7 7.9 History and significance of childhood attention deficit disorder in treatment-seeking cocaine abusers. <i>Comprehensive Psychiatry</i> , 1993, 34, 75-82 7.7 Improving treatment outcome in pregnant opiate-dependent women. <i>Journal of Substance Abuse Treatment</i> , 1992, 9, 327-30 4.2 7 Acomparative trial of psychotherapies for ambulatory cocaine abusers: relapse prevention and interpersonal psychotherapy. <i>American Journal of Drug and Alcohol Abuse</i> , 1991, 17, 229-47 3.7 1991, 1, 81-91 8.8 1991, 17, 249-65 3.6 2.7 24 25 25 25 25 25 25 25 25 25 25 25 25 25	13			264
One-year follow-up status of treatment-seeking cocaine abusers. Psychopathology and dependence severity as predictors of outcome. Journal of Nervous and Mental Disease, 1993, 181, 71-9 Pharmacologic Interventions for Alcohol- and Cocaine-Abusing Individuals: A Pilot Study of Disulfiram vs. Naltrexone. American Journal on Addictions, 1993, 2, 77-79 History and significance of childhood attention deficit disorder in treatment-seeking cocaine abusers. Comprehensive Psychiatry, 1993, 34, 75-82 Improving treatment outcome in pregnant opiate-dependent women. Journal of Substance Abuse Treatment, 1992, 9, 327-30 A comparative trial of psychotherapies for ambulatory cocaine abusers: relapse prevention and interpersonal psychotherapy. American Journal of Drug and Alcohol Abuse, 1991, 17, 229-47 Meta-Analysis of Therapist Effects in Psychotherapy Outcome Studies. Psychotherapy Research, 1991, 1, 81-91 Relapse prevention strategies for the treatment of cocaine abuse. American Journal of Drug and Alcohol Abuse, 1991, 17, 249-65 Empirically validated psychological therapies for drug dependence351-368 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	12			297
dependence severity as predictors of outcome. Journal of Nervous and Mental Disease, 1993, 181, 71-9 Pharmacologic Interventions for Alcohol- and Cocaine-Abusing Individuals: A Pilot Study of Disulfiram vs. Naltrexone. American Journal on Addictions, 1993, 2, 77-79 History and significance of childhood attention deficit disorder in treatment-seeking cocaine abusers. Comprehensive Psychiatry, 1993, 34, 75-82 Improving treatment outcome in pregnant opiate-dependent women. Journal of Substance Abuse Treatment, 1992, 9, 327-30 A comparative trial of psychotherapies for ambulatory cocaine abusers: relapse prevention and interpersonal psychotherapy. American Journal of Drug and Alcohol Abuse, 1991, 17, 229-47 Meta-Analysis of Therapist Effects in Psychotherapy Outcome Studies. Psychotherapy Research, 1991, 1, 81-91 Relapse prevention strategies for the treatment of cocaine abuse. American Journal of Drug and Alcohol Abuse, 1991, 17, 249-65 Empirically validated psychological therapies for drug dependence351-368 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	11		6.5	35
Disulfiram vs. Naltrexone. American Journal on Addictions, 1993, 2, 77-79 History and significance of childhood attention deficit disorder in treatment-seeking cocaine abusers. Comprehensive Psychiatry, 1993, 34, 75-82 Timproving treatment outcome in pregnant opiate-dependent women. Journal of Substance Abuse Treatment, 1992, 9, 327-30 A comparative trial of psychotherapies for ambulatory cocaine abusers: relapse prevention and interpersonal psychotherapy. American Journal of Drug and Alcohol Abuse, 1991, 17, 229-47 Meta-Analysis of Therapist Effects in Psychotherapy Outcome Studies. Psychotherapy Research, 1991, 1, 81-91 Relapse prevention strategies for the treatment of cocaine abuse. American Journal of Drug and Alcohol Abuse, 1991, 17, 249-65 Empirically validated psychological therapies for drug dependence351-368 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	10		1.8	182
abusers. Comprehensive Psychiatry, 1993, 34, 75-82 Improving treatment outcome in pregnant opiate-dependent women. Journal of Substance Abuse Treatment, 1992, 9, 327-30 A comparative trial of psychotherapies for ambulatory cocaine abusers: relapse prevention and interpersonal psychotherapy. American Journal of Drug and Alcohol Abuse, 1991, 17, 229-47 Meta-Analysis of Therapist Effects in Psychotherapy Outcome Studies. Psychotherapy Research, 1991, 1, 81-91 Relapse prevention strategies for the treatment of cocaine abuse. American Journal of Drug and Alcohol Abuse, 1991, 17, 249-65 Empirically validated psychological therapies for drug dependence351-368 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	9		3.7	71
A comparative trial of psychotherapies for ambulatory cocaine abusers: relapse prevention and interpersonal psychotherapy. American Journal of Drug and Alcohol Abuse, 1991, 17, 229-47 Meta-Analysis of Therapist Effects in Psychotherapy Outcome Studies. Psychotherapy Research, 1991, 1, 81-91 Relapse prevention strategies for the treatment of cocaine abuse. American Journal of Drug and Alcohol Abuse, 1991, 17, 249-65 Empirically validated psychological therapies for drug dependence351-368 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	8	e e e e e e e e e e e e e e e e e e e	7-3	208
interpersonal psychotherapy. American Journal of Drug and Alcohol Abuse, 1991, 17, 229-47 Meta-Analysis of Therapist Effects in Psychotherapy Outcome Studies. Psychotherapy Research, 1991, 1, 81-91 Relapse prevention strategies for the treatment of cocaine abuse. American Journal of Drug and Alcohol Abuse, 1991, 17, 249-65 Empirically validated psychological therapies for drug dependence351-368 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	7		4.2	70
Relapse prevention strategies for the treatment of cocaine abuse. American Journal of Drug and Alcohol Abuse, 1991, 17, 249-65 Empirically validated psychological therapies for drug dependence351-368 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	6		3.7	172
Alcohol Abuse, 1991, 17, 249-65 Empirically validated psychological therapies for drug dependence351-368 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	5		3.6	312
2 Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49	4		3.7	76
Couling Investment from Internal Investment 245 227	3	Empirically validated psychological therapies for drug dependence351-368		
Combined treatments for substance dependence.215-237	2	Connecticut Mental Health Center: Clinical, Research and Training Programs in the Addictions21-49		
	1	Combined treatments for substance dependence.215-237		3