

Dai Shida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8757659/publications.pdf>

Version: 2024-02-01

97
papers

3,136
citations

185998

28
h-index

174990

52
g-index

104
all docs

104
docs citations

104
times ranked

3424
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of Recurrence Risk After Curative Resection for Patients With Stage I to III Colorectal Cancer Using the Hazard Function. <i>Annals of Surgery</i> , 2022, 275, 727-734.	2.1	20
2	Challenges needed to be overcome in multi-institutional surgical trials: accumulated experience in the JCOG Colorectal Cancer Study Group (CCSG). <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 103-107.	0.6	0
3	Motile sperm domain containing 1 is upregulated by the Wnt/ β -catenin signaling pathway in colorectal cancer. <i>Oncology Letters</i> , 2022, 24, .	0.8	2
4	Laparoscopic versus Open Colectomy for Elderly Patients with Colon Cancer: A Propensity Score Analysis with the Controlling Nutritional Status (CONUT) Score. <i>Nutrition and Cancer</i> , 2021, 73, 246-251.	0.9	2
5	Postoperative, but not preoperative, inflammation-based prognostic markers are prognostic factors in stage III colorectal cancer patients. <i>British Journal of Cancer</i> , 2021, 124, 933-941.	2.9	44
6	Surveillance of patients with stage I or II colorectal cancer in Japan: a JCOG study group questionnaire survey. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1761-1764.	0.6	1
7	Recurrence hazard of rectal cancer compared with colon cancer by adjuvant chemotherapy status: a nationwide study in Japan. <i>Journal of Gastroenterology</i> , 2021, 56, 371-381.	2.3	6
8	Preoperative Nutritional Scores as Host-Related Prognostic Factors for Both Overall Survival and Postoperative Complications in Patients With Stage II to III Colorectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2021, 64, 1222-1231.	0.7	6
9	Primary Tumor Resection Plus Chemotherapy Versus Chemotherapy Alone for Colorectal Cancer Patients With Asymptomatic, Synchronous Unresectable Metastases (JCOG1007; iPACS): A Randomized Clinical Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 1098-1107.	0.8	118
10	Lymphocyte-to-C-Reactive Protein Ratio Is the Most Sensitive Inflammation-Based Prognostic Score in Patients With Unresectable Metastatic Colorectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2021, 64, 1331-1341.	0.7	12
11	Comparison of model fit and discriminatory ability of the 8th edition of the tumor-node-metastasis classification and the 9th edition of the Japanese classification to identify stage III colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1671-1678.	1.0	5
12	Primary Tumor-Related Complications Among Patients With Unresectable Stage IV Colorectal Cancer in the Era of Targeted Therapy: A Competing Risk Regression Analysis. <i>Diseases of the Colon and Rectum</i> , 2021, 64, 1074-1082.	0.7	2
13	Comparison of model fit and discriminatory ability of M category as defined by the 7th and 8th editions of the tumor-node-metastasis classification of colorectal cancer and the 9th edition of the Japanese classification. <i>Cancer Medicine</i> , 2021, 10, 6937-6946.	1.3	0
14	Association between thiamine decrease and neuropsychiatric symptoms in gastrointestinal and hematological cancer patients receiving chemotherapy. <i>Biomedicine and Pharmacotherapy</i> , 2021, 141, 111929.	2.5	3
15	Hepatectomy Followed by mFOLFOX6 Versus Hepatectomy Alone for Liver-Only Metastatic Colorectal Cancer (JCOG0603): A Phase II or III Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 3789-3799.	0.8	116
16	Response to the Comment on "Evaluation of Recurrence Risk After Curative Resection for Patients With Stage I to III Colorectal Cancer Using the Hazard Function: Retrospective Analysis of a Single-institution Large Cohort". <i>Annals of Surgery</i> , 2021, 274, e856-e857.	2.1	0
17	Factors affecting R0 resection of colorectal cancer with synchronous peritoneal metastases: a multicenter prospective observational study by the Japanese Society for Cancer of the Colon and Rectum. <i>International Journal of Clinical Oncology</i> , 2020, 25, 330-337.	1.0	8
18	A randomized controlled trial comparing primary tumour resection plus chemotherapy with chemotherapy alone in incurable stage IV colorectal cancer: JCOG1007 (iPACS study). <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 89-93.	0.6	30

#	ARTICLE	IF	CITATIONS
19	Prognostic impact of preoperatively elevated and postoperatively normalized carcinoembryonic antigen levels following curative resection of stage III rectal cancer. <i>Cancer Medicine</i> , 2020, 9, 653-662.	1.3	27
20	Prognostic impact of primary tumor location in Stage III colorectal cancer-right-sided colon versus left-sided colon versus rectum: a nationwide multicenter retrospective study. <i>Journal of Gastroenterology</i> , 2020, 55, 958-968.	2.3	42
21	Nutritional and inflammatory measures predict survival of patients with stage IV colorectal cancer. <i>BMC Cancer</i> , 2020, 20, 1092.	1.1	25
22	Novel classification of ovarian metastases originating from colorectal cancer by radiological imaging and macroscopic appearance. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1663-1671.	1.0	7
23	Long-term follow-up of the randomized trial of mesorectal excision with or without lateral lymph node dissection in rectal cancer (JCOG0212). <i>British Journal of Surgery</i> , 2020, 107, 586-594.	0.1	73
24	Challenges of improving treatment outcomes for colorectal and anal cancers in Japan: the Colorectal Cancer Study Group (CCSG) of the Japan Clinical Oncology Group (JCOG). <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 368-378.	0.6	7
25	Clinical impact of D3 lymph node dissection with left colic artery (LCA) preservation compared to D3 without LCA preservation: Exploratory subgroup analysis of data from JCOG0404. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 163-169.	1.2	24
26	Japanese Evidences on Nerve-Preserving Lateral Pelvic Lymph Node Dissection for Rectal Cancer. <i>Clinics in Colon and Rectal Surgery</i> , 2020, 33, 349-354.	0.5	4
27	Improving Selection for Resection of Synchronous Para-Aortic Lymph Node Metastases in Colorectal Cancer. <i>Digestive Surgery</i> , 2019, 36, 369-375.	0.6	25
28	ASO Author Reflections: Partial versus Total Cystectomy in Bladder-Involving Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 686-687.	0.7	0
29	Nomograms predicting survival and recurrence in colonic cancer in the era of complete mesocolic excision. <i>BJS Open</i> , 2019, 3, 539-548.	0.7	7
30	ASO Author Reflections: Prognostic Impact of Primary Tumor Sidedness for Unresectable Stage IV Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 666-667.	0.7	1
31	Prognostic factors of brain metastases from colorectal cancer. <i>BMC Cancer</i> , 2019, 19, 755.	1.1	23
32	Long-term outcomes after surgical dissection of inguinal lymph node metastasis from rectal or anal canal adenocarcinoma. <i>BMC Cancer</i> , 2019, 19, 733.	1.1	12
33	Controlling nutritional status (CONUT) score as a preoperative risk assessment index for older patients with colorectal cancer. <i>BMC Cancer</i> , 2019, 19, 946.	1.1	50
34	Efficacy of aspirin for stage III colorectal cancer: a randomized double-blind placebo-controlled trial (JCOG1503C, EPISODE-III trial). <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 985-990.	0.6	5
35	Preoperative T staging of colon cancer using CT colonography with multiplanar reconstruction: new diagnostic criteria based on "bordering vessels". <i>International Journal of Colorectal Disease</i> , 2019, 34, 641-648.	1.0	13
36	Metachronous metastasis to inguinal lymph nodes from sigmoid colon adenocarcinoma with abdominal wall metastasis: a case report. <i>BMC Cancer</i> , 2019, 19, 180.	1.1	4

#	ARTICLE	IF	CITATIONS
37	Long-Term Outcomes Following Partial Versus Complete Cystectomy in Advanced Colorectal Cancer with Regarding to the Extent of Bladder Invasion. <i>Annals of Surgical Oncology</i> , 2019, 26, 1569-1576.	0.7	8
38	Giant multilocular prostatic cystadenoma. <i>World Journal of Surgical Oncology</i> , 2019, 17, 42.	0.8	21
39	Prognostic Value of Primary Tumor Sidedness for Unresectable Stage IV Colorectal Cancer: A Retrospective Study. <i>Annals of Surgical Oncology</i> , 2019, 26, 1358-1365.	0.7	27
40	Introducing the eighth edition of the tumor-node-metastasis classification as relevant to colorectal cancer, anal cancer and appendiceal cancer: a comparison study with the seventh edition of the tumor-node-metastasis and the Japanese Classification of Colorectal, Appendiceal, and Anal Carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 321-328.	0.6	30
41	Primary Tumor Resection for Stage IV Colorectal Cancer in the Era of Targeted Chemotherapy. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 2144-2150.	0.9	18
42	Disentangling the prognostic heterogeneity of stage III colorectal cancer through histologic stromal categorization. <i>Surgery</i> , 2018, 163, 777-783.	1.0	24
43	Adenocarcinoma arising in sigmoid colon neovagina 53 years after construction. <i>World Journal of Surgical Oncology</i> , 2018, 16, 88.	0.8	20
44	Long-term outcomes of laparoscopic versus open D3 dissection for stage II/III colon cancer: Results of propensity score analyses. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1025-1030.	0.5	15
45	Prognostic Impact of R0 Resection and Targeted Therapy for Colorectal Cancer with Synchronous Peritoneal Metastasis. <i>Annals of Surgical Oncology</i> , 2018, 25, 1646-1653.	0.7	29
46	Long-Term Outcomes After R0 Resection of Synchronous Peritoneal Metastasis from Colorectal Cancer Without Cytoreductive Surgery or Hyperthermic Intraperitoneal Chemotherapy. <i>Annals of Surgical Oncology</i> , 2018, 25, 173-178.	0.7	51
47	R0K study-C (Rainbow of KIBOU study-colorectum): a colorectal cancer survivor cohort study on food, nutrition, physical activity, psychosocial factors and its influences on colorectal cancer recurrence, survival and quality of life in Japan. <i>BMC Cancer</i> , 2018, 18, 953.	1.1	5
48	ASO Author Reflections: Long-Term Outcomes After R0 Resection of Colorectal Peritoneal Metastasis. <i>Annals of Surgical Oncology</i> , 2018, 25, 832-833.	0.7	2
49	ASO Author Reflections: R0 Resection and Targeted Therapy for Colorectal Peritoneal Metastasis. <i>Annals of Surgical Oncology</i> , 2018, 25, 842-843.	0.7	1
50	Current clinical practice of adjuvant chemotherapy for patients with "high-risk" Stage II colorectal cancer in Japan: a questionnaire survey in the JCOG Study Group. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 1109-1112.	0.6	4
51	Shorter survival in adolescent and young adult patients, compared to adult patients, with stage IV colorectal cancer in Japan. <i>BMC Cancer</i> , 2018, 18, 334.	1.1	23
52	Intersphincteric Resection Has Similar Long-term Oncologic Outcomes Compared With Abdominoperineal Resection for Low Rectal Cancer Without Preoperative Therapy: Results of Propensity Score Analyses. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 1035-1042.	0.7	22
53	Comparison of the clinical results of abdominoperanal intersphincteric resection and abdominoperineal resection for lower rectal cancer. <i>International Journal of Colorectal Disease</i> , 2017, 32, 683-689.	1.0	11
54	Modified enhanced recovery after surgery (ERAS) protocols for patients with obstructive colorectal cancer. <i>BMC Surgery</i> , 2017, 17, 18.	0.6	58

#	ARTICLE	IF	CITATIONS
55	Yokukansan for the treatment of preoperative anxiety and postoperative delirium in colorectal cancer patients: a retrospective study. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 844-848.	0.6	17
56	Potential impact of lateral lymph node dissection (LLND) for low rectal cancer on prognoses and local control: A comparison of 2 high-volume centers in Japan that employ different policies concerning LLND. <i>Surgery</i> , 2017, 162, 303-314.	1.0	74
57	Surgical outcomes of robot-assisted rectal cancer surgery using the da Vinci Surgical System: a multi-center pilot Phase II study. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 1135-1140.	0.6	8
58	Prognostic Impact of Intra-abdominal/Pelvic Inflammation After Radical Surgery for Locally Recurrent Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2017, 60, 827-836.	0.7	10
59	Cytoplasmic MSH2 immunoreactivity in a patient with Lynch syndrome with an EPCAM-MSH2 fusion. <i>Histopathology</i> , 2017, 70, 664-669.	1.6	14
60	Preoperative T staging using CT colonography with multiplanar reconstruction for very low rectal cancer. <i>BMC Cancer</i> , 2017, 17, 764.	1.1	12
61	Therapeutic effects of flurbiprofen axetil on mesenteric traction syndrome: randomized clinical trial. <i>BMC Surgery</i> , 2017, 17, 90.	0.6	10
62	Multiple rapidly growing desmoid tumors that were difficult to distinguish from recurrence of rectal cancer. <i>World Journal of Surgical Oncology</i> , 2017, 15, 180.	0.8	10
63	Hemodynamics of mesenteric traction syndrome measured by FloTrac sensor. <i>Journal of Clinical Anesthesia</i> , 2016, 30, 46-50.	0.7	14
64	Prognostic Impact of Palliative Primary Tumor Resection for Unresectable Stage 4 Colorectal Cancer: Using a Propensity Score Analysis. <i>Annals of Surgical Oncology</i> , 2016, 23, 3602-3608.	0.7	30
65	Sphingosine kinase 1 is upregulated with lysophosphatidic acid receptor 2 in human colorectal cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 2503.	1.4	16
66	The postoperative patient-reported quality of recovery in colorectal cancer patients under enhanced recovery after surgery using QoR-40. <i>BMC Cancer</i> , 2015, 15, 799.	1.1	47
67	Enhanced recovery after surgery (ERAS) protocols for colorectal cancer in Japan. <i>BMC Surgery</i> , 2015, 15, 90.	0.6	31
68	Use of quality of recovery score (QoR40) in the assessment of postoperative recovery and evaluation of enhanced recovery after surgery protocols. <i>Journal of Anesthesia</i> , 2014, 28, 156-159.	0.7	10
69	Acute necrotizing colitis due to sigmoid colon cancer. <i>World Journal of Surgical Oncology</i> , 2014, 12, 19.	0.8	1
70	Abdominal cerebrospinal fluid pseudocyst occurring 21 years after ventriculoperitoneal shunt placement: a case report. <i>BMC Surgery</i> , 2013, 13, 27.	0.6	23
71	Anastomotic Recurrence of Sigmoid Colon Cancer over Five Years after Surgery. <i>Case Reports in Gastroenterology</i> , 2013, 7, 462-466.	0.3	4
72	Emphysematous cholecystitis with massive gas in the abdominal cavity. <i>World Journal of Gastroenterology</i> , 2013, 19, 604.	1.4	27

#	ARTICLE	IF	CITATIONS
73	Metachronous colonic metastasis from pancreatic cancer seven years post-pancreatoduodenectomy. <i>World Journal of Gastroenterology</i> , 2013, 19, 1665.	1.4	18
74	Continuous ultrasound navigation for safe and precise anatomic resection of the liver. <i>Hepato-Gastroenterology</i> , 2013, 60, 590-4.	0.5	4
75	Metachronous penile metastasis from rectal cancer after total pelvic exenteration. <i>World Journal of Gastroenterology</i> , 2012, 18, 5476.	1.4	24
76	Presacral Myelolipoma. <i>Japanese Journal of Gastroenterological Surgery</i> , 2011, 44, 1485-1492.	0.0	2
77	Lysophosphatidic acid stimulates gastric cancer cell proliferation via ERK1-dependent upregulation of sphingosine kinase 1 transcription. <i>FEBS Letters</i> , 2010, 584, 4077-4082.	1.3	26
78	Cross-talk between LPA1 and Epidermal Growth Factor Receptors Mediates Up-regulation of Sphingosine Kinase 1 to Promote Gastric Cancer Cell Motility and Invasion. <i>Cancer Research</i> , 2008, 68, 6569-6577.	0.4	122
79	Targeting SphK1 as a New Strategy against Cancer. <i>Current Drug Targets</i> , 2008, 9, 662-673.	1.0	294
80	Involvement of Sphingosine Kinase 2 in p53-Independent Induction of p21 by the Chemotherapeutic Drug Doxorubicin. <i>Cancer Research</i> , 2007, 67, 10466-10474.	0.4	151
81	Submucosal connective tissue-type mast cells contribute to the production of lysophosphatidic acid (LPA) in the gastrointestinal tract through the secretion of autotaxin (ATX)/lysophospholipase D (lysoPLD). <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007, 451, 47-56.	1.4	23
82	Lysophosphatidic Acid-Induced Effects in Human Colon Carcinoma DLD1 Cells Are Partially Dependent on Transactivation of Epidermal Growth Factor Receptor. <i>Journal of Surgical Research</i> , 2006, 132, 56-61.	0.8	25
83	Sphingosine 1-Phosphate Receptor Expression Profile in Human Gastric Cancer Cells: Differential Regulation on the Migration and Proliferation1. <i>Journal of Surgical Research</i> , 2006, 130, 80-87.	0.8	75
84	Lysophosphatidic Acid (LPA)-Induced Vascular Endothelial Growth Factor (VEGF) by Mesothelial Cells and Quantification of Host-Derived VEGF in Malignant Ascites. <i>Journal of Surgical Research</i> , 2006, 130, 94-101.	0.8	21
85	Differential expression of lysophosphatidic acid receptor-2 in intestinal and diffuse type gastric cancer. <i>Journal of Surgical Oncology</i> , 2006, 93, 30-35.	0.8	35
86	Autotaxin Is Overexpressed in Glioblastoma Multiforme and Contributes to Cell Motility of Glioblastoma by Converting Lysophosphatidylcholine TO Lysophosphatidic Acid. <i>Journal of Biological Chemistry</i> , 2006, 281, 17492-17500.	1.6	206
87	Transactivation of Epidermal Growth Factor Receptor Is Involved in Leptin-Induced Activation of Janus-Activated Kinase 2 and Extracellular Signal-Regulated Kinase 1/2 in Human Gastric Cancer Cells. <i>Cancer Research</i> , 2005, 65, 9159-9163.	0.4	54
88	Lysophospholipids transactivate HER2/neu (erbB-2) in human gastric cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 327, 907-914.	1.0	30
89	Lysophosphatidic acid transactivates both c-Met and epidermal growth factor receptor, and induces cyclooxygenase-2 expression in human colon cancer LoVo cells. <i>World Journal of Gastroenterology</i> , 2005, 11, 5638.	1.4	24
90	Aberrant expression of lysophosphatidic acid (LPA) receptors in human colorectal cancer. <i>Laboratory Investigation</i> , 2004, 84, 1352-1362.	1.7	126

#	ARTICLE	IF	CITATIONS
91	Over-expression of lysophosphatidic acid receptor-2 in human invasive ductal carcinoma. Breast Cancer Research, 2004, 6, R640-6.	2.2	96
92	Sphingosine 1-phosphate transactivates c-Met as well as epidermal growth factor receptor (EGFR) in human gastric cancer cells. FEBS Letters, 2004, 577, 333-338.	1.3	61
93	Dual mode regulation of migration by lysophosphatidic acid in human gastric cancer cells. Experimental Cell Research, 2004, 301, 168-178.	1.2	60
94	Lysophosphatidic acid (LPA) enhances the metastatic potential of human colon carcinoma DLD1 cells through LPA1. Cancer Research, 2003, 63, 1706-11.	0.4	179
95	Right aortic arch with left lung cancer: focusing on left recurrent laryngeal nerve. Annals of Thoracic Surgery, 2002, 73, 985-986.	0.7	15
96	A Case of Cholangiocarcinoma that Metastasized to an Inguinal Hernial Sac.. Japanese Journal of Gastroenterological Surgery, 2000, 33, 1816-1820.	0.0	5
97	A Case of Inflammatory Pseudotumor of the Liver which Presented Difficulty in Differential Diagnosis Cholangiocellular Carcinoma. Japanese Journal of Gastroenterological Surgery, 2000, 33, 1900-1904.	0.0	6