

Laura A Hansen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8826089/publications.pdf>

Version: 2024-02-01

20
papers

969
citations

759233

12
h-index

752698

20
g-index

20
all docs

20
docs citations

20
times ranked

1523
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting 14-3-3 μ activates apoptotic signaling to prevent cutaneous squamous cell carcinoma. <i>Carcinogenesis</i> , 2021, 42, 232-242.	2.8	6
2	Targeted next-generation sequencing of matched localized and metastatic primary high-risk SCCs identifies driver and co-occurring mutations and novel therapeutic targets. <i>Journal of Dermatological Science</i> , 2020, 99, 30-43.	1.9	10
3	Targeting 14-3-3 μ -CDC25A interactions to trigger apoptotic cell death in skin cancer. <i>Oncotarget</i> , 2020, 11, 3267-3278.	1.8	8
4	CDC25B and CDC25C overexpression in nonmelanoma skin cancer suppresses cell death. <i>Molecular Carcinogenesis</i> , 2019, 58, 1691-1700.	2.7	25
5	Aberrant localization of signaling proteins in skin cancer: Implications for treatment. <i>Molecular Carcinogenesis</i> , 2019, 58, 1631-1639.	2.7	2
6	Accumulation of cytoplasmic CDC25A in cutaneous squamous cell carcinoma leads to a dependency on CDC25A for cancer cell survival and tumor growth. <i>Cancer Letters</i> , 2017, 410, 41-49.	7.2	21
7	Delivery of antioxidant enzymes for prevention of ultraviolet irradiation-induced epidermal damage. <i>Journal of Dermatological Science</i> , 2017, 88, 373-375.	1.9	7
8	The epidermal growth factor receptor decreases <i>Sclerostin</i> 1 and triggers catagen entry in the mouse. <i>Experimental Dermatology</i> , 2016, 25, 275-281.	2.9	10
9	ErbB2 upregulation of ADAM12 expression accelerates skin cancer progression. <i>Molecular Carcinogenesis</i> , 2015, 54, 1026-1036.	2.7	13
10	Role for the Epidermal Growth Factor Receptor in Chemotherapy-Induced Alopecia. <i>PLoS ONE</i> , 2013, 8, e69368.	2.5	18
11	Accelerated elimination of ultraviolet-induced DNA damage through apoptosis in CDC25A-deficient skin. <i>Carcinogenesis</i> , 2012, 33, 1754-1761.	2.8	8
12	Development of Innervation to Maxillary Whiskers in Mice. <i>Anatomical Record</i> , 2010, 293, 1553-1567.	1.4	4
13	The EGFR Is Required for Proper Innervation to the Skin. <i>Journal of Investigative Dermatology</i> , 2009, 129, 690-698.	0.7	31
14	ErbB2 Suppresses DNA Damage-Induced Checkpoint Activation and UV-Induced Mouse Skin Tumorigenesis. <i>American Journal of Pathology</i> , 2009, 174, 2357-2366.	3.8	21
15	EGFR Activation and Ultraviolet Light-Induced Skin Carcinogenesis. <i>Journal of Biomedicine and Biotechnology</i> , 2007, 2007, 1-4.	3.0	22
16	ErbB2 Regulates Inflammation and Proliferation in the Skin after Ultraviolet Irradiation. <i>American Journal of Pathology</i> , 2006, 169, 1402-1414.	3.8	34
17	Ultraviolet irradiation induces keratinocyte proliferation and epidermal hyperplasia through the activation of the epidermal growth factor receptor. <i>Carcinogenesis</i> , 2006, 27, 225-231.	2.8	164
18	Chemoprevention of UV Light-Induced Skin Tumorigenesis by Inhibition of the Epidermal Growth Factor Receptor. <i>Cancer Research</i> , 2005, 65, 3958-3965.	0.9	400

#	ARTICLE	IF	CITATIONS
19	EGFR Enhances Early Healing After Cutaneous Incisional Wounding. <i>Journal of Investigative Dermatology</i> , 2004, 123, 982-989.	0.7	144
20	Innervation of the maxillary vibrissae in mice as revealed by anterograde and retrograde tract tracing. <i>Cell and Tissue Research</i> , 2004, 315, 167-180.	2.9	21