

Kuan-Yu Hung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8843177/publications.pdf>

Version: 2024-02-01

183
papers

5,013
citations

100601

38
h-index

150775

59
g-index

186
all docs

186
docs citations

186
times ranked

7224
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxidative Stress-Induced Growth Inhibitor (OSGIN1), a Target of X-Box-Binding Protein 1, Protects Palmitic Acid-Induced Vascular Lipotoxicity through Maintaining Autophagy. <i>Biomedicines</i> , 2022, 10, 992.	1.4	4
2	The down-regulation of XBP1, an unfolded protein response effector, promotes acute kidney injury to chronic kidney disease transition. <i>Journal of Biomedical Science</i> , 2022, 29, .	2.6	6
3	Worldwide Epidemiology of Diabetes-Related End-Stage Renal Disease, 2000â€“2015. <i>Diabetes Care</i> , 2021, 44, 89-97.	4.3	124
4	Risk of Skin Cancer among Patients with Chronic Kidney Disease Treated with Ultraviolet B Phototherapy for Uraemic Pruritus: A Nationwide Cohort Study. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00390.	0.6	8
5	Acute effects of dietary phosphorus intake on markers of mineral metabolism in hemodialysis patients: post hoc analysis of a randomized crossover trial. <i>Renal Failure</i> , 2021, 43, 141-148.	0.8	3
6	The risk trajectory of different cardiovascular morbidities associated with chronic kidney disease among patients with newly diagnosed diabetes mellitus: a propensity score-matched cohort analysis. <i>Cardiovascular Diabetology</i> , 2021, 20, 86.	2.7	7
7	Impact of a kidneyâ€“specific diseaseâ€“specific care certification program on the institutional performance indicators of hospitals caring for patients with chronic kidney disease: Aâ€“national data analysis. <i>Nephrology</i> , 2021, 26, 669-675.	0.7	3
8	Selective Activation of Endoplasmic Reticulum Stress by Reactive-Oxygen-Species-Mediated Ochratoxin A-Induced Apoptosis in Tubular Epithelial Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10951.	1.8	5
9	Ochratoxin A-Induced Nephrotoxicity: Up-to-Date Evidence. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11237.	1.8	29
10	Early elimination of uremic toxin ameliorates AKI-to-CKD transition. <i>Clinical Science</i> , 2021, 135, 2643-2658.	1.8	14
11	Applicability of laboratory deficitâ€“based frailty index in predominantly older patients with endâ€“stage renal disease under chronic dialysis: A pilot test of its correlation with survival and selfâ€“reported instruments. <i>Nephrology</i> , 2020, 25, 73-81.	0.7	10
12	Association between exposure to perfluoroalkyl substances and metabolic syndrome and related outcomes among older residents living near a Science Park in Taiwan. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 230, 113607.	2.1	22
13	In-Hospital Patient Safety Events, Healthcare Costs and Utilization: An Analysis from the Incident Reporting System in an Academic Medical Center. <i>Healthcare (Switzerland)</i> , 2020, 8, 388.	1.0	3
14	Frailty predicts a higher risk of incident urolithiasis in 525 368 patients with diabetes mellitus: a population-based study. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000755.	1.2	9
15	Prevention of acute kidney injury by low intensity pulsed ultrasound via anti-inflammation and anti-apoptosis. <i>Scientific Reports</i> , 2020, 10, 14317.	1.6	13
16	Clinical burden of autosomal dominant polycystic kidney disease. <i>Aging</i> , 2020, 12, 3899-3910.	1.4	0
17	Comparison of warfarin dosage fluctuation with time in therapeutic range for bleeding or thromboembolism rate in Chinese patients. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 611-618.	0.8	6
18	Is dialysis vintage a perioperative risk for end-stage renal disease patients receiving total knee and hip arthroplasty. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901985388.	0.4	5

#	ARTICLE	IF	CITATIONS
19	SP495TARGETING INTERLEUKIN 6 AND INTERLEUKIN 8: A NOVEL STRATEGY FOR PREVENTING THE PROGRESSION OF PERITONEAL CALCIFICATION. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
20	Contributors, risk associates, and complications of frailty in patients with chronic kidney disease: a scoping review. <i>Therapeutic Advances in Chronic Disease</i> , 2019, 10, 204062231988038.	1.1	44
21	Short-Term Effects of Very-Low-Phosphate and Low-Phosphate Diets on Fibroblast Growth Factor 23 in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1475-1483.	2.2	15
22	Healthcare utilization, medical costs and mortality associated with malnutrition in patients with chronic obstructive pulmonary disease: a matched cohort study. <i>Current Medical Research and Opinion</i> , 2019, 35, 1265-1273.	0.9	5
23	Icodextrin is Associated with a Lower Mortality Rate in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2019, 39, 252-260.	1.1	11
24	A leadership-based program can reduce boarding time of emergency department admissions. <i>American Journal of Emergency Medicine</i> , 2019, 37, 783-788.	0.7	0
25	Erythropoietin prevents dementia in hemodialysis patients: a nationwide population-based study. <i>Aging</i> , 2019, 11, 6941-6950.	1.4	9
26	A Web-Based Clinical System for Cohort Surveillance of Specific Clinical Effectiveness and Safety Outcomes: A Cohort Study of Nonâ€“Vitamin K Antagonist Oral Anticoagulants and Warfarin. <i>JMIR Medical Informatics</i> , 2019, 7, e13329.	1.3	1
27	Affective and cognitive rather than somatic symptoms of depression predict 3-year mortality in patients on chronic hemodialysis. <i>Scientific Reports</i> , 2018, 8, 5868.	1.6	13
28	Association between education level and potentially inappropriate medication among older patients. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 101-103.	1.4	1
29	Timely thrombectomy can improve patency of hemodialysis arteriovenous fistulas. <i>Journal of Vascular Surgery</i> , 2018, 67, 1217-1226.	0.6	17
30	Effects of lower versus higher phosphate diets on fibroblast growth factor-23 levels in patients with chronic kidney disease: a systematic review and meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1977-1983.	0.4	22
31	N-Terminal Pro-Brain Natriuretic Peptide Predicts Long-Term Technique Failure in Patients Undergoing Peritoneal Dialysis. <i>Journal of Clinical Medicine</i> , 2018, 7, 557.	1.0	6
32	Prognostic importance and determinants of uremic pruritus in patients receiving peritoneal dialysis: A prospective cohort study. <i>PLoS ONE</i> , 2018, 13, e0203474.	1.1	24
33	Physician prescribing patterns of antihypertensives in diabetic patients before and after the implementation of Taiwan's guideline for the management of hypertension. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 650-651.	0.8	0
34	Clinically diagnosed urticaria and risk of systemic lupus erythematosus in children: A nationwide populationâ€“based caseâ€“control study. <i>Pediatric Allergy and Immunology</i> , 2018, 29, 732-739.	1.1	13
35	Identifying Unmet Treatment Needs for Patients With Osteoporotic Fracture: Feasibility Study for an Electronic Clinical Surveillance System. <i>Journal of Medical Internet Research</i> , 2018, 20, e142.	2.1	5
36	Infection-related hospitalization and risk of end-stage renal disease in patients with systemic lupus erythematosus: a nationwide population-based study. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw407.	0.4	8

#	ARTICLE	IF	CITATIONS
37	Self-reported frailty among end-stage renal disease patients: A potential predictor of dialysis access outcomes. <i>Nephrology</i> , 2017, 22, 333-334.	0.7	18
38	Frequency of Early Predialysis Nephrology Care and Postdialysis Cardiovascular Events. <i>American Journal of Kidney Diseases</i> , 2017, 70, 164-172.	2.1	19
39	Dipstick proteinuria level is significantly associated with pre-morbid and in-hospital functional status among hospitalized older adults: a preliminary study. <i>Scientific Reports</i> , 2017, 7, 42030.	1.6	5
40	Close correlation between the ankle-brachial index and symptoms of depression in hemodialysis patients. <i>International Urology and Nephrology</i> , 2017, 49, 1463-1470.	0.6	13
41	Circulating MicroRNA-125b Predicts the Presence and Progression of Uremic Vascular Calcification. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 1402-1414.	1.1	54
42	Effects of atorvastatin treatment on left ventricular diastolic function in peritoneal dialysis patients—the ALEVENT clinical trial. <i>Journal of Clinical Lipidology</i> , 2017, 11, 657-666.	0.6	8
43	Association of Intensive Blood Pressure Control and Kidney Disease Progression in Nondiabetic Patients With Chronic Kidney Disease. <i>JAMA Internal Medicine</i> , 2017, 177, 792.	2.6	100
44	A single question regarding mobility in the World Health Organization quality of life questionnaire predicts 3-year mortality in patients receiving chronic hemodialysis. <i>Scientific Reports</i> , 2017, 7, 11981.	1.6	6
45	Protein-energy wasting significantly increases healthcare utilization and costs among patients with chronic kidney disease: a propensity-score matched cohort study. <i>Current Medical Research and Opinion</i> , 2017, 33, 1705-1713.	0.9	21
46	Effects of Higher Quality of Care on Initiation of Long-term Dialysis in Patients With CKD and Diabetes. <i>American Journal of Kidney Diseases</i> , 2017, 70, 666-674.	2.1	12
47	Factors associated with poor outcomes of continuous renal replacement therapy. <i>PLoS ONE</i> , 2017, 12, e0177759.	1.1	27
48	End stage renal disease is associated with development of dementia. <i>Oncotarget</i> , 2017, 8, 107348-107355.	0.8	9
49	Comparative effectiveness of angiotensin-converting enzyme inhibitors versus angiotensin II receptor blockers for major renal outcomes in patients with diabetes: A 15-year cohort study. <i>PLoS ONE</i> , 2017, 12, e0177654.	1.1	17
50	Mucin glycosylating enzyme GALNT2 suppresses malignancy in gastric adenocarcinoma by reducing MET phosphorylation. <i>Oncotarget</i> , 2016, 7, 11251-11262.	0.8	39
51	Acute kidney injury as a risk factor for diagnostic discrepancy among geriatric patients: a pilot study. <i>Scientific Reports</i> , 2016, 6, 38549.	1.6	1
52	Statins Improve Long Term Patency of Arteriovenous Fistula for Hemodialysis. <i>Scientific Reports</i> , 2016, 6, 22197.	1.6	31
53	Risk Factors for Development and Progression of Chronic Kidney Disease. <i>Medicine (United States)</i> , 2016, 95, e3013.	0.4	108
54	Chlorhexidine-related refractory anaphylactic shock: a case successfully resuscitated with extracorporeal membrane oxygenation. <i>Journal of Clinical Anesthesia</i> , 2016, 34, 654-657.	0.7	14

#	ARTICLE	IF	CITATIONS
55	Proteinuria as a Therapeutic Target in Advanced Chronic Kidney Disease: a Retrospective Multicenter Cohort Study. <i>Scientific Reports</i> , 2016, 6, 26539.	1.6	15
56	Heart rhythm complexity impairment in patients undergoing peritoneal dialysis. <i>Scientific Reports</i> , 2016, 6, 28202.	1.6	24
57	Involvement of Endoplasmic Reticulum Stress, Autophagy and Apoptosis in Advanced Glycation End Products-Induced Glomerular Mesangial Cell Injury. <i>Scientific Reports</i> , 2016, 6, 34167.	1.6	45
58	The influences of adrenaline dosing frequency and dosage on outcomes of adult in-hospital cardiac arrest: A retrospective cohort study. <i>Resuscitation</i> , 2016, 103, 125-130.	1.3	12
59	The effects of calcium and sodium bicarbonate on severe hyperkalaemia during cardiopulmonary resuscitation: A retrospective cohort study of adult in-hospital cardiac arrest. <i>Resuscitation</i> , 2016, 98, 105-111.	1.3	33
60	A Simpler Creatinine Index Can Predict Long-Term Survival in Chinese Hemodialysis Patients. <i>PLoS ONE</i> , 2016, 11, e0165164.	1.1	12
61	Patients with urothelial carcinoma have poor renal outcome regardless of whether they receive nephroureterectomy. <i>Oncotarget</i> , 2016, 7, 61679-61689.	0.8	3
62	Chemical chaperon 4-phenylbutyrate protects against the endoplasmic reticulum stress-mediated renal fibrosis <i>in vivo</i> and <i>in vitro</i> . <i>Oncotarget</i> , 2016, 7, 22116-22127.	0.8	59
63	Cumulative Cardiovascular Polypharmacy Is Associated With the Risk of Acute Kidney Injury in Elderly Patients. <i>Medicine (United States)</i> , 2015, 94, e1251.	0.4	46
64	Left Ventricular Diastolic Dysfunction in Peritoneal Dialysis. <i>Medicine (United States)</i> , 2015, 94, e819.	0.4	7
65	Comparative Study of Outcomes among Patients with Polycystic Kidney Disease on Hemodialysis and Peritoneal Dialysis. <i>Scientific Reports</i> , 2015, 5, 12816.	1.6	19
66	The severity of initial acute kidney injury at admission of geriatric patients significantly correlates with subsequent in-hospital complications. <i>Scientific Reports</i> , 2015, 5, 13925.	1.6	46
67	Visceral fat area is associated with HbA1c but not dialysate-related glucose load in nondiabetic PD patients. <i>Scientific Reports</i> , 2015, 5, 12811.	1.6	13
68	Cross-sectional study of the association between functional status and acute kidney injury in geriatric patients. <i>BMC Nephrology</i> , 2015, 16, 186.	0.8	17
69	Parathyroidectomy Is Associated with Reduced Mortality in Hemodialysis Patients with Secondary Hyperparathyroidism. <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	27
70	Outcome Comparisons Between Patients on Peritoneal Dialysis With and Without Polycystic Kidney Disease. <i>Medicine (United States)</i> , 2015, 94, e2166.	0.4	13
71	Dialysate Lavage: An Alternative Solution for Reducing the Peritoneal Implantation of Poorly Differentiated Gastric Cancer Cells. <i>European Surgical Research</i> , 2015, 55, 24-34.	0.6	0
72	Monitoring of serum lactate level during cardiopulmonary resuscitation in adult in-hospital cardiac arrest. <i>Critical Care</i> , 2015, 19, 344.	2.5	33

#	ARTICLE	IF	CITATIONS
73	Vitamin D is closely linked to the clinical courses of herpes zoster: From pathogenesis to complications. <i>Medical Hypotheses</i> , 2015, 85, 452-457.	0.8	14
74	Ferritin heavy chain mediates the protective effect of heme oxygenase-1 against oxidative stress. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 2506-2517.	1.1	47
75	Viridans Streptococci in Peritoneal Dialysis Peritonitis: Clinical Courses and Long-Term Outcomes. <i>Peritoneal Dialysis International</i> , 2015, 35, 333-341.	1.1	24
76	Serum free 1,25-dihydroxy-vitamin D is more closely associated with fibroblast growth factor 23 than other vitamin D forms in chronic dialysis patients. <i>Clinica Chimica Acta</i> , 2015, 439, 122-127.	0.5	3
77	Acinetobacter Peritoneal Dialysis Peritonitis: A Changing Landscape over Time. <i>PLoS ONE</i> , 2014, 9, e110315.	1.1	17
78	Correlation of Interleukin-17-Producing Effector Memory T Cells and CD4+CD25+Foxp3 Regulatory T Cells with the Phosphate Levels in Chronic Hemodialysis Patients. <i>Scientific World Journal</i> , The, 2014, 2014, 1-9.	0.8	12
79	High-Dialysate-Glucose-Induced Oxidative Stress and Mitochondrial-Mediated Apoptosis in Human Peritoneal Mesothelial Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2014, 2014, 1-12.	1.9	30
80	Diagnostic Performance of Random Urine Samples Using Albumin Concentration vs Ratio of Albumin to Creatinine for Microalbuminuria Screening in Patients With Diabetes Mellitus. <i>JAMA Internal Medicine</i> , 2014, 174, 1108.	2.6	52
81	Increased Risk of End-Stage Renal Disease in Patients with Renal Cell Carcinoma. <i>Medicine (United Tj ETQq1 1 0.784314 rgBT /Overlo</i>	0.4	21
82	Comparative effectiveness of antihypertensive drugs in patients with diabetes. <i>Journal of Comparative Effectiveness Research</i> , 2014, 3, 213-215.	0.6	3
83	Risk of Stroke in Long-term Dialysis Patients Compared With the General Population. <i>American Journal of Kidney Diseases</i> , 2014, 63, 604-611.	2.1	122
84	Integrating team resource management program into staff training improves staff's perception and patient safety in organ procurement and transplantation: the experience in a university-affiliated medical center in Taiwan. <i>BMC Surgery</i> , 2014, 14, 51.	0.6	7
85	Time to have a paradigm shift in health care quality measurement. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 673-679.	0.8	14
86	Serum vitamin D levels are positively associated with varicella zoster immunity in chronic dialysis patients. <i>Scientific Reports</i> , 2014, 4, 7371.	1.6	20
87	Altered molecular repertoire of immune system by renal dysfunction in the elderly: is prediction and targeted prevention in the horizon?. <i>EPMA Journal</i> , 2013, 4, 17.	3.3	10
88	Metabolic syndrome and abdominal fat are associated with inflammation, but not with clinical outcomes, in peritoneal dialysis patients. <i>Cardiovascular Diabetology</i> , 2013, 12, 86.	2.7	14
89	Autophagy induction promotes aristolochic acid-I-induced renal injury in vivo and in vitro. <i>Toxicology</i> , 2013, 312, 63-73.	2.0	23
90	p-Cresol induces disruption of cardiomyocyte adherens junctions. <i>Toxicology</i> , 2013, 306, 176-184.	2.0	20

#	ARTICLE	IF	CITATIONS
91	Peritoneal dialysis peritonitis by anaerobic pathogens: a retrospective case series. BMC Nephrology, 2013, 14, 111.	0.8	14
92	Microalbuminuria Screening for Detecting Chronic Kidney Disease in the General Population: A Systematic Review. Renal Failure, 2013, 35, 607-614.	0.8	21
93	Comparative effectiveness of renin-angiotensin system blockers and other antihypertensive drugs in patients with diabetes: systematic review and bayesian network meta-analysis. BMJ, The, 2013, 347, f6008-f6008.	3.0	199
94	<i>Citrobacter</i> Peritoneal Dialysis Peritonitis: Rare Occurrence with Poor Outcomes. International Journal of Medical Sciences, 2013, 10, 1092-1098.	1.1	20
95	Glycosylated Hemoglobin and Albumin-Corrected Fructosamine Are Good Indicators for Glycemic Control in Peritoneal Dialysis Patients. PLoS ONE, 2013, 8, e57762.	1.1	27
96	High Peritoneal KT/V and Peritonitis Rates Are Associated with Peritoneal Calcification. PLoS ONE, 2013, 8, e71636.	1.1	6
97	Lean Body Mass Predicts Long-Term Survival in Chinese Patients on Peritoneal Dialysis. PLoS ONE, 2013, 8, e54976.	1.1	29
98	Dissecting the Mechanisms of Left Ventricular Diastolic Dysfunction and Inflammation in Peritoneal Dialysis Patients. PLoS ONE, 2013, 8, e62722.	1.1	10
99	Abdominal Obesity is Associated with Peripheral Artery Disease in Hemodialysis Patients. PLoS ONE, 2013, 8, e67555.	1.1	11
100	Women on hemodialysis have lower self-reported health-related quality of life scores but better survival than men. Journal of Nephrology, 2013, 26, 366-374.	0.9	14
101	Metabolic Syndrome and Insulin Resistance as Risk Factors for Development of Chronic Kidney Disease and Rapid Decline in Renal Function in Elderly. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 1268-1276.	1.8	111
102	Association of hepatitis C virus infection and malnutrition-inflammation complex syndrome in maintenance hemodialysis patients. Nephrology Dialysis Transplantation, 2012, 27, 1176-1183.	0.4	12
103	Increased Procollagen Type I C-Terminal Peptide Levels Indicate Diastolic Dysfunction in End-Stage Renal Disease Patients Undergoing Maintenance Dialysis Therapy. Journal of the American Society of Echocardiography, 2012, 25, 895-901.	1.2	11
104	Effects of indoxyl sulfate on adherens junctions of endothelial cells and the underlying signaling mechanism. Journal of Cellular Biochemistry, 2012, 113, 1034-1043.	1.2	42
105	Safety Issues of Long-Term Glucose Load in Patients on Peritoneal Dialysis—A 7-Year Cohort Study. PLoS ONE, 2012, 7, e30337.	1.1	42
106	Pleiotropic Effects of Sevelamer Beyond Phosphate Binding in End-Stage Renal Disease Patients. Clinical Drug Investigation, 2011, 31, 257-267.	1.1	19
107	Efficacy and Tolerability of Long-Acting Nifedipine GITS/OROS Monotherapy or Combination Therapy in Hypertensive Patients. Clinical Drug Investigation, 2011, 31, 631-642.	1.1	9
108	Endoplasmic Reticulum Stress Implicated in the Development of Renal Fibrosis. Molecular Medicine, 2011, 17, 1295-1305.	1.9	124

#	ARTICLE	IF	CITATIONS
109	Urothelial Carcinoma in Patients With Advanced Kidney Disease: A 12-Year Retrospective Cohort Survey. <i>American Journal of the Medical Sciences</i> , 2011, 342, 148-152.	0.4	5
110	Honokiol ameliorates renal fibrosis by inhibiting extracellular matrix and pro-inflammatory factors in vivo and in vitro. <i>British Journal of Pharmacology</i> , 2011, 163, 586-597.	2.7	49
111	Relationship Between Periodontal Disease and Mortality in Patients Treated With Maintenance Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2011, 57, 276-282.	2.1	72
112	Gender effect on renal outcome in patients with urothelial carcinoma. <i>World Journal of Urology</i> , 2011, 29, 511-516.	1.2	8
113	Cancer-Specific Mortality in Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1121-1128.	2.2	133
114	Tamoxifen Downregulates Connective Tissue Growth Factor to Ameliorate Peritoneal Fibrosis. <i>Blood Purification</i> , 2011, 31, 252-258.	0.9	23
115	Application of Speckle-Tracking Echocardiography in Detecting Coronary Artery Disease in Patients with Maintenance Hemodialysis. <i>Blood Purification</i> , 2011, 32, 38-42.	0.9	12
116	Nasal Carriage of Methicillin-resistant <i>Staphylococcus aureus</i> Is Associated with Higher All-Cause Mortality in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 167-174.	2.2	49
117	Associations of metabolic syndrome and its components with cardiovascular outcomes among non-diabetic patients undergoing maintenance peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 4047-4054.	0.4	33
118	Periodontal disease is associated with metabolic syndrome in hemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 4068-4073.	0.4	31
119	Development of Encapsulating Peritoneal Sclerosis Following Bacterial Peritonitis in a Peritoneal Dialysis Patient. <i>American Journal of Kidney Diseases</i> , 2010, 55, 198-202.	2.1	9
120	Risk Factors for High Dialysate Glucose use in PD Patients—A Retrospective 5-Year Cohort Study. <i>Peritoneal Dialysis International</i> , 2010, 30, 448-455.	1.1	19
121	Investigation of the Associations Between Low-Dose Serum Perfluorinated Chemicals and Liver Enzymes in US Adults. <i>American Journal of Gastroenterology</i> , 2010, 105, 1354-1363.	0.2	105
122	Malnutrition-Inflammation Score Independently Determined Cardiovascular and Infection Risk in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2010, 30, 16-24.	0.9	27
123	Malnutrition-Inflammation Score Independently Determined Cardiovascular and Infection Risk in Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2010, 29, 308-316.	0.9	28
124	Benefits of Sevelamer on Markers of Bone Turnover in Taiwanese Hemodialysis Patients. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 663-672.	0.8	11
125	Encapsulating Peritoneal Sclerosis. <i>Clinical Gastroenterology and Hepatology</i> , 2010, 8, e65.	2.4	1
126	Seven-Year Follow-Up of Peritoneal Dialysis Patients in Taiwan. <i>Peritoneal Dialysis International</i> , 2009, 29, 450-457.	1.1	18

#	ARTICLE	IF	CITATIONS
127	Association of serum fetuin A with truncal obesity and dyslipidemia in non-diabetic hemodialysis patients. <i>European Journal of Endocrinology</i> , 2009, 160, 777-783.	1.9	42
128	N-Acetylcysteine-Mediated Antioxidation Prevents Hyperglycemia-Induced Apoptosis and Collagen Synthesis in Rat Mesangial Cells. <i>American Journal of Nephrology</i> , 2009, 29, 192-202.	1.4	12
129	Encapsulating peritoneal sclerosis. <i>Cmaj</i> , 2009, 181, 177-177.	0.9	6
130	Atorvastatin Increases Erythropoietin-Stimulating Agent Hyporesponsiveness in Maintenance Hemodialysis Patients: Role of Anti-Inflammation Effects. <i>American Journal of Nephrology</i> , 2009, 29, 392-397.	1.4	29
131	Rate of decline of residual renal function is associated with all-cause mortality and technique failure in patients on long-term peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2909-2914.	0.4	122
132	Association of Kidney Function With Residual Hypertension After Treatment of Aldosterone-Producing Adenoma. <i>American Journal of Kidney Diseases</i> , 2009, 54, 665-673.	2.1	93
133	The aggressiveness of urinary tract urothelial carcinoma increases with the severity of chronic kidney disease. <i>BJU International</i> , 2009, 104, 1471-1474.	1.3	23
134	Hyperuricemia Associated With Rapid Renal Function Decline in Elderly Taiwanese Subjects. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 921-928.	0.8	19
135	Low Protein Diet Supplemented With Ketoanalogues Makes Hemodialysis Withdrawal Possible. <i>American Journal of Kidney Diseases</i> , 2008, 51, 160-161.	2.1	1
136	Tubo-Ovarian Abscess Presenting as Culture-Negative Peritonitis in a Patient Undergoing Treatment With Peritoneal Dialysis. <i>American Journal of Kidney Diseases</i> , 2008, 51, 711-712.	2.1	1
137	Cognitive-Behavioral Therapy for Sleep Disturbance in Patients Undergoing Peritoneal Dialysis: A Pilot Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2008, 52, 314-323.	2.1	89
138	Relationship Between Interdialytic Weight Gain and Nutritional Markers in Younger and Older Hemodialysis Patients. , 2008, 18, 210-222.		21
139	Late dialysis rate for coronary artery bypass grafting patients with moderate-to-severe renal impairment: comparison between off-pump and conventional method. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 33, 364-369.	0.6	10
140	Initial Glucose Load Predicts Technique Survival in Patients on Chronic Peritoneal Dialysis. <i>American Journal of Nephrology</i> , 2008, 28, 765-771.	1.4	31
141	Clinical Utility of Malnutrition-Inflammation Score in Maintenance Hemodialysis Patients: Focus on Identifying the Best Cut-Off Point. <i>American Journal of Nephrology</i> , 2008, 28, 840-846.	1.4	62
142	Preservation of peritoneal morphology and function by pentoxifylline in a rat model of peritoneal dialysis: molecular studies. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3831-3840.	0.4	22
143	Predictors of Faster Decline of Residual Renal Function in Taiwanese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2008, 28, 191-195.	1.1	62
144	Lysophosphatidic Acid and Renal Fibrosis. <i>Recent Patents on Endocrine, Metabolic & Immune Drug Discovery</i> , 2008, 2, 204-210.	0.7	0

#	ARTICLE	IF	CITATIONS
145	Metabolic Syndrome Predicts Hospitalization in Hemodialysis Patients: A Prospective Asian Cohort Study. <i>Blood Purification</i> , 2007, 25, 252-259.	0.9	25
146	Sexual Dysfunction in Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2007, 27, 615-621.	1.4	26
147	Rosiglitazone in Diabetes Control in Hemodialysis Patients With and Without Viral Hepatitis Infection: Effectiveness and side effects. <i>Diabetes Care</i> , 2007, 30, 3-7.	4.3	35
148	One Man's Meat and Another's Poison: Adding Glucose in Dialysis Fluid. <i>Blood Purification</i> , 2007, 25, 420-421.	0.9	0
149	<i>In Vitro</i> Study of Peritoneal Fibrosis. <i>Peritoneal Dialysis International</i> , 2007, 27, 72-75.	1.1	5
150	In vitro study of peritoneal fibrosis. <i>Peritoneal Dialysis International</i> , 2007, 27 Suppl 2, S72-5.	1.1	0
151	Reply to the Letter of Eleftheriadis et al.. <i>Blood Purification</i> , 2006, 24, 539-539.	0.9	0
152	Does Periodontitis Reflect Inflammation and Malnutrition Status in Hemodialysis Patients?. <i>American Journal of Kidney Diseases</i> , 2006, 47, 815-822.	2.1	131
153	Plasma Prohepcidin Positively Correlates with Hematocrit in Chronic Hemodialysis Patients. <i>Blood Purification</i> , 2006, 24, 311-316.	0.9	30
154	Plasma Interleukin-18 Levels in Hemodialysis Patients: Increased by Dialysis Process and Association with Interleukin-6 and Tumor Necrotic Factor- α . <i>Blood Purification</i> , 2006, 24, 174-179.	0.9	12
155	Plasma Interleukin-18 Levels in Chronic Renal Failure and Continuous Ambulatory Peritoneal Dialysis. <i>Blood Purification</i> , 2005, 23, 144-148.	0.9	28
156	Low-Density Lipoprotein Cholesterol: Association with Mortality and Hospitalization in Hemodialysis Patients. <i>Blood Purification</i> , 2005, 23, 134-140.	0.9	32
157	Peritoneal Fibrosing Syndrome: Pathogenetic Mechanism and Current Therapeutic Strategies. <i>Journal of the Chinese Medical Association</i> , 2005, 68, 401-405.	0.6	7
158	Influence of Hepatitis C Virus Infection on Soluble Cellular Adhesion Molecules in Hemodialysis Patients. <i>Blood Purification</i> , 2005, 23, 106-112.	0.9	12
159	Serum uric acid levels show a 'J-shaped' association with all-cause mortality in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 457-462.	0.4	147
160	Health-Related Quality of Life of Hemodialysis Patients in Taiwan: A Multicenter Study. <i>Blood Purification</i> , 2004, 22, 490-498.	0.9	55
161	Interleukin-18 is a strong predictor of hospitalization in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2810-2815.	0.4	40
162	Hemorrhagic Stroke in Chronic Dialysis Patients. <i>Renal Failure</i> , 2004, 26, 165-170.	0.8	10

#	ARTICLE	IF	CITATIONS
163	Adiponectin in peritoneal dialysis patients: a comparison with hemodialysis patients and subjects with normal renal function. <i>American Journal of Kidney Diseases</i> , 2004, 43, 1047-1055.	2.1	95
164	Pentoxifylline modulates intracellular signalling of TGF- β in cultured human peritoneal mesothelial cells: implications for prevention of encapsulating peritoneal sclerosis. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 670-676.	0.4	44
165	Influence of Relative Hypoparathyroidism on the Responsiveness to Recombinant Human Erythropoietin in Hemodialysis Patients. <i>Blood Purification</i> , 2003, 21, 220-224.	0.9	6
166	Effects of Pentoxifylline on Peritoneal Fibroblasts and Silica-Induced Peritoneal Fibrosis. <i>Peritoneal Dialysis International</i> , 2003, 23, 228-236.	1.1	21
167	Peritoneal fibrosis and its prevention. <i>Nephrology</i> , 2002, 7, 227-232.	0.7	7
168	Cardiopulmonary resuscitation in dialysis patients. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2002, 6, 160-162.	0.9	1
169	Systemic Lupus Erythematosus and Peritoneal Dialysis: Outcomes and Infectious Complications. <i>Peritoneal Dialysis International</i> , 2001, 21, 143-148.	1.1	35
170	Dipyridamole inhibits human peritoneal mesothelial cell proliferation in vitro and attenuates rat peritoneal fibrosis in vivo. <i>Kidney International</i> , 2001, 59, 2316-2324.	2.6	22
171	Dipyridamole inhibits TGF- β -induced collagen gene expression in human peritoneal mesothelial cells. <i>Kidney International</i> , 2001, 60, 1249-1257.	2.6	49
172	Dipyridamole inhibits PDGF-stimulated human peritoneal mesothelial cell proliferation. <i>Kidney International</i> , 2001, 60, 872-881.	2.6	24
173	Chronic Fatigue in Long-Term Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2001, 21, 479-485.	1.4	44
174	Trace Metals' Abnormalities in Hemodialysis Patients: Relationship with Medications. <i>Artificial Organs</i> , 2000, 24, 841-844.	1.0	56
175	Natural Changes in Peritoneal Equilibration Test Results in Continuous Ambulatory Peritoneal Dialysis Patients: A Retrospective, Seven Year Cohort Survey. <i>Artificial Organs</i> , 2000, 24, 261-264.	1.0	23
176	Relationship between Dialysis Adequacy and Quality of Life in Long-Term Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2000, 20, 534-540.	1.1	31
177	Impact of Peritoneal Membrane Transport on Technique Failure and Patient Survival in a Population on Automated Peritoneal Dialysis. <i>ASAIO Journal</i> , 1999, 45, 568-573.	0.9	36
178	Clinical Findings and Outcomes of Intra-Hemodialysis Cardiopulmonary Resuscitation. <i>American Journal of Nephrology</i> , 1999, 19, 468-473.	1.4	30
179	Viral Hepatitis Infection Should Be Considered for Evaluating Uremic Pruritus in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Blood Purification</i> , 1998, 16, 147-153.	0.9	16
180	Viral Hepatitis in Continuous Ambulatory Peritoneal Dialysis Patients in an Endemic Area for Hepatitis B and C Infection: The Taiwan Experience. <i>Blood Purification</i> , 1997, 15, 195-199.	0.9	17

#	ARTICLE	IF	CITATIONS
181	Twelve years experience of acute renal failure in Taiwan. <i>Nephrology</i> , 1997, 3, 373-376.	0.7	1
182	Effects of Intraperitoneal Antibiotics on Human Peritoneal Mesothelial Cell Growth. <i>Nephron</i> , 1996, 74, 694-700.	0.6	13
183	Quantitative analysis of messenger ribonucleic acid encoding natriuretic peptide receptors in aldosterone-producing adenoma. <i>Molecular and Cellular Endocrinology</i> , 1995, 111, 139-146.	1.6	2