

Xiangxue Lu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8870037/xiangxue-lu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18
papers

104
citations

6
h-index

10
g-index

19
ext. papers

156
ext. citations

3.1
avg, IF

2.9
L-index

#	Paper	IF	Citations
18	High neutrophil-to-lymphocyte ratio is a significant predictor of depressive symptoms in maintenance hemodialysis patients: a cross-sectional study.. <i>BMC Psychiatry</i> , 2022 , 22, 313	4.2	
17	Effects of Hydroxychloroquine on Proteinuria in IgA Nephropathy: A Systematic Review and Meta-Analysis.. <i>BioMed Research International</i> , 2021 , 2021, 9171715	3	
16	Neutrophil-to-Lymphocyte Ratio and Erythropoietin Resistance among Maintenance Hemodialysis Patients. <i>Blood Purification</i> , 2021 , 1-6	3.1	1
15	High Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio Are Associated with Poor Survival in Patients with Hemodialysis. <i>BioMed Research International</i> , 2021 , 2021, 9958081	3	3
14	Serum Uric Acid and Mortality in Patients with Chronic Kidney Disease: A Systematic Review and Meta-Analysis. <i>Blood Purification</i> , 2021 , 50, 758-766	3.1	2
13	Risk factors for mortality in patients undergoing peritoneal dialysis: a systematic review and meta-analysis. <i>Renal Failure</i> , 2021 , 43, 743-753	2.9	3
12	Prognostic value of beta-2 microglobulin on mortality in chronic kidney disease patients: A systematic review and meta-analysis. <i>Therapeutic Apheresis and Dialysis</i> , 2021 ,	1.9	2
11	High Erythropoiesis Resistance Index Is a Significant Predictor of Cardiovascular and All-Cause Mortality in Chinese Maintenance Hemodialysis Patients. <i>Mediators of Inflammation</i> , 2020 , 2020, 1027230	4.3	4
10	CSE/HS system alleviates uremic accelerated atherosclerosis by regulating TGF- β /Smad3 pathway in 5/6 nephrectomy ApoE mice. <i>BMC Nephrology</i> , 2020 , 21, 527	2.7	2
9	Higher Postdialysis Lactic Acid Is Associated with Postdialysis Fatigue in Maintenance of Hemodialysis Patients. <i>Blood Purification</i> , 2020 , 49, 535-541	3.1	0
8	Hydrogen Sulfide Protects Against Uremic Accelerated Atherosclerosis via nPKC β /Akt Signal Pathway. <i>Frontiers in Molecular Biosciences</i> , 2020 , 7, 615816	5.6	0
7	Molecular mechanisms of hydrogen sulfide against uremic accelerated atherosclerosis through cPKC β /Akt signal pathway. <i>BMC Nephrology</i> , 2019 , 20, 358	2.7	6
6	Association between Serum Magnesium and Erythropoietin Responsiveness in Hemodialysis Patients: A Cross-Sectional Study. <i>Kidney and Blood Pressure Research</i> , 2019 , 44, 354-361	3.1	9
5	Cinacalcet Treatment Significantly Improves All-Cause and Cardiovascular Survival in Dialysis Patients: Results from a Meta-Analysis. <i>Kidney and Blood Pressure Research</i> , 2019 , 44, 1327-1338	3.1	2
4	High Neutrophil-to-Lymphocyte Ratio is a Significant Predictor of Cardiovascular and All-Cause Mortality in Patients Undergoing Peritoneal Dialysis. <i>Kidney and Blood Pressure Research</i> , 2018 , 43, 490-499	3.1	18
3	Effect of Lanthanum Carbonate on All-Cause Mortality in Patients Receiving Maintenance Hemodialysis: a Meta-Analysis of Randomized Controlled Trials. <i>Kidney and Blood Pressure Research</i> , 2018 , 43, 536-544	3.1	10
2	Association of Circulating Levels of ADMA with Carotid Intima-Media Thickness in Patients with CKD: a Systematic Review and Meta-Analysis. <i>Kidney and Blood Pressure Research</i> , 2018 , 43, 25-33	3.1	17

1 High Neutrophil-to-Lymphocyte Ratio Predicts Cardiovascular Mortality in Chronic Hemodialysis Patients. *Mediators of Inflammation*, **2017**, 2017, 9327136 43 25