Gabriela R Lauretti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8948429/publications.pdf

Version: 2024-02-01

236833 265120 54 1,826 25 42 citations h-index g-index papers 55 55 55 1138 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Population pharmacokinetics of gabapentin in patients with neuropathic pain: Lack of effect of diabetes or glycaemic control. British Journal of Clinical Pharmacology, 2021, 87, 1981-1989.	1.1	4
2	Cetirizine Reduces Gabapentin Plasma Concentrations and Effect: Role of Renal Drug Transporters for Organic Cations. Journal of Clinical Pharmacology, 2020, 60, 1076-1086.	1.0	8
3	Pharmacogenomics in chronic pain therapy: from disease to treatment and challenges for clinical practice. Pharmacogenomics, 2019, 20, 971-982.	0.6	13
4	The SLCO1A2 -189188InsA polymorphism reduces clearance of rocuronium in patients submitted to elective surgeries. European Journal of Clinical Pharmacology, 2017, 73, 957-963.	0.8	14
5	Impact of fraction unbound, <scp>CYP</scp> 3A, and <scp>CYP</scp> 2D6 in vivo activities, and other potential covariates to the clearance of tramadol enantiomers in patients with neuropathic pain. Fundamental and Clinical Pharmacology, 2016, 30, 153-161.	1.0	5
6	Pharmacokinetics and pharmacodynamics of rocuronium in young adult and elderly patients undergoing elective surgery. Journal of Pharmacy and Pharmacology, 2016, 68, 1351-1358.	1.2	10
7	The New Portable Transcutaneous Electrical Nerve Stimulation Device Was Efficacious in the Control of Primary Dysmenorrhea Cramp Pain. Neuromodulation, 2015, 18, 522-527.	0.4	32
8	Efficacy of the Greater Occipital Nerve Block for Cervicogenic Headache: Comparing Classical and Subcompartmental Techniques. Pain Practice, 2015, 15, 654-661.	0.9	41
9	The evolution of spinal/epidural neostigmine in clinical application: Thoughts after two decades. Saudi Journal of Anaesthesia, 2015, 9, 71.	0.2	21
10	Chronic visceral pain secondary to ventral disc herniation: Development of visceral complex regional pain syndrome. Saudi Journal of Anaesthesia, 2015, 9, 314.	0.2	1
11	Analgesia after Epidural Dexamethasone is Further Enhanced by IV Dipyrone, but Not IV Parecoxibe Following Minor Orthopedic Surgery. Korean Journal of Pain, 2014, 27, 345-352.	0.8	2
12	Comparison between the intravenous and caudal routes of sufentanil in children undergoing orchidopexy and further evaluation of the association of caudal adrenaline and neostigmine. Saudi Journal of Anaesthesia, 2014, 8, 345.	0.2	1
13	Analysis of rocuronium in human plasma by liquid chromatography–tandem mass spectrometry with application in clinical pharmacokinetics. Journal of Pharmaceutical and Biomedical Analysis, 2014, 90, 180-185.	1.4	7
14	Efficacy of the use of two simultaneously TENS devices for fibromyalgia pain. Rheumatology International, 2013, 33, 2117-2122.	1.5	35
15	Intrathecal ketorolac enhances intrathecal morphine analgesia following total knee arthroplasty. Journal of Anaesthesiology Clinical Pharmacology, 2013, 29, 503.	0.2	23
16	Epidural methadone results in dose-dependent analgesia in cancer pain, further enhanced by epidural dexamethasone. British Journal of Cancer, 2013, 108, 259-264.	2.9	18
17	Enantioselective analysis of unbound tramadol, O-desmethyltramadol and N-desmethyltramadol in plasma by ultrafiltration and LC–MS/MS: Application to clinical pharmacokinetics. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 880, 140-147.	1.2	32
18	Spinal and intravenous midazolan anesthetic effects on fentanyl/ ligdocaine regional anesthesia following back minor orthopedic surgery. Coluna/ Columna, 2010, 9, 30-34.	0.0	0

#	Article	IF	CITATIONS
19	Avalia \tilde{A} § \tilde{A} £o do efeito antinociceptivo do fentanil transd \tilde{A} ©rmico no controle da dor lombar p \tilde{A}^3 s-operat \tilde{A}^3 ria. Coluna/ Columna, 2009, 8, 412-416.	0.0	2
20	High and Low Frequency TENS Reduce Postoperative Pain Intensity After Laparoscopic Tubal Ligation. Clinical Journal of Pain, 2009, 25, 12-19.	0.8	66
21	The clinical and laboratorial evaluation of transdermal ketamine, fentanyl, clonidine or their combination in chronic low back pain. Coluna/ Columna, 2009, 8, 434-440.	0.0	1
22	Mecanismos envolvidos na analgesia da lidocaÃna por via venosa. Revista Brasileira De Anestesiologia, 2008, 58, 280-286.	0.6	114
23	Highlights in opioid agonists and antagonists. Expert Review of Neurotherapeutics, 2006, 6, 613-622.	1.4	4
24	The Antinociceptive Effect of Local or Systemic Parecoxib Combined with Lidocaine/Clonidine Intravenous Regional Analgesia for Complex Regional Pain Syndrome Type I in the Arm. Anesthesia and Analgesia, 2005, 101, 807-811.	1,1	17
25	The combination of epidural clonidine and S(+)-ketamine did not enhance analgesic efficacy beyond that for each individual drug in adult orthopedic surgery. Journal of Clinical Anesthesia, 2005, 17, 79-84.	0.7	10
26	Avaliação duplamente encoberta da hipnose em fibromialgia. Sao Paulo Medical Journal, 2005, 123, 14-14.	0.4	3
27	Spinal Alcohol Neurolysis for Intractable Thoracic Postherpetic Neuralgia after Test Bupivacaine Spinal Analgesia. Anesthesiology, 2004, 101, 244-247.	1.3	7
28	Comparison of sustained-release morphine with sustained-release oxycodone in advanced cancer patients. British Journal of Cancer, 2003, 89, 2027-2030.	2.9	110
29	Antinociceptive Effect of Low-Dose Intrathecal Neostigmine Combined with Intrathecal Morphine following Gynecologic Surgery. Anesthesiology, 2003, 98, 495-498.	1.3	51
30	Epidural Morphine and Neostigmine for Postoperative Analgesia After Orthopedic Surgery. Anesthesia and Analgesia, 2002, 95, 1698-1701.	1.1	61
31	Double-blind evaluation of transdermal nitroglycerine as adjuvant to oral morphine for cancer pain management. Journal of Clinical Anesthesia, 2002, 14, 83-86.	0.7	62
32	Clonidine as coadjuvant in eye surgery: comparison of peribulbar versus oral administration. Journal of Clinical Anesthesia, 2002, 14, 140-145.	0.7	11
33	Avaliação clÃnica comparativa entre a cetamina e a clonidina por via peridural no tratamento da dor crônica neuropática. Revista Brasileira De Anestesiologia, 2002, 52, 34-40.	0.6	3
34	The Effect of Transdermal Nitroglycerin on Spinal S(+)-Ketamine Antinociception Following Orthopedic Surgery. Journal of Clinical Anesthesia, 2001, 13, 576-581.	0.7	26
35	Transdermal Ketamine as an Adjuvant for Postoperative Analgesia After Abdominal Gynecological Surgery Using Lidocaine Epidural Blockade. Anesthesia and Analgesia, 2000, 91, 1479-1482.	1.1	42
36	Low-dose intrathecal clonidine combined with sufentanil as analgesic drugs in abdominal gynecological surgery. Journal of Clinical Anesthesia, 2000, 12, 357-362.	0.7	21

#	Article	IF	Citations
37	Postoperative analgesia by intraarticular and epidural neostigmine following knee surgery. Journal of Clinical Anesthesia, 2000, 12, 444-448.	0.7	39
38	Low doses of epidural ketamine or neostigmine, but not midazolam, improve morphine analgesia in epidural terminal cancer pain therapy. Journal of Clinical Anesthesia, 1999, 11, 663-668.	0.7	74
39	Study of Three Different Doses of Epidural Neostigmine Coadministered with Lidocaine for Postoperative Analgesia. Anesthesiology, 1999, 90, 1534-1538	1.3	93
40	Oral Ketamine and Transdermal Nitroglycerin as Analgesic Adjuvants to Oral Morphine Therapy for Cancer Pain Management. Anesthesiology, 1999, 90, 1528-1533	1.3	202
41	Combined intrathecal fentanyl and neostigmine:. Journal of Clinical Anesthesia, 1998, 10, 291-296.	0.7	27
42	Epidural Nonsteroidal Antiinflammatory Drugs for Cancer Pain. Anesthesia and Analgesia, 1998, 86, 117-118.	1.1	25
43	Tramadol and beta-cyclodextrin piroxicamâ€â€¡Effective multimodal balanced analgesia for the intra-and postoperative period. Regional Anesthesia and Pain Medicine, 1997, 22, 243-248.	1.1	16
44	Postoperative analgesia and antiemetic efficacy after subarachnoid neostigmine in orthopedic surgery. Regional Anesthesia and Pain Medicine, 1997, 22, 337-342.	1.1	27
45	Propofol decreases ocular pressure in outpatients undergoing trabeculectomy. Journal of Clinical Anesthesia, 1997, 9, 289-292.	0.7	11
46	Intrathecal neostigmine for postoperative analgesia after orthopedic surgery. Journal of Clinical Anesthesia, 1997, 9, 473-477.	0.7	52
47	Dose-Response Study of Intrathecal Morphine Versus Intrathecal Neostigmine, Their Combination, or Placebo for Postoperative Analgesia in Patients Undergoing Anterior and Posterior Vaginoplasty. Anesthesia and Analgesia, 1996, 82, 1182-1187.	1.1	68
48	Intravenous Ketamine or Fentanyl Prolongs Postoperative Analgesia After Intrathecal Neostigmine. Anesthesia and Analgesia, 1996, 83, 766-770.	1,1	27
49	The Effects of Intrathecal Neostigmine on Somatic and Visceral Pain. Anesthesia and Analgesia, 1996, 82, 617-620.	1.1	6
50	Dose-Response Study of Intrathecal Morphine Versus Intrathecal Neostigmine, Their Combination, or Placebo for Postoperative Analgesia in Patients Undergoing Anterior and Posterior Vaginoplasty. Anesthesia and Analgesia, 1996, 82, 1182-1187.	1.1	92
51	The Effects of Intrathecal Neostigmine on Somatic and Visceral Pain. Anesthesia and Analgesia, 1996, 82, 617-620.	1.1	60
52	Intravenous Ketamine or Fentanyl Prolongs Postoperative Analgesia After Intrathecal Neostigmine. Anesthesia and Analgesia, 1996, 83, 766-770.	1.1	33
53	The activity of opioid analgesics in seizure models utilizing N-methyl-dl-aspartic acid, kainic acid, bicuculline and pentylenetetrazole. Neuropharmacology, 1994, 33, 155-160.	2.0	77
54	MODIFICATION BY DRUGS USED IN ANAESTHESIA OF CNS STIMULATION INDUCED IN MICE BY LAUDANOSINE AND STRYCHNINE. British Journal of Anaesthesia, 1991, 67, 608-613.	1.5	13