
Takafumi Toita

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9051556/publications.pdf Version: 2024-02-01



Τλκλειιμι Τοιτλ

#	Article	IF	CITATIONS
1	Incidence of fistula occurrence in patients with cervical cancer treated with bevacizumab: data from real-world clinical practice. International Journal of Clinical Oncology, 2022, 27, 1517-1528.	2.2	2
2	Predictive factors of posttreatment fracture by definitive radiotherapy for uterine cervical cancer. Japanese Journal of Radiology, 2021, 39, 93-99.	2.4	2
3	Accuracy of Intracavitary Applicator Reconstruction for Cervix Cancer Brachytherapy. SN Comprehensive Clinical Medicine, 2020, 2, 133-139.	0.6	Ο
4	Definitive radiotherapy consisting of whole pelvic radiotherapy with no central shielding and CT-based intracavitary brachytherapy for cervical cancer: feasibility, toxicity, and oncologic outcomes in Japanese patients. International Journal of Clinical Oncology, 2020, 25, 1977-1984.	2.2	11
5	A Phase II Study of Neoadjuvant Chemotherapy Followed by Extended Field Concurrent Chemoradiotherapy for Para-aortic Lymph Node Positive Cervical Cancer. Anticancer Research, 2020, 40, 3565-3570.	1.1	7
6	Dummy-run for standardizing plan quality of intensity-modulated radiotherapy for postoperative uterine cervical cancer: Japan Clinical Oncology Group study (JCOG1402). Radiation Oncology, 2019, 14, 133.	2.7	8
7	A multi-institutional observational study on the effects of three-dimensional radiotherapy and weekly 40-mg/m2 cisplatin on postoperative uterine cervical cancer patients with high-risk prognostic factors. International Journal of Clinical Oncology, 2019, 24, 575-582.	2.2	10
8	Radiotherapy for vaginal cancer: a multi-institutional survey study of the Japanese Radiation Oncology Study Group. International Journal of Clinical Oncology, 2018, 23, 314-320.	2.2	13
9	Computed tomography–based image-guided brachytherapy for cervical cancer: correlations between dose–volume parameters and clinical outcomes. Journal of Radiation Research, 2018, 59, 67-76.	1.6	22
10	National survey of intracavitary brachytherapy for intact uterine cervical cancer in Japan. Journal of Radiation Research, 2018, 59, 469-476.	1.6	24
11	Concurrent weekly cisplatin <i>versus</i> triweekly cisplatin with radiotherapy for locally advanced squamous-cell carcinoma of the cervix: a retrospective analysis from a single institution. British Journal of Radiology, 2017, 90, 20170241.	2.2	5
12	Predictive factors of uterine movement during definitive radiotherapy for cervical cancer. Journal of Radiation Research, 2017, 58, 397-404.	1.6	13
13	Recommendations for high-risk clinical target volume definition with computed tomography for three-dimensional image-guided brachytherapy in cervical cancer patients. Journal of Radiation Research, 2017, 58, 341-350.	1.6	45
14	Proposed definition of the vaginal cuff and paracolpium clinical target volume in postoperative uterine cervical cancer. Practical Radiation Oncology, 2016, 6, 5-11.	2.1	10
15	Prognostic Factors and Treatment Outcome for Patients with Stage IVB Cervical Cancer. Anticancer Research, 2016, 36, 3471-5.	1.1	8
16	A surveillance study of intensity-modulated radiation therapy for postoperative cervical cancer in Japan. Journal of Radiation Research, 2015, 56, 735-741.	1.6	5
17	A questionnaire-based survey on 3D image-guided brachytherapy for cervical cancer in Japan: advances and obstacles. Journal of Radiation Research, 2015, 56, 897-903.	1.6	33
18	Treatment outcomes of patients with FIGO Stage I/II uterine cervical cancer treated with definitive radiotherapy: a multi-institutional retrospective research study. Journal of Radiation Research, 2015, 56, 841-848.	1.6	11

Τακαγυμί Τοιτά

#	Article	IF	CITATIONS
19	Non-randomized confirmatory trial of modified radical hysterectomy for patients with tumor diameter 2 cm or less FIGO Stage IB1 uterine cervical cancer: Japan Clinical Oncology Group Study (JCOG1101). Japanese Journal of Clinical Oncology, 2015, 45, 123-126.	1.3	11
20	Phase II study of concurrent chemoradiotherapy with weekly CDDP/PTX in patients with locally advanced uterine cervical cancer: JACCRO-GY-01 trial Journal of Clinical Oncology, 2015, 33, 5587-5587.	1.6	0
21	Japanese Structure Survey of High-precision Radiotherapy in 2012 Based on Institutional Questionnaire about the Patterns of Care. Japanese Journal of Clinical Oncology, 2014, 44, 579-586.	1.3	11
22	Prediction of concurrent chemoradiotherapy outcome in advanced oropharyngeal cancer. International Journal of Oncology, 2014, 45, 1017-1026.	3.3	14
23	A dosimetric analysis of intensity-modulated radiation therapy with bone marrow sparing for cervical cancer. Anticancer Research, 2014, 34, 5091-8.	1.1	11
24	ATL: Results of a Multi-Institutional Phase 2 Study (JGOG1066). International Journal of Gynecological Cancer, 2012, 22, 1420-1426.	2.5	15
25	Prospective Multi-Institutional Study of Definitive Radiotherapy With High-Dose-Rate Intracavitary Brachytherapy in Patients With Nonbulky (<4-cm) Stage I and II Uterine Cervical Cancer (JAROG0401/JROSG04-2). International Journal of Radiation Oncology Biology Physics, 2012, 82, e49-e56.	0.8	56
26	Phase II study of concurrent chemoradiotherapy with high-dose-rate intracavitary brachytherapy in patients with locally advanced uterine cervical cancer: Efficacy and toxicity of a low cumulative radiation dose schedule. Gynecologic Oncology, 2012, 126, 211-216.	1.4	100
27	A Consensus-based Guideline Defining Clinical Target Volume for Primary Disease in External Beam Radiotherapy for Intact Uterine Cervical Cancer. Japanese Journal of Clinical Oncology, 2011, 41, 1119-1126.	1.3	56
28	Radiotherapy quality assurance of the Japanese Gynecologic Oncology Group study (JGOG1066): a cooperative phase II study of concurrent chemoradiotherapy for uterine cervical cancer. International Journal of Clinical Oncology, 2011, 16, 379-386.	2.2	12
29	A Consensus-based Guideline Defining the Clinical Target Volume for Pelvic Lymph Nodes in External Beam Radiotherapy for Uterine Cervical Cancer. Japanese Journal of Clinical Oncology, 2010, 40, 456-463.	1.3	80
30	Quality Assurance in the Prospective Multi-institutional Trial on Definitive Radiotherapy Using High-dose-rate Intracavitary Brachytherapy for Uterine Cervical Cancer: The Individual Case Review. Japanese Journal of Clinical Oncology, 2009, 39, 813-819.	1.3	5
31	Current status and perspectives of brachytherapy for cervical cancer. International Journal of Clinical Oncology, 2009, 14, 25-30.	2.2	15
32	The efficacy of superselective intra-arterial infusion in patients with T4 oral cancer. Japanese Journal of Head and Neck Cancer, 2009, 35, 279-286.	0.1	1
33	Patterns of Radiotherapy Practice for Patients With Cervical Cancer (1999–2001): Patterns of Care Study in Japan. International Journal of Radiation Oncology Biology Physics, 2008, 70, 788-794.	0.8	39
34	Patterns of Pretreatment Diagnostic Assessment and Staging for Patients with Cervical Cancer (1999-2001): Patterns of Care Study in Japan. Japanese Journal of Clinical Oncology, 2008, 38, 26-30.	1.3	8
35	A CASE OF SQUAMOUS CELL CARCINOMA OF THE ANAL CANAL IN A HIV-POSITIVE PATIENT. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2006, 67, 1621-1625.	0.0	3
36	Concurrent chemoradiotherapy using high-dose-rate intracavitary brachytherapy for uterine cervical cancer. Gynecologic Oncology, 2005, 96, 665-670.	1.4	36

Τακαγυμί Τοιτά

#	Article	IF	CITATIONS
37	Radiotherapy for Uterine Cervical Cancer: Results of the 1995-1997 Patterns of Care Process Survey in Japan. Japanese Journal of Clinical Oncology, 2005, 35, 139-148.	1.3	7
38	Postoperative Radiotherapy for Uterine Cervical Cancer: Results of the 1995-1997 Patterns of Care Process Survey in Japan. Japanese Journal of Clinical Oncology, 2004, 34, 99-103.	1.3	6
39	ALTERNATIVE THERAPY USING CDDP/5FU AND RADIOTHERAPY FOR NASOPHARYNGEAL CANCER. Japanese Journal of Head and Neck Cancer, 2004, 30, 545-549.	0.1	4
40	Anaplastic meningioma with papillary, rhabdoid, and epithelial features: a case report. Brain Tumor Pathology, 2001, 18, 155-159.	1.7	20
41	Dosimetric characteristics of acrylic and stainless steel cones for electron beam therapy. Medical Physics, 1999, 26, 1260-1261.	3.0	0