

Sung Ki Cho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/909214/publications.pdf>

Version: 2024-02-01

57
papers

1,186
citations

394421

19
h-index

395702

33
g-index

57
all docs

57
docs citations

57
times ranked

1455
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined therapy with bronchial artery embolization and tranexamic acid for hemoptysis. <i>Acta Radiologica</i> , 2021, 62, 610-618.	1.1	3
2	Primary aldosteronism subtyping in the setting of partially successful adrenal vein sampling. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2021, 12, 204201882198923.	3.2	9
3	Radiologic and clinical results of transarterial ethanol embolization for renal angiomyolipoma. <i>European Radiology</i> , 2021, 31, 6568-6577.	4.5	7
4	Percutaneous radiologic gastrostomy with single gastropexy: outcomes in 636 patients. <i>European Radiology</i> , 2021, 31, 6531-6538.	4.5	2
5	Therapeutic outcomes of embolotherapy of extremity bone intraosseous arteriovenous malformation with ethanol, coils, and n-butyl cyanoacrylate. <i>Journal of Vascular Surgery</i> , 2021, 73, 2090-2097.e5.	1.1	5
6	Combined transarterial chemoembolization and radiofrequency ablation for subphrenic versus nonsubphrenic hepatocellular carcinoma: a propensity score matched study. <i>Abdominal Radiology</i> , 2021, 46, 5735-5745.	2.1	1
7	Long term clinical outcomes of portal vein stenting for symptomatic portal vein stenosis after pancreaticoduodenectomy. <i>Medicine (United States)</i> , 2021, 100, e27264.	1.0	3
8	Guidewire-catheter induced hydrodissection to assist radiofrequency ablation for subcapsular hepatocellular carcinoma with iodized oil retention in patients with failed artificial ascites due to perihepatic adhesion. , 2021, 27, 746-753.		1
9	Selective Versus Non-selective Transarterial Chemoembolization via the Intercostal Artery for the Treatment of Hepatocellular Carcinoma. <i>CardioVascular and Interventional Radiology</i> , 2020, 43, 587-596.	2.0	0
10	Factors associated with the development of post-thrombotic syndrome in patients with iliofemoral deep venous thrombosis who underwent catheter-directed thrombolysis. <i>Phlebology</i> , 2020, 35, 672-678.	1.2	2
11	Subclassification and Treatment Results of Ethanol Embolotherapy of Type II Arteriovenous Malformations of the Extremity and Body. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 1443-1451.	0.5	12
12	Long-term clinical outcomes after endovascular management of ruptured pseudoaneurysm in patients undergoing pancreaticoduodenectomy. <i>Annals of Surgical Treatment and Research</i> , 2019, 96, 237.	1.0	14
13	Endovascular treatment results and risk factors for complications of body and extremity arteriovenous malformations. <i>Journal of Vascular Surgery</i> , 2019, 69, 1207-1218.	1.1	22
14	Combination therapy of transarterial chemoembolization (TACE) and radiofrequency ablation (RFA) for small hepatocellular carcinoma: comparison with TACE or RFA monotherapy. <i>Abdominal Radiology</i> , 2019, 44, 2283-2292.	2.1	47
15	Multidisciplinary approach is associated with improved survival of hepatocellular carcinoma patients. <i>PLoS ONE</i> , 2019, 14, e0210730.	2.5	64
16	Effect of Hyperbilirubinemia on Hepatic Hypertrophy after Portal Vein Embolization and Liver Failure after Hepatectomy in Primary Biliary Malignancy. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 31-37.	0.5	10
17	Novel Albumin-Bilirubin Grade-Based Risk Prediction Model for Patients with Hepatocellular Carcinoma Undergoing Chemoembolization. <i>Digestive Diseases and Sciences</i> , 2018, 63, 1062-1071.	2.3	23
18	Combined transarterial chemoembolization of the right inferior phrenic artery and radiofrequency ablation for small hepatocellular carcinoma near the diaphragm: its efficacy and safety. <i>Abdominal Radiology</i> , 2018, 43, 2851-2858.	2.1	7

#	ARTICLE	IF	CITATIONS
19	Combined transarterial chemoembolization and radiofrequency ablation for small treatment-naïve hepatocellular carcinoma infeasible for ultrasound-guided radiofrequency ablation: long-term outcomes. <i>Acta Radiologica</i> , 2018, 59, 773-781.	1.1	14
20	Iodized Oil Transarterial Chemoembolization and Radiofrequency Ablation for Small Periportal Hepatocellular Carcinoma: Comparison with Nonperiportal Hepatocellular Carcinoma. <i>CardioVascular and Interventional Radiology</i> , 2018, 41, 120-129.	2.0	3
21	Long-term outcomes after stent insertion in patients with early and late hepatic vein outflow obstruction after living donor liver transplantation. <i>Annals of Surgical Treatment and Research</i> , 2018, 95, 333.	1.0	9
22	Balloon-Occluded Retrograde Transvenous Obliteration: Emergence as a Treatment for Gastric Varices and Medically Refractory Hepatic Encephalopathy. <i>Digestive Disease Interventions</i> , 2017, 01, 286-292.	0.2	0
23	Portal Vein Stenting for Delayed Jejunal Varix Bleeding Associated with Portal Venous Occlusion after Hepatobiliary and Pancreatic Surgery. <i>Korean Journal of Radiology</i> , 2017, 18, 828.	3.4	18
24	Combination treatment with transarterial chemoembolization, radiotherapy, and hyperthermia (CERT) for hepatocellular carcinoma with portal vein tumor thrombosis: Final results of a prospective phase II trial. <i>Oncotarget</i> , 2017, 8, 52651-52664.	1.8	12
25	The role of scheduled second TACE in early-stage hepatocellular carcinoma with complete response to initial TACE. <i>Clinical and Molecular Hepatology</i> , 2017, 23, 42-50.	8.9	13
26	Treatment of Small Hepatocellular Carcinoma (≤2cm) in the Caudate Lobe with Sequential Transcatheter Arterial Chemoembolization and Radiofrequency Ablation. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 1015-1022.	2.0	27
27	Aggressive Intra-segmental Recurrence of Hepatocellular Carcinoma After Combined Transarterial Chemoembolization and Radiofrequency Ablation. <i>American Journal of Roentgenology</i> , 2016, 207, 1122-1127.	2.2	16
28	Feasibility and efficacy of primary tractography during percutaneous catheter drainage. <i>Acta Radiologica</i> , 2016, 57, 210-214.	1.1	0
29	Combination treatment of trans-arterial chemo-embolisation, radiotherapy and hyperthermia (CERT) for hepatocellular carcinoma with portal vein tumour thrombosis: Interim analysis of prospective phase II trial. <i>International Journal of Hyperthermia</i> , 2016, 32, 331-338.	2.5	6
30	Early Stage Hepatocellular Carcinomas Not Feasible for Ultrasound-Guided Radiofrequency Ablation: Comparison of Transarterial Chemoembolization Alone and Combined Therapy with Transarterial Chemoembolization and Radiofrequency Ablation. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 417-425.	2.0	32
31	Clinical outcome and predictors of treatment response in foam sodium tetradecyl sulfate sclerotherapy of venous malformations. <i>European Radiology</i> , 2016, 26, 1301-1310.	4.5	35
32	Transarterial chemoembolization versus resection for intermediate-stage (BCLC B) hepatocellular carcinoma. <i>Clinical and Molecular Hepatology</i> , 2016, 22, 250-258.	8.9	42
33	Comparison of the Effectiveness of Preoperative Portal Vein Embolization in Patients with Chronic Liver Disease: Gelfoam versus Gelfoam-Coil Combination. <i>Journal of the Korean Society of Radiology</i> , 2015, 72, 335.	0.2	5
34	A Novel Foam Contrast Agent Suitable for Fluoroscopic Interventional Procedure: Comparative Study of Physical Properties and Experimental Intervention in Animal Model. <i>BioMed Research International</i> , 2015, 2015, 1-6.	1.9	0
35	A novel, ring-connected stent versus conventional GI stents: comparative study of physical properties and migration rates in a canine colon obstruction model. <i>Gastrointestinal Endoscopy</i> , 2015, 81, 1433-1438.	1.0	7
36	Efficacy of RECIST and mRECIST criteria as prognostic factors in patients undergoing repeated iodized oil chemoembolization of intermediate stage hepatocellular carcinoma. <i>Acta Radiologica</i> , 2015, 56, 1437-1445.	1.1	6

#	ARTICLE	IF	CITATIONS
37	Transarterial chemoembolization as first-line therapy for hepatocellular carcinomas infeasible for ultrasound-guided radiofrequency ablation: a retrospective cohort study of 116 patients. <i>Acta Radiologica</i> , 2015, 56, 70-77.	1.1	17
38	Changes in Arterioportal Shunts in Hepatocellular Carcinoma Patients with Portal Vein Thrombosis Who Were Treated with Chemoembolization Followed by Radiotherapy. <i>Cancer Research and Treatment</i> , 2015, 47, 251-258.	3.0	13
39	Risk factors of radiation dose in patients undergoing peripherally-inserted central catheter procedure using conventional angiography equipment and flat panel detector-based mobile C-arm fluoroscopy. <i>Acta Radiologica</i> , 2014, 55, 1234-1238.	1.1	6
40	Stent Graft Placement for Postsurgical Hemorrhage from the Hepatic Artery: Clinical Outcome and CT Findings. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 1539-1548.	0.5	24
41	A novel animal model of gastrointestinal obstruction for the development of stent. <i>Journal of Surgical Research</i> , 2014, 187, 445-449.	1.6	3
42	Transcatheter arterial chemoembolization and radiation therapy for treatment-naïve patients with locally advanced hepatocellular carcinoma. <i>Radiation Oncology Journal</i> , 2014, 32, 14.	1.5	28
43	Ischemic liver injuries after hepatic artery embolization in patients with delayed postoperative hemorrhage following hepatobiliary pancreatic surgery. <i>Acta Radiologica</i> , 2011, 52, 393-400.	1.1	33
44	Single bolus regional chemotherapy with doxorubicin versus chemoembolization in a rabbit vx2 tumor model. <i>Diagnostic and Interventional Radiology</i> , 2010, 17, 374-80.	1.5	2
45	Development of Thrombus in the Major Systemic and Portal Veins after Balloon-Occluded Retrograde Transvenous Obliteration for Treating Gastric Variceal Bleeding: Its Frequency and Outcome Evaluation with CT. <i>Journal of Vascular and Interventional Radiology</i> , 2008, 19, 529-538.	0.5	24
46	Peripheral Arteriovenous Malformations with a Dominant Outflow Vein: Results of Ethanol Embolization. <i>Korean Journal of Radiology</i> , 2008, 9, 258.	3.4	63
47	Balloon-Occluded Retrograde Transvenous Obliteration of Gastric Varices: Outcomes and Complications in 49 Patients. <i>American Journal of Roentgenology</i> , 2007, 189, W365-W372.	2.2	116
48	The Short-Term Effects of Balloon-Occluded Retrograde Transvenous Obliteration, for Treating Gastric Variceal Bleeding, on Portal Hypertensive Changes: a CT Evaluation. <i>Korean Journal of Radiology</i> , 2007, 8, 520.	3.4	31
49	Diaphragmatic Weakness after Transcatheter Arterial Chemoembolization of Inferior Phrenic Artery for Treatment of Hepatocellular Carcinoma. <i>Radiology</i> , 2006, 241, 581-588.	7.3	26
50	Use of the Right External Jugular Vein as the Preferred Access Site When the Right Internal Jugular Vein Is Not Usable. <i>Journal of Vascular and Interventional Radiology</i> , 2006, 17, 823-829.	0.5	21
51	Subintimal Angioplasty in the Treatment of Chronic Lower Limb Ischemia. <i>Korean Journal of Radiology</i> , 2006, 7, 131.	3.4	5
52	Percutaneous Treatment of Failed Native Dialysis Fistulas: Use of Pulse-Spray Pharmacomechanical Thrombolysis as the Primary Mode of Therapy. <i>Korean Journal of Radiology</i> , 2006, 7, 180.	3.4	12
53	Arteriovenous Malformations of the Body and Extremities: Analysis of Therapeutic Outcomes and Approaches According to a Modified Angiographic Classification. <i>Journal of Endovascular Therapy</i> , 2006, 13, 527-538.	1.5	234
54	Perfusion MR Imaging: Clinical Utility for the Differential Diagnosis of Various Brain Tumors. <i>Korean Journal of Radiology</i> , 2002, 3, 171.	3.4	50

#	ARTICLE	IF	CITATIONS
55	Diffusion MR Imaging in Patients with Intracranial Tumors. Journal of the Korean Radiological Society, 2000, 43, 387.	0.0	1
56	Early Detection of Hyperacute Cerebral Infarction in Dogs: Comparison of Unenhanced CT, Diffusion-weighted, Spin-echo T2 - weighted, and Fast FLAIR MR Imaging. Journal of the Korean Radiological Society, 1999, 41, 17.	0.0	0
57	Interventional Radiologic Placement of Tunneled Central Venous Catheters: Results and Complications in 557 Cases. Journal of the Korean Radiological Society, 1999, 40, 845.	0.0	0