Pamela Pinzani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9104423/publications.pdf

Version: 2024-02-01

136	4,456	37	61
papers	citations	h-index	g-index
139	139	139	6469
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Quantitative real-time reverse transcription polymerase chain reaction: normalization to rRNA or single housekeeping genes is inappropriate for human tissue biopsies. Analytical Biochemistry, 2002, 309, 293-300.	1.1	502
2	Developments in Quantitative PCR. Clinical Chemistry and Laboratory Medicine, 1998, 36, 255-69.	1.4	286
3	Isolation by size of epithelial tumor cells in peripheral blood of patients with breast cancer: correlation with real-time reverse transcriptase–polymerase chain reaction results and feasibility of molecular analysis by laser microdissection. Human Pathology, 2006, 37, 711-718.	1.1	157
4	Heterogeneity of $\langle i \rangle$ PIK3CA $\langle i \rangle$ mutational status at the single cell level in circulating tumor cells from metastatic breast cancer patients. Molecular Oncology, 2015, 9, 749-757.	2.1	146
5	Application of a Filtration- and Isolation-by-Size Technique for the Detection of Circulating Tumor Cells in Cutaneous Melanoma. Journal of Investigative Dermatology, 2010, 130, 2440-2447.	0.3	142
6	Mutational analysis of single circulating tumor cells by next generation sequencing in metastatic breast cancer. Oncotarget, 2016, 7, 26107-26119.	0.8	136
7	Multicenter Evaluation of Circulating Cell-Free DNA Extraction and Downstream Analyses for the Development of Standardized (Pre)analytical Work Flows. Clinical Chemistry, 2020, 66, 149-160.	1.5	100
8	Genetic and epigenetic factors in regulation of microRNA in colorectal cancers. Methods, 2013, 59, 138-146.	1.9	83
9	Circulating cell-free DNA in plasma of melanoma patients: Qualitative and quantitative considerations. Clinica Chimica Acta, 2011, 412, 2141-2145.	0.5	82
10	Quantitative polymerase chain reaction-based homogeneous assay with fluorogenic probes to measure c-erbB-2 oncogene amplification. Clinical Chemistry, 1997, 43, 752-758.	1.5	81
11	Human striatal neuroblasts develop and build a striatal-like structure into the brain of Huntington's disease patients after transplantation. Experimental Neurology, 2010, 222, 30-41.	2.0	74
12	Updates on liquid biopsy: current trends and future perspectives for clinical application in solid tumors. Clinical Chemistry and Laboratory Medicine, 2021, 59, 1181-1200.	1.4	68
13	Atypical Spitzoid melanocytic tumors: AÂmorphological, mutational, and FISH analysis. Journal of the American Academy of Dermatology, 2011, 64, 919-935.	0.6	66
14	Circulating < i>BRAF < sup > V600E < /sup > in the Diagnosis and Follow-Up of Differentiated Papillary Thyroid Carcinoma. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 3359-3365.	1.8	65
15	Allele specific Taqman-based real-time PCR assay to quantify circulating BRAFV600E mutated DNA in plasma of melanoma patients. Clinica Chimica Acta, 2010, 411, 1319-1324.	0.5	60
16	Multiparametric Analysis of Cell-Free DNA in Melanoma Patients. PLoS ONE, 2012, 7, e49843.	1.1	60
17	Immunohistochemistry is highly sensitive and specific for the detection of NRASQ61R mutation in melanoma. Modern Pathology, 2015, 28, 487-497.	2.9	59
18	The Use of COLD-PCR and High-Resolution Melting Analysis Improves the Limit of Detection of KRAS and BRAF Mutations in Colorectal Cancer. Journal of Molecular Diagnostics, 2010, 12, 705-711.	1.2	55

#	Article	IF	CITATIONS
19	Circulating Tumor Cells Detection and Counting in Uveal Melanomas by a Filtration-Based Method. Cancers, 2014, 6, 323-332.	1.7	54
20	The pre-analytical phase of the liquid biopsy. New Biotechnology, 2020, 55, 19-29.	2.4	54
21	Circulating Benign Nevus Cells Detected by ISET Technique. Archives of Dermatology, 2010, 146, 1120-4.	1.7	52
22	Circulating nucleic acids in cancer and pregnancy. Methods, 2010, 50, 302-307.	1.9	52
23	c-Kit Expression in Patients with Uterine Leiomyosarcomas. Clinical Cancer Research, 2004, 10, 3500-3503.	3.2	51
24	Rapid detection of Oenococcus oeni in wine by real-time quantitative PCR. Letters in Applied Microbiology, 2004, 38, 118-124.	1.0	49
25	BRAFV600E detection in melanoma is highly improved by COLD-PCR. Clinica Chimica Acta, 2011, 412, 901-905.	0.5	49
26	Prevalence and number of circulating tumour cells and microemboli at diagnosis of advanced NSCLC. Journal of Cancer Research and Clinical Oncology, 2016, 142, 195-200.	1.2	49
27	Mucin-depleted foci have \hat{l}^2 -catenin gene mutations, altered expression of its protein, and are dose- and time-dependent in the colon of 1,2-dimethylhydrazine-treated rats. International Journal of Cancer, 2005, 116, 9-15.	2.3	48
28	Integrity and Quantity of Total Cell-Free DNA in the Diagnosis of Thyroid Cancer: Correlation with Cytological Classification. International Journal of Molecular Sciences, 2017, 18, 1350.	1.8	48
29	Gene amplification for c-erbB-2, c-myc, epidermal growth factor receptor, int-2, and N-myc measured by quantitative PCR with a multiple competitor template. Clinical Chemistry, 1995, 41, 826-832.	1.5	46
30	Phenotype variability of neural crest derived tumours in six Italian families segregating the same founder SDHD mutation Q109X. Journal of Medical Genetics, 2005, 42, e52-e52.	1.5	45
31	Longevity index (LI%) and centenarity index (CI%): New indicators to evaluate the characteristics of aging process in the Italian population. Archives of Gerontology and Geriatrics, 2007, 44, 271-276.	1.4	43
32	Laser-assisted microdissection for real-time PCR sample preparation. Molecular Aspects of Medicine, 2006, 27, 140-159.	2.7	42
33	Selection and characterization of a human ovarian cancer cell line resistant to auranofin. Oncotarget, 2017, 8, 96062-96078.	0.8	42
34	Real-time PCR detection of Biscogniauxia mediterranea in symptomless oak tissue. Letters in Applied Microbiology, 2005, 41, 61-68.	1.0	41
35	Tyrosinase mRNA levels in the blood of uveal melanoma patients: correlation with the number of circulating tumor cells and tumor progression. Melanoma Research, 2010, 20, 303-310.	0.6	39
36	Histone 3.3 mutations in giant cell tumor and giant cell–rich sarcomas of bone. Human Pathology, 2017, 68, 128-135.	1.1	39

#	Article	lF	Citations
37	Measuring c-erbB-2 oncogene amplification in fresh and paraffin-embedded tumors by competitive polymerase chain reaction. Clinical Chemistry, 1994, 40, 630-636.	1.5	38
38	Development of human striatal anlagen after transplantation in a patient with Huntington's disease. Experimental Neurology, 2008, 213, 241-244.	2.0	38
39	Detection of Circulating Tumor Cells in Patients With Adrenocortical Carcinoma: A Monocentric Preliminary Study. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 3731-3738.	1.8	36
40	Real-Time Quantitative PCR for the Measurement of MYCN Amplification in Human Neuroblastoma with the TaqMan Detection System. Clinical Chemistry, 1999, 45, 1918-1924.	1.5	35
41	Pre-analytical processes in medical diagnostics: New regulatory requirements and standards. New Biotechnology, 2019, 52, 121-125.	2.4	35
42	Methotrexate chemosensitivity by ATP luminescence in human leukemia cell lines and in breast cancer primary cultures. Anti-Cancer Drugs, 1995, 6, 398-404.	0.7	32
43	Measurement of somatostatin receptor subtype 2 mRNA in breast cancer and corresponding normal tissue Endocrine-Related Cancer, 2004, 11, 323-332.	1.6	32
44	External Quality Assurance Program for PCR Amplification of Genomic DNA: An Italian Experience. Clinical Chemistry, 2003, 49, 782-791.	1.5	31
45	Uterine leiomyosarcomas express KIT protein but lack mutation(s) in exon 9 of c-KIT. Gynecologic Oncology, 2005, 98, 334-335.	0.6	31
46	Detection of C-ERBB-2 Amplification in Transitional Cell Bladder Carcinoma Using Competitive PCR Technique. Journal of Urology, 1996, 156, 2089-2093.	0.2	30
47	Androgen receptor (AR) expression in prostate cancer and progression of the tumor: Lessons from cell lines, animal models and human specimens. Steroids, 2012, 77, 996-1001.	0.8	30
48	Detection of <i>Diplodia pinea</i> in asymptomatic pine shoots and its relation to the Normalized Insolation index. Forest Pathology, 2007, 37, 272-280.	0.5	29
49	Distribution of Tankyrase-1 mRNA expression in colon cancer and its prospective correlation with progression stage. Oncology Reports, 2006, 16, 1261-6.	1.2	29
50	Tumor-Related Methylated Cell-Free DNA and Circulating Tumor Cells in Melanoma. Frontiers in Molecular Biosciences, 2015, 2, 76.	1.6	28
51	New insights in the clinical and translational relevance of miR483-5p in adrenocortical cancer. Oncotarget, 2017, 8, 65525-65533.	0.8	28
52	Prospective evaluation of RASSF1A cell-free DNA as a biomarker of pre-eclampsia. Placenta, 2015, 36, 996-1001.	0.7	27
53	KIT genetic alterations in anorectal melanomas. Journal of Clinical Pathology, 2015, 68, 130-134.	1.0	27
54	RNA sequencing reveals <i>PNN</i> and <i>KCNQ1OT1</i> as predictive biomarkers of clinical outcome in stage III colorectal cancer patients treated with adjuvant chemotherapy. International Journal of Cancer, 2019, 145, 2580-2593.	2.3	26

#	Article	IF	CITATIONS
55	A Real-Time Quantitative PCR Assay for the Detection of Sphaeropsis sapinea from Inoculated Pinus nigra Shoots. Journal of Phytopathology, 2005, 153, 37-42.	0.5	25
56	Cognitive and functional status in the extreme longevity. Archives of Gerontology and Geriatrics, 2008, 46, 245-252.	1.4	24
57	Uncommon clinical presentations of pheochromocytoma and paraganglioma in two different patients affected by two distinct novel VHL germline mutations. Clinical Endocrinology, 2008, 68, 762-768.	1.2	24
58	The meat in the diet of aged subjects and the antioxidant effects of carnosine. Archives of Gerontology and Geriatrics, 2002, 35, 7-14.	1.4	23
59	Centenarians in Tuscany: The role of the environmental factors. Archives of Gerontology and Geriatrics, 2009, 48, 263-266.	1.4	23
60	Evaluation of a panel of circulating DNA, RNA and protein potential markers for pathologies of pregnancy. Clinical Chemistry and Laboratory Medicine, 2010, 48, 791-794.	1.4	23
61	Multifaceted roles of BDNF and FGF2 in human striatal primordium development. An in vitro study. Experimental Neurology, 2014, 257, 130-147.	2.0	23
62	Single circulating tumor cell sequencing as an advanced tool in cancer management. Expert Review of Molecular Diagnostics, 2016, 16, 51-63.	1.5	23
63	Circulating tumour cells and cell-free DNA as a prognostic factor in metastatic colorectal cancer: the OMITERC prospective study. British Journal of Cancer, 2021, 125, 94-100.	2.9	23
64	Circulating tumor cells and microemboli can differentiate malignant and benign pulmonary lesions. Journal of Cancer, 2017, 8, 2223-2230.	1.2	22
65	Type-2 somatostatin receptor mRNA levels in breast and colon cancer determined by a quantitative RT-PCR assay based on dual label fluorogenic probe and the TaqManâ,,¢ technology. Regulatory Peptides, 2001, 99, 79-86.	1.9	20
66	Early detection of Biscogniauxia nummularia in symptomless European beech (Fagus sylvatica L.) by TaqManTM quantitative real-time PCR. Letters in Applied Microbiology, 2006, 43, 33-38.	1.0	20
67	Expression of Cyclooxygenase-2 in Osteosarcoma of Bone. Applied Immunohistochemistry and Molecular Morphology, 2007, 15, 70-76.	0.6	20
68	High-Resolution Melting Analysis: a new molecular approach for the early detection of Diplodia pinea in Austrian pine. Fungal Biology, 2011, 115, 715-723.	1.1	20
69	<scp>M</scp> arie <scp>M</scp> énard apples with high polyphenol content and a lowâ€fat diet reduce 1,2â€dimethylhydrazineâ€induced colon carcinogenesis in rats: Effects on inflammation and apoptosis. Molecular Nutrition and Food Research, 2012, 56, 1353-1357.	1.5	20
70	BRAF and KIT somatic mutations are present in amelanotic melanoma. Melanoma Research, 2013, 23, 414-419.	0.6	20
71	An Italian program of external quality control for quantitative assays based on real-time PCR with Taq-Manâ,,¢ probes. Clinical Chemistry and Laboratory Medicine, 2005, 43, 542-8.	1.4	19
72	Urinary carbonic anhydrase IX splicing messenger RNA variants in urogenital cancers. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 292.e9-292.e16.	0.8	17

#	Article	IF	Citations
73	Reduced Serum Antioxidant Capacity In Healthy Centenarians. Clinical Chemistry, 1997, 43, 855a-856.	1.5	15
74	Serum antioxidant capacity in healthy and diabetic subjects as determined by enhanced chemiluminescence., 1998, 13, 321-325.		15
75	Distribution of Tankyrase-1 mRNA expression in colon cancer and its prospective correlation with progression stage. Oncology Reports, 2006, 16, 1261.	1.2	15
76	Decision criteria for rational selection of homogeneous genotyping platforms for pharmacogenomics testing in clinical diagnostics. Clinical Chemistry and Laboratory Medicine, 2010, 48, 447-59.	1.4	15
77	Image analysis in quantitative PCR. An application for the measurement of c-erbB-2 oncogene amplification in DNA from human tumours. Luminescence, 1994, 9, 223-228.	1.3	14
78	Total antioxidant capacity (TAC): is it an effective method to evaluate the oxidative stress in uraemia?. , $1998, 13, 315-319.$		14
79	Effects of Gemcitabine in Normaland Transformed Human Lung Cell Cultures: Cytotoxicity and Increase in Radiation Sensitivity. Tumori, 1999, 85, 503-507.	0.6	14
80	Physical performance and creative activities of centenarians. Archives of Gerontology and Geriatrics, 2008, 46, 253-261.	1.4	14
81	Prostate-specific antigen mRNA and protein levels in laser microdissected cells of human prostate measured by real-time reverse transcriptase–quantitative polymerase chain reaction and immuno–quantitative polymerase chain reaction. Human Pathology, 2008, 39, 1474-1482.	1.1	14
82	Red or white wine assumption and serum antioxidant capacity. Archives of Gerontology and Geriatrics, 2010, 51, e72-e74.	1.4	14
83	A High-Resolution Melting Protocol for Rapid and Accurate Differential Diagnosis of Thyroid Nodules. Journal of Molecular Diagnostics, 2012, 14, 501-509.	1.2	14
84	Blood plasma miRâ€20aâ€5p expression as a potential nonâ€invasive diagnostic biomarker of male infertility: A pilot study. Andrology, 2020, 8, 1256-1264.	1.9	14
85	Adenosine triphosphate release by osmotic shock and hemoglobin A1C in diabetic subjects' erythrocytes. Metabolism: Clinical and Experimental, 1994, 43, 435-440.	1.5	13
86	A New Microarray Substrate for Ultra-Sensitive Genotyping of KRAS and BRAF Gene Variants in Colorectal Cancer. PLoS ONE, 2013, 8, e59939.	1.1	13
87	Circulating Cell-Free DNA in Cancer. Methods in Molecular Biology, 2014, 1160, 133-145.	0.4	13
88	Human Gastric Epithelium Produces IL-4 and IL-4δ2 Isoform Only upon <i>Helicobacter Pylori</i> Infection. International Journal of Immunopathology and Pharmacology, 2007, 20, 809-818.	1.0	12
89	Sustained proliferation and resistance to apoptosis after a cytotoxic insult are early alterations in rat colon carcinogenesis. International Journal of Cancer, 2012, 131, 529-536.	2.3	12
90	Feasibility of a workflow for the molecular characterization of single cells by next generation sequencing. Biomolecular Detection and Quantification, 2015, 5, 23-29.	7.0	12

#	Article	lF	CITATIONS
91	The diagnostic potential of mutation detection from single circulating tumor cells in cancer patients. Expert Review of Molecular Diagnostics, 2017, 17, 975-981.	1.5	11
92	Supervised learning methods for the recognition of melanoma cell lines through the analysis of their Raman spectra. Journal of Biophotonics, 2021, 14, e202000365.	1.1	11
93	Quantitative RT-PCR Assay for VEGF Mrna in Human Tumors of the Kidney. International Journal of Biological Markers, 1999, 14, 247-250.	0.7	10
94	SDH Mutations in Patients Affected by Paraganglioma Syndromes: A Personal Experience. Annals of the New York Academy of Sciences, 2006, 1073, 183-189.	1.8	10
95	Prognostic and Monitoring Value of Circulating Tumor Cells in Adrenocortical Carcinoma: A Preliminary Monocentric Study. Cancers, 2020, 12, 3176.	1.7	10
96	Luciferase gene as reporter: Comparison with the CAT gene and use in transfection and microinjection of mammalian cells. Methods in Enzymology, 2000, 305, 557-576.	0.4	9
97	Clinical, biochemical and therapeutical aspects of amiodarone-induced hypothyroidism (AIH) in geriatric patients with cardiac arrhythmias. Archives of Gerontology and Geriatrics, 2004, 38, 27-36.	1.4	9
98	Effect of diet and red wine consumption on serum total antioxidant capacity (TAC), dehydroepiandrosterone-sulphate (DHEAS) and insulin-like growth factor-1 (IGF-1) in Italian centenarians. Archives of Gerontology and Geriatrics, 2005, 41, 151-157.	1.4	8
99	Synchronous Occurrence of Medullary and Papillary Carcinoma of the Thyroid in a Patient with Cutaneous Melanoma: Determination of BRAFV600E in Peripheral Blood and Tissues. Report of a Case and Review of the Literature. Endocrine Pathology, 2014, 25, 324-331.	5.2	8
100	Evaluation of the liquid biopsy for the detection of BRAFV600E mutation in metastatic melanoma patients. Cancer Biomarkers, 2019, 26, 271-279.	0.8	7
101	Multidrug Resistance in Ovarian Cancer: Comparing an Immunocytochemical Study and ATP-Tumor Chemosensitivity Assay. Journal of Chemotherapy, 2002, 14, 518-525.	0.7	6
102	Powerful qPCR assays for the early detection of latent invaders: interdisciplinary approaches in clinical cancer research and plant pathology. Applied Microbiology and Biotechnology, 2016, 100, 5189-5204.	1.7	6
103	Analytical Evaluation of an NGS Testing Method for Routine Molecular Diagnostics on Melanoma Formalin-Fixed, Paraffin-Embedded Tumor-Derived DNA. Diagnostics, 2019, 9, 117.	1.3	6
104	Measurement of estrone-3-glucuronide and pregnanediol-3α-glucuronide in early morning urine samples to monitor ovarian function. Luminescence, 1989, 4, 567-574.	1.3	5
105	Comparison of Pre- and Postsurgical Concentrations of Blood HER-2 mRNA and HER-2 Extracellular Domain Reflects HER-2 Status in Early Breast Cancer. Clinical Chemistry, 2005, 51, 254-256.	1.5	5
106	Laser microdissection on Norway spruce bark tissue: A suitable protocol for subsequent real-time reverse transcription–polymerase chain reaction (RT-PCR) analysis. Plant Biosystems, 2012, 146, 92-98.	0.8	5
107	Cellâ€free fetal DNA in maternal circulation after chorionic villous sampling. Prenatal Diagnosis, 2013, 33, 695-699.	1.1	5
108	Implementation of a companion diagnostic in the clinical laboratory: The BRAF example in melanoma. Clinica Chimica Acta, 2015, 439, 128-136.	0.5	5

#	Article	IF	CITATIONS
109	ARTO trial (NCT03449719), a randomized phase II trial enrolling oligometastatic castration-resistant prostate cancer patients treated with first-line abiraterone acetate with or without stereotactic body radiation therapy: Preliminary results comprehensive of biochemical outcomes and circulating tumor cells analysis Journal of Clinical Oncology, 2021, 39, 118-118.	0.8	5
110	Evaluation of methotrexate sensitivity in human leukemia cell lines by an adenosine triphosphate bioluminescence assay. Anti-Cancer Drugs, 1997, 8, 767-777.	0.7	4
111	Characterization of the functional and growth properties of long-term cell cultures established from a human somatostatinoma. Endocrine-Related Cancer, 2006, 13, 79-93.	1.6	4
112	Circulating tumour cells in colorectal cancer. European Journal of Cancer, Supplement, 2008, 6, 52-59.	2.2	4
113	Two Novel H-RAS Mutations Identified in a Child With an Atypical Spitzoid Tumor. Archives of Dermatology, 2011, 147, 514.	1.7	4
114	Prospective assessment of AR splice variant and PSMA detection on circulating tumor cells of mCRPC patients: preliminary analysis of patients enrolled in PRIMERA trial (NCT04188275). Clinical and Experimental Metastasis, 2021, 38, 451-458.	1.7	4
115	Age-related changes in serum total antioxidant capacity (TAC), dehydroepiandrosterone sulphate (DHEAS), and insulin-like growth factor-1 (IGF-1): evidence in healthy centenarian subjects. Archives of Gerontology and Geriatrics, 2002, 35, 265-271.	1.4	3
116	Tacrolimus causes reduced GLI1 expression and phenotypic changes in the TE 354.T basal cell carcinoma cell line. Journal of Dermatological Science, 2009, 54, 52-54.	1.0	3
117	Circulating Tumor Cells in Cutaneous Melanoma. Journal of Investigative Dermatology, 2011, 131, 1776-1777.	0.3	3
118	Preliminary results of a prospective assessment of androgen receptor splice variants in mCRPC patients undergoing androgen receptor targeted agents Journal of Clinical Oncology, 2020, 38, 246-246.	0.8	3
119	A chemiluminescent immunoassay for the direct measurement of urinary $5\hat{l}_{\pm}$ -androstane- $3\hat{l}_{\pm}$, $17\hat{l}^2$ -diol-glucuronide in urine. Luminescence, 1989, 4, 575-579.	1.3	2
120	A chemiluminescent method for the measurement of pregnanetriol-3α-glucuronide in human diluted urine. Luminescence, 1989, 4, 580-586.	1.3	2
121	Healthy centenarian subjects as living model of "successful agingâ€. A study on fasting glycemia, c-peptide, dehydroepiandrosterone sulphate (DHEAS) and insulin-like growth factor (IGF-1). Archives of Gerontology and Geriatrics, 2002, 35, 273-278.	1.4	2
122	Influence of 17q gain and promoter polymorphisms on mRNA expression of somatostatin receptor type 2 in neuroblastoma. Clinica Chimica Acta, 2007, 384, 149-154.	0.5	2
123	Detection and Characterization of Circulating Tumor Cells by Quantitative Real-Time PCR. Methods in Molecular Biology, 2020, 2065, 139-151.	0.4	2
124	Early Detection of Fungal Plant Pathogens by Real-Time Quantitative PCR: The Case of Diplodia sapinea on Pine. Methods in Molecular Biology, 2020, 2065, 95-104.	0.4	2
125	Serum total antioxidant capacity, DHEAS and IGF-I in healthy centenarian subjects. Journal of Endocrinological Investigation, 2002, 25, 83-4.	1.8	2
126	Prospective assessment of AR splice variant and multi-biomarker expression on circulating tumor cells of mCRPC patients undergoing androgen receptor targeted agents: interim analysis of PRIMERA trial (NCT04188275)., 2022, 39,.		2

#	Article	lF	CITATIONS
127	Chondroblastomaâ€like osteosarcoma: a clinicopathological and molecular study of a rare osteosarcoma variant. Histopathology, 2022, 81, 389-401.	1.6	2
128	Quantitative Polymerase Chain Reaction Detection of Microchimerism in Female Transplant Renal Recipients. Urologia Internationalis, 2020, 104, 865-870.	0.6	1
129	Healthy centenarian subjects: the effect of red wine consumption on liver function tests. Journal of Endocrinological Investigation, 2005, 28, 120-2.	1.8	1
130	Measurement of urinary somatomedin C by a chemiluminescent method. Luminescence, 1989, 3, 47-51.	1.3	0
131	Detection of circulating tumor cells in adrenocortical neoplasms. Pathology, 2014, 46, S13-S14.	0.3	0
132	671P Prospective assessment of AR splice variant and PSMA detection on circulating tumour cells of mCRPC patients: Preliminary results of PRIMERA trial (NCTO4188275). Annals of Oncology, 2020, 31, S538-S539.	0.6	0
133	DEVELOPMENT OF ALLERGOLOGY TEST IN MICROPLATE IMMUNOASSAY FORMAT BASED ON CHEMILUMINESCENCE., 2002,,.		0
134	Competitive PCR. , 2004, , 292-296.		0
135	The potential of proteogenomics in oncology. Translational Cancer Research, 2016, 5, S708-S712.	0.4	0
136	PRIMERA trial (NCT04188275), early survival results from a prospective trial exploring impact of circulating tumor cell detection in castrate resistant prostate cancer patients undergoing abiraterone or enzalutamide I line treatment Journal of Clinical Oncology, 2022, 40, 137-137.	0.8	0