

Casimiro Corbacho Amado

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9192467/publications.pdf>

Version: 2024-02-01

24
papers

586
citations

687363

13
h-index

610901

24
g-index

24
all docs

24
docs citations

24
times ranked

702
citing authors

#	ARTICLE	IF	CITATIONS
1	Day and night use of habitats by northern pintails during winter in a primary rice-growing region of Iberia. PLoS ONE, 2019, 14, e0220400.	2.5	9
2	A mathematical model to describe the demographic dynamics of long-lived raptor species. BioSystems, 2019, 180, 54-62.	2.0	1
3	Geographical origin of dabbling ducks wintering in Iberia: sex differences and implications for pair formation. Ibis, 2015, 157, 536-544.	1.9	7
4	Birthâ€“death branching models. Application to African elephant populations. Journal of Theoretical Biology, 2013, 332, 108-116.	1.7	2
5	Sex-specific vulnerability to breeding conditions in chicks of the sexually monomorphic Gull-billed Tern. Journal of Ornithology, 2013, 154, 431-439.	1.1	11
6	International importance of Extremadura, Spain, for overwintering migratory dabbling ducks: a role for reservoirs. Bird Conservation International, 2012, 22, 316-327.	1.3	23
7	Agriculture as matchmaker of an unexpected mutualism: Great bustard disperses and enhances emergence of domestic olive seeds. Basic and Applied Ecology, 2012, 13, 125-131.	2.7	6
8	Long lengths of stay, large numbers, and trends of the Black-tailed Godwit<i>Limosa limosa</i> in rice fields during spring migration. Bird Conservation International, 2011, 21, 12-24.	1.3	36
9	Diet Plasticity of Cinereous Vulture<i>Aegypius monachus</i> in Different Colonies in the Extremadura (SW Spain). Ardea, 2007, 95, 201-211.	0.6	12
10	Identifying new buffer areas for conserving waterbirds in the Mediterranean basin: the importance of the rice fields in Extremadura, Spain. Biodiversity and Conservation, 2007, 16, 3333-3344.	2.6	62
11	Spatial variation in anthropic and natural factors regulating the breeding success of the cinereous vulture (<i>Aegypius monachus</i>) in the SW Iberian Peninsula. Biological Conservation, 2006, 130, 169-182.	4.1	33
12	Hematocrit and blood chemistry values in three genera of captive hornbills. Zoo Biology, 2006, 25, 1-9.	1.2	4
13	Associations between fish assemblages and environmental factors for Mediterranean-type rivers during summer. Journal of Fish Biology, 2006, 69, 1552-1569.	1.6	20
14	Summer habitat relationships of barbels in south-west Spain. Journal of Fish Biology, 2005, 67, 66-82.	1.6	12
15	Colony-site Tenacity and Egg Color Cypsis in the Gull-billed Tern. Waterbirds, 2004, 27, 21-30.	0.3	24
16	Response of the haematocrit to body condition changes in Northern Bald Ibis <i>Geronticus eremita</i>. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2004, 139, 41-47.	1.8	38
17	Blood values of Bald Ibis (<i>Geronticus eremita</i>) in captivity: comparative ranges and variability with age, sex and physical condition. Journal Fur Ornithologie, 2004, 145, 98-104.	1.2	20
18	Status and trends of Gull-billed Tern <i>Gelochelidon nilotica</i> in Europe and Africa. Bird Conservation International, 2004, 14, 335-351.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Patterns of structural complexity and human disturbance of riparian vegetation in agricultural landscapes of a Mediterranean area. <i>Agriculture, Ecosystems and Environment</i> , 2003, 95, 495-507.	5.3	87
20	Blood chemistry and haematocrit of the black vulture (<i>Aegypius monachus</i>). <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2002, 132, 489-497.	1.8	75
21	Patterns of species richness and introduced species in native freshwater fish faunas of a Mediterranean-type basin: the Guadiana River (southwest Iberian Peninsula). <i>River Research and Applications</i> , 2001, 17, 699-707.	0.8	47
22	Clutch size and egg size in the breeding strategy of Montagu's Harrier <i>Circus pygargus</i> in a Mediterranean area. <i>Bird Study</i> , 2000, 47, 245-248.	1.0	2
23	Influence of farming activities in the Iberian Peninsula on the winter habitat use of common crane (<i>Grus grus</i>) in areas of its traditional migratory routes. <i>Agriculture, Ecosystems and Environment</i> , 1999, 72, 207-214.	5.3	26
24	Breeding biology of Montagu's Harrier <i>Circus pygargus</i> L. in agricultural environments of southwest Spain; comparison with other populations in the western Palearctic. <i>Bird Study</i> , 1997, 44, 166-175.	1.0	22