

Mhairi Maskew

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9210441/publications.pdf>

Version: 2024-02-01

106
papers

3,768
citations

134610

34
h-index

175968

55
g-index

111
all docs

111
docs citations

111
times ranked

4741
citing authors

#	ARTICLE	IF	CITATIONS
1	Initiating Antiretroviral Therapy for HIV at a Patient's First Clinic Visit: The RapIT Randomized Controlled Trial. <i>PLoS Medicine</i> , 2016, 13, e1002015.	3.9	232
2	Gender Differences in Survival among Adult Patients Starting Antiretroviral Therapy in South Africa: A Multicentre Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001304.	3.9	199
3	Treatment Outcomes of HIV-Infected Adolescents Attending Public-Sector HIV Clinics Across Gauteng and Mpumalanga, South Africa. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 892-900.	0.5	140
4	Rates and Predictors of Failure of First-line Antiretroviral Therapy and Switch to Second-line ART in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 60, 428-437.	0.9	119
5	Persistent High Burden of Advanced HIV Disease Among Patients Seeking Care in South Africa's National HIV Program: Data From a Nationwide Laboratory Cohort. <i>Clinical Infectious Diseases</i> , 2018, 66, S111-S117.	2.9	114
6	Using vital registration data to update mortality among patients lost to follow-up from ART programmes: evidence from the Themba Lethu Clinic, South Africa. <i>Tropical Medicine and International Health</i> , 2010, 15, 405-13.	1.0	100
7	Outcomes of antiretroviral treatment in programmes with and without routine viral load monitoring in southern Africa. <i>Aids</i> , 2011, 25, 1761-1769.	1.0	98
8	Loss to follow-up before and after delivery among women testing HIV positive during pregnancy in Johannesburg, South Africa. <i>Tropical Medicine and International Health</i> , 2013, 18, 451-460.	1.0	94
9	Trivalent Inactivated Influenza Vaccine in African Adults Infected With Human Immunodeficient Virus: Double Blind, Randomized Clinical Trial of Efficacy, Immunogenicity, and Safety. <i>Clinical Infectious Diseases</i> , 2011, 52, 128-137.	2.9	87
10	Patient Retention From HIV Diagnosis Through One Year on Antiretroviral Therapy at a Primary Health Care Clinic in Johannesburg, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 62, e39-e46.	0.9	87
11	Relationship between renal dysfunction, nephrotoxicity and death among HIV adults on tenofovir. <i>Aids</i> , 2011, 25, 1603-1609.	1.0	83
12	Gender Differences in Mortality and CD4 Count Response Among Virally Suppressed HIV-Positive Patients. <i>Journal of Women's Health</i> , 2013, 22, 113-120.	1.5	80
13	Estimating retention in HIV care accounting for patient transfers: A national laboratory cohort study in South Africa. <i>PLoS Medicine</i> , 2018, 15, e1002589.	3.9	80
14	Cohort Profile: The Themba Lethu Clinical Cohort, Johannesburg, South Africa. <i>International Journal of Epidemiology</i> , 2013, 42, 430-439.	0.9	79
15	Mobility and Clinic Switching Among Postpartum Women Considered Lost to HIV Care in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 74, 383-389.	0.9	79
16	High Rates of Survival, Immune Reconstitution, and Virologic Suppression on Second-Line Antiretroviral Therapy in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 53, 500-506.	0.9	73
17	Outcomes of stable HIV-positive patients down-referred from a doctor-managed antiretroviral therapy clinic to a nurse-managed primary health clinic for monitoring and treatment. <i>Aids</i> , 2011, 25, 2027-2036.	1.0	71
18	Occult hepatitis B virus infection in patients with isolated core antibody and HIV co-infection in an urban clinic in Johannesburg, South Africa. <i>International Journal of Infectious Diseases</i> , 2009, 13, 488-492.	1.5	70

#	ARTICLE	IF	CITATIONS
19	The importance of clinic attendance in the first six months on antiretroviral treatment: a retrospective analysis at a large public sector HIV clinic in South Africa. <i>Journal of the International AIDS Society</i> , 2010, 13, 49-49.	1.2	70
20	A longitudinal study of stavudine-associated toxicities in a large cohort of South African HIV infected subjects. <i>BMC Infectious Diseases</i> , 2011, 11, 244.	1.3	58
21	Adolescent HIV treatment in South Africa's national HIV programme: a retrospective cohort study. <i>Lancet HIV</i> , 2019, 6, e760-e768.	2.1	55
22	Attrition through Multiple Stages of Pre-Treatment and ART HIV Care in South Africa. <i>PLoS ONE</i> , 2014, 9, e110252.	1.1	55
23	Prevalence, incidence, predictors, treatment, and control of hypertension among HIV-positive adults on antiretroviral treatment in public sector treatment programs in South Africa. <i>PLoS ONE</i> , 2018, 13, e0204020.	1.1	53
24	Initiating antiretroviral therapy when presenting with higher CD4 cell counts results in reduced loss to follow-up in a resource-limited setting. <i>Aids</i> , 2013, 27, 645-650.	1.0	51
25	Incidence Rate of Kaposi Sarcoma in HIV-Infected Patients on Antiretroviral Therapy in Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 67, 547-554.	0.9	51
26	Kaposi's Sarcoma in HIV-Infected patients in South Africa: Multicohort study in the antiretroviral therapy era. <i>International Journal of Cancer</i> , 2014, 135, 2644-2652.	2.3	48
27	The prevalence of hepatitis B co-infection in a South African urban government HIV clinic. <i>South African Medical Journal</i> , 2008, 98, 541-4.	0.2	47
28	Poor CD4 recovery and risk of subsequent progression to AIDS or death despite viral suppression in a South African cohort. <i>Journal of the International AIDS Society</i> , 2014, 17, 18651.	1.2	44
29	Anemia among HIV-Infected Patients Initiating Antiretroviral Therapy in South Africa: Improvement in Hemoglobin regardless of Degree of Immunosuppression and the Initiating ART Regimen. <i>Journal of Tropical Medicine</i> , 2013, 2013, 1-6.	0.6	40
30	Treatment outcomes after 7 years of public-sector HIV treatment. <i>Aids</i> , 2012, 26, 1823-1828.	1.0	38
31	Treatment Response and Mortality among Patients Starting Antiretroviral Therapy with and without Kaposi Sarcoma: A Cohort Study. <i>PLoS ONE</i> , 2013, 8, e64392.	1.1	38
32	Incidence of AIDS-defining and Other Cancers in HIV-positive Children in South Africa. <i>Pediatric Infectious Disease Journal</i> , 2016, 35, e164-e170.	1.1	38
33	Poorer ART Outcomes with Increasing Age at a Large Public Sector HIV Clinic in Johannesburg, South Africa. <i>Journal of the International Association of Providers of AIDS Care</i> , 2012, 11, 57-65.	1.2	37
34	Cervical cancer risk in women living with HIV across four continents: A multicohort study. <i>International Journal of Cancer</i> , 2020, 146, 601-609.	2.3	37
35	Tuberculosis Treatment and Risk of Stavudine Substitution in First-Line Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2009, 48, 1617-1623.	2.9	35
36	Effect of Pregnancy and the Postpartum Period on Adherence to Antiretroviral Therapy Among HIV-Infected Women Established on Treatment. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 68, 477-480.	0.9	34

#	ARTICLE	IF	CITATIONS
37	Simplified clinical algorithm for identifying patients eligible for same-day HIV treatment initiation (SLATE): Results from an individually randomized trial in South Africa and Kenya. <i>PLoS Medicine</i> , 2019, 16, e1002912.	3.9	33
38	Marginal Structural Models to Assess Delays in Second-Line HIV Treatment Initiation in South Africa. <i>PLoS ONE</i> , 2016, 11, e0161469.	1.1	32
39	Predicting the Need for Third-Line Antiretroviral Therapy by Identifying Patients at High Risk for Failing Second-Line Antiretroviral Therapy in South Africa. <i>AIDS Patient Care and STDs</i> , 2017, 31, 205-212.	1.1	32
40	The interplay between <sc>CD</sc>4 cell count, viral load suppression and duration of antiretroviral therapy on mortality in a resourceâ€limited setting. <i>Tropical Medicine and International Health</i> , 2013, 18, 619-631.	1.0	31
41	Age in antiretroviral therapy programmes in South Africa: a retrospective, multicentre, observational cohort study. <i>Lancet HIV</i> , 2015, 2, e368-e375.	2.1	29
42	A clinical algorithm for same-day HIV treatment initiation in settings with high TB symptom prevalence in South Africa: The SLATE II individually randomized clinical trial. <i>PLoS Medicine</i> , 2020, 17, e1003226.	3.9	29
43	Impact of nutritional supplementation on immune response, body mass index and bioelectrical impedance in HIV-positive patients starting antiretroviral therapy. <i>Nutrition Journal</i> , 2013, 12, 111.	1.5	28
44	Initiating antiretroviral therapy for HIV at a patient's first clinic visit. <i>Aids</i> , 2017, 31, 1611-1619.	1.0	27
45	Prevalence of peripheral neuropathy in antiretroviral therapy naïve HIV-positive patients and the impact on treatment outcomesâ€a retrospective study from a large urban cohort in Johannesburg, South Africa. <i>Journal of NeuroVirology</i> , 2012, 18, 162-171.	1.0	26
46	Impact of the test and treat policy on delays in antiretroviral therapy initiation among adult HIV positive patients from six clinics in Johannesburg, South Africa: results from a prospective cohort study. <i>BMJ Open</i> , 2020, 10, e030228.	0.8	25
47	HIV-HBV coinfection among South African patients receiving antiretroviral therapy. <i>Antiviral Therapy</i> , 2010, 15, 499-503.	0.6	24
48	Clinical Predictors of Culture-confirmed Pulmonary Tuberculosis in Children in a High Tuberculosis and HIV Prevalence Area. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, e206-e210.	1.1	24
49	Attrition in HIV care following HIV diagnosis: a comparison of the preâ€UTT and UTT eras in South Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25652.	1.2	24
50	Insights into Adherence among a Cohort of Adolescents Aged 12â€20 Years in South Africa: Reported Barriers to Antiretroviral Treatment. <i>AIDS Research and Treatment</i> , 2016, 2016, 1-12.	0.3	23
51	Cervical cancer risk and impact of Papâ€based screening in HIVâ€positive women on antiretroviral therapy in Johannesburg, South Africa. <i>International Journal of Cancer</i> , 2017, 141, 488-496.	2.3	23
52	Pregnancy and Virologic Response to Antiretroviral Therapy in South Africa. <i>PLoS ONE</i> , 2011, 6, e22778.	1.1	23
53	Prevalence of hepatitis B virus (HBV) co-infection in HBV serologically-negative South African HIV patients and retrospective evaluation of the clinical course of mono- and co-infection. <i>International Journal of Infectious Diseases</i> , 2012, 16, e268-e272.	1.5	21
54	Immune Recovery After Starting ART in HIV-Infected Patients Presenting and Not Presenting With Tuberculosis in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, 142-145.	0.9	21

#	ARTICLE	IF	CITATIONS
55	Incidence of Pregnancy after Initiation of Antiretroviral Therapy in South Africa: A Retrospective Clinical Cohort Analysis. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2012, 2012, 1-7.	0.4	20
56	Incidence and predictors of herpes zoster among antiretroviral therapy-naïve patients initiating HIV treatment in Johannesburg, South Africa. <i>International Journal of Infectious Diseases</i> , 2014, 23, 56-62.	1.5	20
57	Prevalence and predictors of kaposi sarcoma herpes virus seropositivity: a cross-sectional analysis of HIV-infected adults initiating ART in Johannesburg, South Africa. <i>Infectious Agents and Cancer</i> , 2011, 6, 22.	1.2	19
58	Effectiveness and safety of 30 mg versus 40 mg stavudine regimens: a cohort study among HIV-infected adults initiating HAART in South Africa. <i>Journal of the International AIDS Society</i> , 2012, 15, 13-13.	1.2	19
59	Acceptability and feasibility of a financial incentive intervention to improve retention in HIV care among pregnant women in Johannesburg, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 453-460.	0.6	19
60	Increased risk of mortality and loss to follow-up among HIV-positive patients with oropharyngeal candidiasis and malnutrition before antiretroviral therapy initiation: a retrospective analysis from a large urban cohort in Johannesburg, South Africa. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 113, 362-372.	0.2	18
61	Delays in repeat HIV viral load testing for those with elevated viral loads: a national perspective from South Africa. <i>Journal of the International AIDS Society</i> , 2020, 23, e25542.	1.2	18
62	Increases in regimen durability associated with the introduction of tenofovir at a large public-sector clinic in Johannesburg, South Africa. <i>Journal of the International AIDS Society</i> , 2013, 16, 18794.	1.2	17
63	Imputing HIV treatment start dates from routine laboratory data in South Africa: a validation study. <i>BMC Health Services Research</i> , 2017, 17, 41.	0.9	17
64	Cohort profile: the Right to Care Clinical HIV Cohort, South Africa. <i>BMJ Open</i> , 2017, 7, bmjopen-2016-015620.	0.8	16
65	The right combination – treatment outcomes among HIV-positive patients initiating first-line fixed-dose antiretroviral therapy in a public sector HIV clinic in Johannesburg, South Africa. <i>Clinical Epidemiology</i> , 2018, Volume 10, 17-29.	1.5	16
66	Kaposi's Sarcoma Associated-Herpes Virus (KSHV) Seroprevalence in Pregnant Women in South Africa. <i>Infectious Agents and Cancer</i> , 2010, 5, 14.	1.2	15
67	Simplified clinical algorithm for identifying patients eligible for immediate initiation of antiretroviral therapy for HIV (SLATE): protocol for a randomised evaluation. <i>BMJ Open</i> , 2017, 7, e016340.	0.8	15
68	The relation between efavirenz versus nevirapine and virologic failure in Johannesburg, South Africa. <i>Journal of the International AIDS Society</i> , 2014, 17, 19065.	1.2	14
69	Comparison of Pharmacy-Based Measures of Adherence to Antiretroviral Therapy as Predictors of Virological Failure. <i>AIDS and Behavior</i> , 2015, 19, 612-618.	1.4	14
70	Tuberculosis in Pediatric Antiretroviral Therapy Programs in Low- and Middle-Income Countries: Diagnosis and Screening Practices. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2015, 4, 30-38.	0.6	14
71	Developing a predictive risk model for first-line antiretroviral therapy failure in South Africa. <i>Journal of the International AIDS Society</i> , 2016, 19, 20987.	1.2	14
72	Incident Pregnancy and Time to Death or AIDS among HIV-Positive Women Receiving Antiretroviral Therapy. <i>PLoS ONE</i> , 2013, 8, e58117.	1.1	14

#	ARTICLE	IF	CITATIONS
73	Prevalent Pregnancy, Biological Sex, and Virologic Response to Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2012, 60, 489-494.	0.9	13
74	Zidovudine impairs immunological recovery on first-line antiretroviral therapy. <i>Aids</i> , 2013, 27, 2225-2232.	1.0	13
75	Kaposi Sarcoma-Associated Herpes Virus and Response to Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2013, 63, 442-448.	0.9	12
76	CD4 criteria improves the sensitivity of a clinical algorithm developed to identify viral failure in HIV-positive patients on antiretroviral therapy. <i>Journal of the International AIDS Society</i> , 2014, 17, 19139.	1.2	12
77	“My future is bright I won't die with the cause of AIDS” ten-year patient ART outcomes and experiences in South Africa. <i>Journal of the International AIDS Society</i> , 2018, 21, e25184.	1.2	12
78	Prevalence of TB symptoms, diagnosis and treatment among people living with HIV (PLHIV) not on ART presenting at outpatient clinics in South Africa and Kenya: baseline results from a clinical trial. <i>BMJ Open</i> , 2020, 10, e035794.	0.8	12
79	Variation in HIV care and treatment outcomes by facility in South Africa, 2011–2015: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003479.	3.9	11
80	Incident tuberculosis in HIV-positive children, adolescents and adults on antiretroviral therapy in South Africa. <i>International Journal of Tuberculosis and Lung Disease</i> , 2016, 20, 1040-1045.	0.6	10
81	Tenofovir stock shortages have limited impact on clinic- and patient-level HIV treatment outcomes in public sector clinics in South Africa. <i>Tropical Medicine and International Health</i> , 2017, 22, 241-251.	1.0	10
82	Who is seeking antiretroviral treatment for HIV now? Characteristics of patients presenting in Kenya and South Africa in 2017–2018. <i>Journal of the International AIDS Society</i> , 2019, 22, e25358.	1.2	10
83	The early effects of stavudine compared with tenofovir on adipocyte gene expression, mitochondrial DNA copy number and metabolic parameters in South African HIV-infected patients: a randomized trial. <i>HIV Medicine</i> , 2013, 14, 217-225.	1.0	9
84	Impact of choice of NRTI in first-line antiretroviral therapy: a cohort analysis of stavudine vs. tenofovir. <i>Tropical Medicine and International Health</i> , 2014, 19, 490-498.	1.0	9
85	Steep Declines in Pediatric AIDS Mortality in South Africa, Despite Poor Progress Toward Pediatric Diagnosis and Treatment Targets. <i>Pediatric Infectious Disease Journal</i> , 2020, 39, 843-848.	1.1	9
86	Human papillomavirus types in HIV seropositive men with penile warts in Johannesburg, South Africa. <i>International Journal of STD and AIDS</i> , 2011, 22, 107-109.	0.5	8
87	Brief Report. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2015, 70, 323-328.	0.9	8
88	Markers of poor adherence among adults with HIV attending Themba Lethu HIV Clinic, Helen Joseph Hospital, Johannesburg, South Africa. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2016, 110, 696-704.	0.7	8
89	The Impact of Choice of NNRTI on Short-Term Treatment Outcomes among HIV-Infected Patients Prescribed Tenofovir and Lamivudine in Johannesburg, South Africa. <i>PLoS ONE</i> , 2013, 8, e71719.	1.1	8
90	Prevalent tuberculosis and mortality among HAART initiators. <i>Aids</i> , 2012, 26, 770-773.	1.0	7

#	ARTICLE	IF	CITATIONS
91	Changes in elevated cholesterol in the era of tenofovir in South Africa: risk factors, clinical management and outcomes. <i>HIV Medicine</i> , 2017, 18, 595-603.	1.0	7
92	Retention in care and viral suppression after same-day ART initiation: One-year outcomes of the SLATE I and II individually randomized clinical trials in South Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25825.	1.2	7
93	Citizenship status and engagement in HIV care: an observational cohort study to assess the association between reporting a national ID number and retention in public-sector HIV care in Johannesburg, South Africa. <i>BMJ Open</i> , 2017, 7, e013908.	0.8	6
94	Paediatric human immunodeficiency virus treatment outcomes from a resource-limited setting in South Africa: Highly active antiretroviral therapy alone is not enough. <i>Vulnerable Children and Youth Studies</i> , 2011, 6, 208-221.	0.5	5
95	CD4+ gain percentile curves for monitoring response to antiretroviral therapy in HIV-infected adults. <i>Aids</i> , 2015, 29, 1067-1075.	1.0	5
96	Impact of Viral Load Monitoring on Retention and Viral Suppression: A Regression Discontinuity Analysis of South Africa's National Laboratory Cohort. <i>American Journal of Epidemiology</i> , 2020, 189, 1492-1501.	1.6	5
97	The South African National HIV Pregnancy Cohort: evaluating continuity of care among women living with HIV. <i>BMC Public Health</i> , 2020, 20, 1662.	1.2	5
98	The Feasibility of Using Screening Criteria to Reduce Clinic Visits for Stable Patients on Antiretroviral Therapy in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 62, e82-e86.	0.9	4
99	HHV-8 seroprevalence in HIV-positive and HIV-negative populations. <i>International Journal of Cancer</i> , 2015, 136, 1243-1243.	2.3	4
100	Regimen durability in HIV-infected children and adolescents initiating first-line antiretroviral therapy in a large public sector HIV cohort in South Africa. <i>Tropical Medicine and International Health</i> , 2018, 23, 650-660.	1.0	4
101	Implementation of Option B and a fixed-dose combination antiretroviral regimen for prevention of mother-to-child transmission of HIV in South Africa: A model of uptake and adherence to care. <i>PLoS ONE</i> , 2018, 13, e0201955.	1.1	4
102	Tenofovir use and pregnancy among women initiating HAART. <i>Aids</i> , 2012, 26, 2393-2397.	1.0	3
103	Patient Perspectives of Quality of the Same-Day Antiretroviral Therapy Initiation Process in Gauteng Province, South Africa: Qualitative Dominant Mixed-Methods Analysis of the SLATE II Trial. <i>Patient</i> , 2021, 14, 175-186.	1.1	3
104	One Pill, Once a Day: Simplified Treatment Regimens and Retention in HIV Care. <i>American Journal of Epidemiology</i> , 2022, , .	1.6	2
105	Response to Lawn et al.. <i>Aids</i> , 2012, 26, 1728-1729.	1.0	0
106	NHL risk in HIV+ adults on antiretroviral therapy in four continents.. <i>Journal of Clinical Oncology</i> , 2016, 34, 1578-1578.	0.8	0