## Anderson Ribeiro-Carvalho

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9251862/publications.pdf

Version: 2024-02-01

623574 752573 31 434 14 20 g-index citations h-index papers 32 32 32 415 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Exposure to nicotine and ethanol in adolescent mice: Effects on depressive-like behavior during exposure and withdrawal. Behavioural Brain Research, 2011, 221, 282-289.	1.2	41
2	Combined exposure to nicotine and ethanol in adolescent mice: effects on the central cholinergic systems during short and long term withdrawal. Neuroscience, 2009, 162, 1174-1186.	1.1	38
3	Nicotine and ethanol interact during adolescence: Effects on the central cholinergic systems. Brain Research, 2008, 1232, 48-60.	1.1	35
4	Exposure to methamidophos at adulthood adversely affects serotonergic biomarkers in the mouse brain. NeuroToxicology, 2011, 32, 718-724.	1.4	26
5	Combined exposure to tobacco smoke and ethanol during adolescence leads to short- and long-term modulation of anxiety-like behavior. Drug and Alcohol Dependence, 2013, 133, 52-60.	1.6	24
6	Nicotine Exposure during the Third Trimester Equivalent of Human Gestation: Time Course of Effects on the Central Cholinergic System of Rats. Toxicological Sciences, 2011, 123, 144-154.	1.4	23
7	Exposure to methamidophos at adulthood elicits depressive-like behavior in mice. NeuroToxicology, 2009, 30, 471-478.	1.4	22
8	Combined Exposure to Tobacco Smoke and Ethanol in Adolescent Mice Elicits Memory and Learning Deficits Both During Exposure and Withdrawal. Nicotine and Tobacco Research, 2013, 15, 1211-1221.	1.4	20
9	Tobacco and alcohol use during adolescence: Interactive mechanisms in animal models. Biochemical Pharmacology, 2017, 144, 1-17.	2.0	20
10	Neonatal transection of the corpus callosum affects paw preference lateralization of adult Swiss mice. Neuroscience Letters, 2003, 348, 69-72.	1.0	17
11	Tobacco smoke containing high or low levels of nicotine during adolescence: effects on novelty-seeking and anxiety-like behaviors in mice. Psychopharmacology, 2015, 232, 1693-1703.	1.5	17
12	Methamidophos Exposure During the Early Postnatal Period of Mice: Immediate and Late-Emergent Effects on the Cholinergic and Serotonergic Systems and Behavior. Toxicological Sciences, 2013, 134, 125-139.	1.4	16
13	Early ethanol exposure in mice increases laterality of rotational side preference in the free-swimming test. Pharmacology Biochemistry and Behavior, 2009, 93, 148-154.	1.3	15
14	A ten fold reduction of nicotine yield in tobacco smoke does not spare the central cholinergic system in adolescent mice. International Journal of Developmental Neuroscience, 2016, 52, 93-103.	0.7	14
15	Energy drink enhances the behavioral effects of alcohol in adolescent mice. Neuroscience Letters, 2017, 651, 102-108.	1.0	14
16	Hyperactivity and memory/learning deficits evoked by developmental exposure to nicotine and/or ethanol are mitigated by cAMP and cGMP signaling cascades activation. NeuroToxicology, 2018, 66, 150-159.	1.4	14
17	Novelty affects paw preference performance in adult mice. Animal Behaviour, 2010, 80, 51-57.	0.8	13
18	Early callosal absence disrupts the establishment of normal neocortical structure in Swiss mice. International Journal of Developmental Neuroscience, 2006, 24, 15-21.	0.7	12

#	Article	IF	CITATIONS
19	Tobacco smoke and ethanol during adolescence: Both combined- and single-drug exposures lead to short- and long-term disruption of the serotonergic system in the mouse brain. Brain Research Bulletin, 2019, 146, 94-103.	1.4	11
20	Locomotor response to acute nicotine in adolescent mice is altered by maternal undernutrition during lactation. International Journal of Developmental Neuroscience, 2015, 47, 278-285.	0.7	10
21	Mood-related behavioral and neurochemical alterations in mice exposed to low chlorpyrifos levels during the brain growth spurt. PLoS ONE, 2020, 15, e0239017.	1.1	6
22	Maternal undernutrition during lactation alters nicotine reward and DOPAC/dopamine ratio in cerebral cortex in adolescent mice, but does not affect nicotineâ€induced nAChRs upregulation. International Journal of Developmental Neuroscience, 2018, 65, 45-53.	0.7	5
23	Lifelong exposure to caffeine increases anxiety-like behavior in adult mice exposed to tobacco smoke during adolescence. Neuroscience Letters, 2019, 696, 146-150.	1.0	5
24	Ethanol exposure during the brain growth spurt affects social behavior and increases susceptibility to acute ethanol effects during adolescence in male mice. International Journal of Developmental Neuroscience, 2020, 80, 197-207.	0.7	4
25	Exposure to varenicline protects against locomotor alteration in a MPTP mouse model of Parkinson's disease. Brazilian Journal of Medical and Biological Research, 2021, 54, e11679.	0.7	4
26	Does nicotine exposure during adolescence modify the course of schizophrenia-like symptoms? Behavioral analysis in a phencyclidine-induced mice model. PLoS ONE, 2021, 16, e0257986.	1.1	3
27	Ethanol exposure during the brain growth spurt period increases ethanolâ€induced aggressive behavior in adolescent male mice. International Journal of Developmental Neuroscience, 2020, 80, 657-666.	0.7	2
28	Sex- and age-dependent differences in nicotine susceptibility evoked by developmental exposure to tobacco smoke and/or ethanol in mice. Journal of Developmental Origins of Health and Disease, 2021, 12, 940-951.	0.7	2
29	Forced swimming stress increases natatory activity of lead-exposed mice. Toxicological Research, 2021, 37, 115-124.	1.1	1
30	Cigarette smoke containing either high or low levels of nicotine during adolescence differentially affects novelty seeking and anxiety-like behaviors of mice. Toxicology Letters, 2014, 229, S89.	0.4	0
31	Reduction of Nicotine in Tobacco and Impact. , 2019, , 33-40.		0