

# Femke Lamers

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9261638/publications.pdf>

Version: 2024-02-01

117  
papers

6,743  
citations

71061

41  
h-index

74108

75  
g-index

132  
all docs

132  
docs citations

132  
times ranked

9423  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comorbidity Patterns of Anxiety and Depressive Disorders in a Large Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 341-348.	1.1	648
2	Understanding the somatic consequences of depression: biological mechanisms and the role of depression symptom profile. <i>BMC Medicine</i> , 2013, 11, 129.	2.3	550
3	Two-year course of depressive and anxiety disorders: Results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011, 133, 76-85.	2.0	278
4	Identifying Depressive Subtypes in a Large Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1582-1589.	1.1	225
5	Depression Heterogeneity and Its Biological Underpinnings: Toward Immunometabolic Depression. <i>Biological Psychiatry</i> , 2020, 88, 369-380.	0.7	209
6	Sleep Patterns and Mental Health Correlates in US Adolescents. <i>Journal of Pediatrics</i> , 2017, 182, 137-143.	0.9	198
7	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	2.7	175
8	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , 2017, 74, 1214.	6.0	174
9	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19. <i>Journal of Medical Internet Research</i> , 2020, 22, e19992.	2.1	155
10	Sociodemographic and psychiatric determinants of attrition in the Netherlands Study of Depression and Anxiety (NESDA). <i>Comprehensive Psychiatry</i> , 2012, 53, 63-70.	1.5	150
11	Leptin Dysregulation Is Specifically Associated With Major Depression With Atypical Features: Evidence for a Mechanism Connecting Obesity and Depression. <i>Biological Psychiatry</i> , 2017, 81, 807-814.	0.7	147
12	Summed score of the Patient Health Questionnaire-9 was a reliable and valid method for depression screening in chronically ill elderly patients. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 679-687.	2.4	146
13	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. <i>Biological Psychiatry</i> , 2019, 85, 829-837.	0.7	134
14	Depressive and anxiety disorders and the association with obesity, physical, and social activities. <i>Depression and Anxiety</i> , 2010, 27, 1057-1065.	2.0	127
15	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. <i>Depression and Anxiety</i> , 2019, 36, 975-986.	2.0	121
16	Are sedentary television watching and computer use behaviors associated with anxiety and depressive disorders?. <i>Psychiatry Research</i> , 2011, 186, 239-243.	1.7	115
17	Association of inflammation with depression and anxiety: evidence for symptom-specificity and potential causality from UK Biobank and NESDA cohorts. <i>Molecular Psychiatry</i> , 2021, 26, 7393-7402.	4.1	107
18	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. <i>Lancet Psychiatry</i> , 2018, 5, 581-590.	3.7	97

#	ARTICLE	IF	CITATIONS
19	Early and late onset depression in young and middle aged adults: Differential symptomatology, characteristics and risk factors?. <i>Journal of Affective Disorders</i> , 2012, 138, 259-267.	2.0	96
20	Health Correlates of Insomnia Symptoms and Comorbid Mental Disorders in a Nationally Representative Sample of US Adolescents. <i>Sleep</i> , 2015, 38, 197-204.	0.6	92
21	Patients with anxious depression. <i>Current Opinion in Psychiatry</i> , 2018, 31, 17-25.	3.1	91
22	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 174-183.	2.0	85
23	BIDIRECTIONAL PROSPECTIVE ASSOCIATIONS OF METABOLIC SYNDROME COMPONENTS WITH DEPRESSION, ANXIETY, AND ANTIDEPRESSANT USE. <i>Depression and Anxiety</i> , 2016, 33, 754-764.	2.0	74
24	A Minimal Psychological Intervention in Chronically Ill Elderly Patients with Depression: A Randomized Trial. <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 217-226.	4.0	71
25	Differentiating Nonrestorative Sleep from Nocturnal Insomnia Symptoms: Demographic, Clinical, Inflammatory, and Functional Correlates. <i>Sleep</i> , 2013, 36, 671-679.	0.6	71
26	Structure of major depressive disorder in adolescents and adults in the US general population. <i>British Journal of Psychiatry</i> , 2012, 201, 143-150.	1.7	68
27	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	4.0	67
28	Mood reactivity and affective dynamics in mood and anxiety disorders.. <i>Journal of Abnormal Psychology</i> , 2018, 127, 659-669.	2.0	66
29	Differential Autonomic Nervous System Reactivity in Depression and Anxiety During Stress Depending on Type of Stressor. <i>Psychosomatic Medicine</i> , 2016, 78, 562-572.	1.3	65
30	Improving Quality of Life in Depressed COPD Patients: Effectiveness of a Minimal Psychological Intervention. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2010, 7, 315-322.	0.7	62
31	Longitudinal Predictive Validity of the &em&#x2013;DSM-5&em&#x2013; Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 207-213.	1.1	56
32	Treating depression in diabetes patients: does a nurse-administered minimal psychological intervention affect diabetes-specific quality of life and glycaemic control? A randomized controlled trial. <i>Journal of Advanced Nursing</i> , 2011, 67, 788-799.	1.5	54
33	Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). <i>PLoS ONE</i> , 2016, 11, e0156624.	1.1	54
34	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	1.7	53
35	Objective physical functioning in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2011, 131, 193-199.	2.0	52
36	Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2017, 84, 41-48.	1.5	51

#	ARTICLE	IF	CITATIONS
37	The identification of symptom-based subtypes of depression: A nationally representative cohort study. <i>Journal of Affective Disorders</i> , 2016, 190, 395-406.	2.0	50
38	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. <i>Translational Psychiatry</i> , 2020, 10, 235.	2.4	48
39	The role of anxious distress in immune dysregulation in patients with major depressive disorder. <i>Translational Psychiatry</i> , 2017, 7, 1268.	2.4	47
40	Suicidal ideation and suicide attempts: associations with sleep duration, insomnia, and inflammation. <i>Psychological Medicine</i> , 2021, 51, 2094-2103.	2.7	47
41	The "true" prevalence of bipolar II disorder. <i>Current Opinion in Psychiatry</i> , 2012, 25, 19-23.	3.1	45
42	Selective Cutoff Reporting in Studies of Diagnostic Test Accuracy: A Comparison of Conventional and Individual-Patient-Data Meta-Analyses of the Patient Health Questionnaire-9 Depression Screening Tool. <i>American Journal of Epidemiology</i> , 2017, 185, 954-964.	1.6	45
43	Incident Major Depressive Disorder Predicted by Three Measures of Insulin Resistance: A Dutch Cohort Study. <i>American Journal of Psychiatry</i> , 2021, 178, 914-920.	4.0	43
44	Fatigue in patients with chronic disease: results from the population-based Lifelines Cohort Study. <i>Scientific Reports</i> , 2021, 11, 20977.	1.6	43
45	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study. <i>BMC Psychiatry</i> , 2022, 22, 136.	1.1	42
46	Empirically derived subtypes of lifetime anxiety disorders: Developmental and clinical correlates in U.S. Adolescents. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 102-115.	1.6	41
47	Prevalence and Correlates of Prolonged Fatigue in a U.S. Sample of Adolescents. <i>American Journal of Psychiatry</i> , 2013, 170, 502-510.	4.0	40
48	The predictive value of Approach and Avoidance tendencies on the onset and course of depression and anxiety disorders. <i>Depression and Anxiety</i> , 2018, 35, 551-559.	2.0	38
49	Experienced Burden of and Adherence to Smartphone-Based Ecological Momentary Assessment in Persons with Affective Disorders. <i>Journal of Clinical Medicine</i> , 2020, 9, 322.	1.0	38
50	The association of depression and anxiety with cardiac autonomic activity: The role of confounding effects of antidepressants. <i>Depression and Anxiety</i> , 2019, 36, 1163-1172.	2.0	36
51	An integrated approach to understand biological stress system dysregulation across depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2021, 283, 139-146.	2.0	36
52	Magnitude, impact, and stability of primary headache subtypes: 30 year prospective Swiss cohort study. <i>BMJ: British Medical Journal</i> , 2011, 343, d5076-d5076.	2.4	35
53	The Association Between Insomnia and Sleep Duration in Adults With Attention-Deficit Hyperactivity Disorder: Results From a General Population Study. <i>Journal of Clinical Sleep Medicine</i> , 2018, 14, 349-357.	1.4	35
54	Relationship Between Major Depression Symptom Severity and Sleep Collected Using a Wristband Wearable Device: Multicenter Longitudinal Observational Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e24604.	1.8	35

#	ARTICLE	IF	CITATIONS
55	Inflammation and depression in young people: a systematic review and proposed inflammatory pathways. <i>Molecular Psychiatry</i> , 2022, 27, 315-327.	4.1	35
56	Approach and avoidance tendencies in depression and anxiety disorders. <i>Psychiatry Research</i> , 2017, 256, 475-481.	1.7	33
57	Cortical thickness and resting-state cardiac function across the lifespan: A cross-sectional pooled mega-analysis. <i>Psychophysiology</i> , 2021, 58, e13688.	1.2	33
58	Level and timing of physical activity during normal daily life in depressed and non-depressed individuals. <i>Translational Psychiatry</i> , 2020, 10, 259.	2.4	31
59	Obesity and atypical depression symptoms: findings from Mendelian randomization in two European cohorts. <i>Translational Psychiatry</i> , 2021, 11, 96.	2.4	31
60	Six-year trajectory of objective physical function in persons with depressive and anxiety disorders. <i>Depression and Anxiety</i> , 2017, 34, 188-197.	2.0	29
61	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study. <i>Psychological Medicine</i> , 2019, 49, 617-627.	2.7	27
62	Increased serum levels of leptin and insulin in both schizophrenia and major depressive disorder: A cross-disorder proteomics analysis. <i>European Neuropsychopharmacology</i> , 2019, 29, 835-846.	0.3	26
63	Predicting Depressive Symptom Severity Through Individuals' Nearby Bluetooth Device Count Data Collected by Mobile Phones: Preliminary Longitudinal Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e29840.	1.8	26
64	Longitudinal Relationships Between Depressive Symptom Severity and Phone-Measured Mobility: Dynamic Structural Equation Modeling Study. <i>JMIR Mental Health</i> , 2022, 9, e34898.	1.7	26
65	The effectiveness of a minimal psychological intervention on self-management beliefs and behaviors in depressed chronically ill elderly persons: a randomized trial. <i>International Psychogeriatrics</i> , 2012, 24, 288-297.	0.6	24
66	Influences of lifestyle factors on cardiac autonomic nervous system activity over time. <i>Preventive Medicine</i> , 2017, 94, 12-19.	1.6	24
67	Linking atypical depression and insulin resistance-related disorders via low-grade chronic inflammation: Integrating the phenotypic, molecular and neuroanatomical dimensions. <i>Brain, Behavior, and Immunity</i> , 2021, 93, 335-352.	2.0	24
68	Economic evaluation of a minimal psychological intervention in chronically ill elderly patients with minor or mild to moderate depression: A randomized trial (the DELTA-study). <i>International Journal of Technology Assessment in Health Care</i> , 2009, 25, 497-504.	0.2	23
69	Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years?. <i>Psychiatry Research</i> , 2015, 227, 230-237.	1.7	23
70	Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. <i>Depression and Anxiety</i> , 2017, 34, 246-256.	2.0	23
71	Borderline personality symptoms and work performance: a population-based survey. <i>BMC Psychiatry</i> , 2018, 18, 202.	1.1	23
72	Process evaluation of a minimal psychological intervention to reduce depression in chronically ill elderly persons. <i>Patient Education and Counseling</i> , 2007, 68, 252-257.	1.0	22

#	ARTICLE	IF	CITATIONS
73	ADHD, circadian rhythms and seasonality. <i>Journal of Psychiatric Research</i> , 2016, 81, 87-94.	1.5	21
74	Familial aggregation and heritability of the melancholic and atypical subtypes of depression. <i>Journal of Affective Disorders</i> , 2016, 204, 241-246.	2.0	21
75	The predictive specificity of psychological vulnerability markers for the course of affective disorders. <i>Journal of Psychiatric Research</i> , 2018, 103, 10-17.	1.5	21
76	Barriers and facilitators to employment in borderline personality disorder: A qualitative study among patients, mental health practitioners and insurance physicians. <i>PLoS ONE</i> , 2019, 14, e0220233.	1.1	20
77	Differences between unipolar mania and bipolar disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019, 21, 437-448.	1.1	20
78	Disparities by Education Level in Outcomes of a Self-Management Intervention: The DELTA Trial in the Netherlands. <i>Psychiatric Services</i> , 2011, 62, 793-795.	1.1	19
79	IDENTIFYING PANIC DISORDER SUBTYPES USING FACTOR MIXTURE MODELING. <i>Depression and Anxiety</i> , 2015, 32, 509-517.	2.0	19
80	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 308-310.	4.0	19
81	Delayed sleep-onset and biological age: late sleep-onset is associated with shorter telomere length. <i>Sleep</i> , 2019, 42, .	0.6	19
82	The Association Between Home Stay and Symptom Severity in Major Depressive Disorder: Preliminary Findings From a Multicenter Observational Study Using Geolocation Data From Smartphones. <i>JMIR MHealth and UHealth</i> , 2022, 10, e28095.	1.8	19
83	Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. <i>Journal of Affective Disorders</i> , 2020, 260, 77-83.	2.0	18
84	Investigating the impact of COVID-19 lockdown on adults with a recent history of recurrent major depressive disorder: a multi-Centre study using remote measurement technology. <i>BMC Psychiatry</i> , 2021, 21, 435.	1.1	16
85	Screening for Depression in Daily Life: Development and External Validation of a Prediction Model Based on Actigraphy and Experience Sampling Method. <i>Journal of Medical Internet Research</i> , 2020, 22, e22634.	2.1	15
86	Taking Personalized Medicine Seriously: Biomarker Approaches in Phase IIb/III Studies in Major Depression and Schizophrenia. <i>Innovations in Clinical Neuroscience</i> , 2015, 12, 26S-40S.	0.1	15
87	Basal autonomic activity, stress reactivity, and increases in metabolic syndrome components over time. <i>Psychoneuroendocrinology</i> , 2016, 71, 119-126.	1.3	14
88	The Association Between Metabolic Syndrome, Obesity-Related Outcomes, and ADHD in Adults With Comorbid Affective Disorders. <i>Journal of Attention Disorders</i> , 2018, 22, 460-471.	1.5	14
89	Dissecting Depression Biological and Clinical Heterogeneity – The Importance of Symptom Assessment Resolution. <i>JAMA Psychiatry</i> , 2021, 78, 341.	6.0	14
90	Associations of immunometabolic risk factors with symptoms of depression and anxiety: The role of cardiac vagal activity. <i>Brain, Behavior, and Immunity</i> , 2018, 73, 493-503.	2.0	13

#	ARTICLE	IF	CITATIONS
91	Physiological stress markers, mental health and objective physical function. <i>Journal of Psychosomatic Research</i> , 2020, 133, 109996.	1.2	13
92	Basal and LPS-stimulated inflammatory markers and the course of anxiety symptoms. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 378-387.	2.0	13
93	Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e20700.	2.1	11
94	The day-to-day bidirectional longitudinal association between objective and self-reported sleep and affect: An ambulatory assessment study. <i>Journal of Affective Disorders</i> , 2021, 283, 165-171.	2.0	11
95	Dissection of depression heterogeneity using proteomic clusters. <i>Psychological Medicine</i> , 2023, 53, 2904-2912.	2.7	10
96	One-year severity of depressive symptoms: Results from the NESDA study. <i>Psychiatry Research</i> , 2011, 190, 226-231.	1.7	9
97	The long-lasting impact of childhood trauma on adult chronic physical disorders. <i>Journal of Psychiatric Research</i> , 2021, 136, 87-94.	1.5	9
98	Oral contraceptives, depressive and insomnia symptoms in adult women with and without depression. <i>Psychoneuroendocrinology</i> , 2021, 133, 105390.	1.3	9
99	The role of depressive symptoms and symptom dimensions in actigraphy-assessed sleep, circadian rhythm, and physical activity. <i>Psychological Medicine</i> , 2022, 52, 2760-2766.	2.7	9
100	Prescribing Antidepressants and Benzodiazepines in the Netherlands: Is Chronic Physical Illness Involved?. <i>Depression Research and Treatment</i> , 2010, 2010, 1-6.	0.7	8
101	Temporal stability and drivers of change in cardiac autonomic nervous system activity. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 208, 117-125.	1.4	8
102	Stability and transition of depression subtypes in late life. <i>Journal of Affective Disorders</i> , 2020, 265, 445-452.	2.0	8
103	Psychosocial factors and cancer incidence (PSY&CA): Protocol for individual participant data meta&analyses. <i>Brain and Behavior</i> , 2021, 11, e2340.	1.0	8
104	Bidirectional Prospective Associations Between Cardiac Autonomic Activity and Inflammatory Markers. <i>Psychosomatic Medicine</i> , 2018, 80, 475-482.	1.3	7
105	The role of borderline personality disorder symptoms on absenteeism & work performance in the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Psychiatry</i> , 2020, 20, 414.	1.1	7
106	Response to &quot;International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder&quot; by Guu et al. (2019). <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 48-48.	4.0	6
107	Characteristics and Predictors of Educational and Occupational Disengagement Among Outpatient Youth With Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 2022, 36, 116-128.	0.8	6
108	Insulin resistance as a marker for the immune-metabolic subtype of depression. <i>Journal of Affective Disorders</i> , 2021, 295, 1371-1376.	2.0	6

#	ARTICLE	IF	CITATIONS
109	The association between clinical and biological characteristics of depression and structural brain alterations. <i>Journal of Affective Disorders</i> , 2022, 312, 268-274.	2.0	6
110	Association Between Depression, Anxiety, and Antidepressant Use With T-Wave Amplitude and QT-Interval. <i>Frontiers in Neuroscience</i> , 2018, 12, 375.	1.4	5
111	Effects of dietary interventions on depressive symptom profiles: results from the MoodFOOD depression prevention study. <i>Psychological Medicine</i> , 2021, , 1-10.	2.7	5
112	A comparison of bivariate, multivariate random effects, and Poisson correlated gamma frailty models to meta-analyze individual patient data of ordinal scale diagnostic tests. <i>Biometrical Journal</i> , 2017, 59, 1317-1338.	0.6	4
113	Depression Subtypes and Inflammation: Atypical Rather Than Melancholic Depression Is Linked With Immunometabolic Dysregulations. , 2018, , 455-471.		3
114	Investigating data-driven biological subtypes of psychiatric disorders using specification-curve analysis. <i>Psychological Medicine</i> , 2020, , 1-12.	2.7	3
115	Person misfit on the Inventory of Depressive Symptomatology: Low quality self-report or true atypical symptom profile?. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	2
116	Investigating Data-driven Biological Subtypes of Psychiatric Disorders Using Specification-Curve Analysis – ERRATUM. <i>Psychological Medicine</i> , 2021, , 1-1.	2.7	1
117	Clinical judgment of the need for professional mental health care in patients with cancer: a qualitative study among oncologists and nurses. <i>Journal of Cancer Survivorship</i> , 2021, , 1.	1.5	1