Anne Tjønneland

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9281181/publications.pdf

Version: 2024-02-01

1,242 papers 85,000 citations

134 h-index 212 g-index

1253 all docs

 $\begin{array}{c} 1253 \\ \text{docs citations} \end{array}$

1253 times ranked 76859 citing authors

#	Article	IF	Citations
1	General and Abdominal Adiposity and Risk of Death in Europe. New England Journal of Medicine, 2008, 359, 2105-2120.	27.0	1,746
2	European Prospective Investigation into Cancer and Nutrition (EPIC): study populations and data collection. Public Health Nutrition, 2002, 5, 1113-1124.	2.2	1,539
3	Air pollution and lung cancer incidence in 17 European cohorts: prospective analyses from the European Study of Cohorts for Air Pollution Effects (ESCAPE). Lancet Oncology, The, 2013, 14, 813-822.	10.7	1,225
4	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. Lancet, The, 2003, 361, 1496-1501.	13.7	988
5	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599â€^912 current drinkers in 83 prospective studies. Lancet, The, 2018, 391, 1513-1523.	13.7	858
6	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Journal of the National Cancer Institute, 2005, 97, 906-916.	6.3	716
7	Oxidative DNA damage estimated by 8-hydroxydeoxyguanosine excretion in humans: influence of smoking, gender and body mass index. Carcinogenesis, 1992, 13, 2241-2247.	2.8	616
8	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. BMJ: British Medical Journal, 2005, 330, 991.	2.3	614
9	A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. Nature Genetics, 2010, 42, 224-228.	21.4	539
10	Study design, exposure variables, and socioeconomic determinants of participation in Diet, Cancer and Health: A population-based prospective cohort study of 57,053 men and women in Denmark. Scandinavian Journal of Public Health, 2007, 35, 432-441.	2.3	532
11	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164.	6.0	528
12	Detectable clonal mosaicism and its relationship to aging and cancer. Nature Genetics, 2012, 44, 651-658.	21.4	519
13	Lung cancer susceptibility locus at 5p15.33. Nature Genetics, 2008, 40, 1404-1406.	21.4	514
14	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. Nature Genetics, 2010, 42, 978-984.	21.4	493
15	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. European Heart Journal, 2021, 42, 2439-2454.	2.2	491
16	Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 920-931.	6.3	485
17	Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2004, 111, 762-771.	5.1	484
18	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. Lancet Diabetes and Endocrinology,the, 2014, 2, 810-818.	11.4	431

#	Article	IF	CITATIONS
19	Serum Sex Steroids in Premenopausal Women and Breast Cancer Risk Within the European Prospective Investigation into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2005, 97, 755-765.	6.3	391
20	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. Nature Genetics, 2014, 46, 736-741.	21.4	360
21	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2010, 102, 529-537.	6.3	357
22	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. BMJ: British Medical Journal, 2010, 340, b5500-b5500.	2.3	342
23	Validation of a Semiquantitative Food Frequency Questionnaire Developed in Denmark. International Journal of Epidemiology, 1991, 20, 906-912.	1.9	341
24	European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study: rationale, design and population characteristics. Public Health Nutrition, 2002, 5, 1125-1145.	2.2	335
25	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. Gut, 2013, 62, 1764-1770.	12.1	330
26	Meat consumption and mortality - results from the European Prospective Investigation into Cancer and Nutrition. BMC Medicine, 2013, 11, 63.	5.5	329
27	Anthropometric Measures, Body Mass Index, and Pancreatic Cancer. Archives of Internal Medicine, 2010, 170, 791.	3.8	314
28	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Nutrition, 2016, 55, 1359-1375.	3.9	313
29	Association Between Low-Density Lipoprotein Cholesterol–Lowering Genetic Variants and Risk of Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2016, 316, 1383.	7.4	310
30	The EPIC nutrient database project (ENDB): a first attempt to standardize nutrient databases across the 10 European countries participating in the EPIC study. European Journal of Clinical Nutrition, 2007, 61, 1037-1056.	2.9	309
31	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 345-354.	6.3	301
32	Chronic Obstructive Pulmonary Disease and Long-Term Exposure to Traffic-related Air Pollution. American Journal of Respiratory and Critical Care Medicine, 2011, 183, 455-461.	5.6	301
33	Cigarette Smoking and Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Cohort Consortium. American Journal of Epidemiology, 2009, 170, 403-413.	3.4	298
34	Long-Term Exposure to Road Traffic Noise and Incident Diabetes: A Cohort Study. Environmental Health Perspectives, 2013, 121, 217-222.	6.0	294
35	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. Nature Genetics, 2014, 46, 994-1000.	21.4	294
36	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC–EURGAST). International Journal of Cancer, 2006, 118, 2559-2566.	5.1	292

#	Article	IF	Citations
37	Dietary fiber and subsequent changes in body weight and waist circumference in European men and women. American Journal of Clinical Nutrition, 2010, 91, 329-336.	4.7	285
38	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. American Journal of Clinical Nutrition, 2012, 96, 150-163.	4.7	285
39	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-621.	4.7	284
40	Evaluation of Human Papillomavirus Antibodies and Risk of Subsequent Head and Neck Cancer. Journal of Clinical Oncology, 2013, 31, 2708-2715.	1.6	280
41	Long-term Exposure to Air Pollution and Cardiovascular Mortality. Epidemiology, 2014, 25, 368-378.	2.7	272
42	Wine intake and diet in a random sample of 48763 Danish men and women. American Journal of Clinical Nutrition, 1999, 69, 49-54.	4.7	262
43	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 1441-1452.	4.7	251
44	A germline variant in the TP53 polyadenylation signal confers cancer susceptibility. Nature Genetics, 2011, 43, 1098-1103.	21.4	251
45	Overweight, obesity and fat distribution in 50- to 64-year-old participants in the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2002, 5, 1147-1162.	2.2	249
46	Mediterranean dietary pattern and cancer risk in the EPIC cohort. British Journal of Cancer, 2011, 104, 1493-1499.	6.4	248
47	Diabetes Incidence and Long-Term Exposure to Air Pollution. Diabetes Care, 2012, 35, 92-98.	8.6	236
48	Body Fat and Fatâ€Free Mass and Allâ€Cause Mortality. Obesity, 2004, 12, 1042-1049.	4.0	229
49	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2007, 121, 2065-2072.	5.1	229
50	Variability of fish consumption within the 10 European countries participating in the European Investigation into Cancer and Nutrition (EPIC) study. Public Health Nutrition, 2002, 5, 1273-1285.	2.2	228
51	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2008, 15, 485-497.	3.1	228
52	Consumption of Vegetables and Fruits and Risk of Breast Cancer. JAMA - Journal of the American Medical Association, 2005, 293, 183.	7.4	227
53	Physical Activity and Mortality in Individuals With Diabetes Mellitus. Archives of Internal Medicine, 2012, 172, 1285.	3.8	226
54	Development of a Semiquantitative Food Frequency Questionnaire to Assess Food, Energy and Nutrient Intake in Denmark. International Journal of Epidemiology, 1991, 20, 900-905.	1.9	225

#	Article	IF	Citations
55	Waist Circumference, BMI, Smoking, and Mortality in Middleâ€Aged Men and Women. Obesity, 2003, 11, 895-903.	4.0	225
56	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. European Heart Journal, 2011, 32, 1235-1243.	2.2	225
57	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 127, 442-451.	5.1	223
58	Evaluation of under- and overreporting of energy intake in the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2002, 5, 1329-1345.	2.2	221
59	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. Nature Genetics, 2011, 43, 60-65.	21.4	220
60	Particulate matter air pollution components and risk for lung cancer. Environment International, 2016, 87, 66-73.	10.0	219
61	Road traffic noise and stroke: a prospective cohort study. European Heart Journal, 2011, 32, 737-744.	2.2	218
62	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2012, 7, e39361.	2.5	218
63	Diversity of dietary patterns observed in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. Public Health Nutrition, 2002, 5, 1311-1328.	2.2	211
64	Associations between GPX1 Pro198Leu polymorphism, erythrocyte GPX activity, alcohol consumption and breast cancer risk in a prospective cohort study. Carcinogenesis, 2006, 27, 820-825.	2.8	210
65	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). International Journal of Cancer, 2003, 107, 629-634.	5.1	209
66	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. European Heart Journal, 2018, 39, 397-406.	2.2	209
67	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. Inflammatory Bowel Diseases, 2016, 22, 345-354.	1.9	207
68	Use of dietary supplements in the European Prospective Investigation into Cancer and Nutrition calibration study. European Journal of Clinical Nutrition, 2009, 63, S226-S238.	2.9	204
69	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. American Journal of Clinical Nutrition, 2010, 91, 381-390.	4.7	198
70	Hepatocellular Carcinoma Risk Factors and Disease Burden in a European Cohort: A Nested Case-Control Study. Journal of the National Cancer Institute, 2011, 103, 1686-1695.	6.3	197
71	Flavonoid intake is associated with lower mortality in the Danish Diet Cancer and Health Cohort. Nature Communications, 2019, 10, 3651.	12.8	197
72	Age at Menarche in Relation to Adult Height. American Journal of Epidemiology, 2005, 162, 623-632.	3.4	195

#	Article	IF	CITATIONS
73	Intake of Vegetables, Legumes, and Fruit, and Risk for All-Cause, Cardiovascular, and Cancer Mortality in a European Diabetic Population. Journal of Nutrition, 2008, 138, 775-781.	2.9	194
74	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. American Journal of Clinical Nutrition, 2010, 92, 912-921.	4.7	194
75	Alcohol drinking pattern and risk of alcoholic liver cirrhosis: A prospective cohort study. Journal of Hepatology, 2015, 62, 1061-1067.	3.7	193
76	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 255-263.	3.6	191
77	Physical Activity and Risk of Colon and Rectal Cancers: The European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2398-2407.	2.5	190
78	Serum levels of IGFâ€, IGFBPâ€3 and colorectal cancer risk: results from the EPIC cohort, plus a metaâ€analysis of prospective studies. International Journal of Cancer, 2010, 126, 1702-1715.	5.1	190
79	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. American Journal of Clinical Nutrition, 2010, 92, 398-407.	4.7	189
80	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 331-346.	4.7	188
81	Venous thromboembolism discharge diagnoses in the Danish National Patient Registry should be used with caution. Journal of Clinical Epidemiology, 2010, 63, 223-228.	5.0	188
82	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. Gut, 2011, 60, 1094-1102.	12.1	187
83	Age at Menopause, Reproductive Life Span, and Type 2 Diabetes Risk. Diabetes Care, 2013, 36, 1012-1019.	8.6	186
84	Validity of a short questionnaire to assess physical activity in 10 European countries. European Journal of Epidemiology, 2012, 27, 15-25.	5.7	185
85	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 96, 382-390.	4.7	183
86	Healthy Aspects of the Nordic Diet Are Related to Lower Total Mortality,. Journal of Nutrition, 2011, 141, 639-644.	2.9	182
87	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. BMC Medicine, 2014, 12, 168.	5.5	178
88	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. Hepatology, 2014, 60, 858-871.	7.3	175
89	Long-term residential exposure to PM2.5, PM10, black carbon, NO2, and ozone and mortality in a Danish cohort. Environment International, 2019, 123, 265-272.	10.0	175
90	Waist circumference and body composition in relation to all-cause mortality in middle-aged men and women. International Journal of Obesity, 2005, 29, 778-784.	3.4	173

#	Article	IF	Citations
91	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2006, 118, 728-738.	5.1	173
92	Intake of carbohydrates compared with intake of saturated fatty acids and risk of myocardial infarction: importance of the glycemic index. American Journal of Clinical Nutrition, 2010, 91, 1764-1768.	4.7	173
93	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. International Journal of Cancer, 2013, 132, 2918-2927.	5.1	172
94	Road Traffic Noise and Incident Myocardial Infarction: A Prospective Cohort Study. PLoS ONE, 2012, 7, e39283.	2.5	171
95	Blood Pressure and Risk of Renal Cell Carcinoma in the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2008, 167, 438-446.	3.4	170
96	Association Between Soft Drink Consumption and Mortality in 10 European Countries. JAMA Internal Medicine, 2019, 179, 1479.	5.1	169
97	Coffee Drinking and Mortality in 10 European Countries. Annals of Internal Medicine, 2017, 167, 236-247.	3.9	168
98	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). European Journal of Clinical Nutrition, 2005, 59, 1387-1396.	2.9	166
99	Predictive values of acute coronary syndrome discharge diagnoses differed in the Danish National Patient Registry. Journal of Clinical Epidemiology, 2009, 62, 188-194.	5.0	164
100	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. BMC Medicine, 2021, 19, 1.	5 . 5	164
101	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S206-S225.	2.9	163
102	Endogenous versus exogenous exposure to N -nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. Carcinogenesis, 2006, 27, 1497-1501.	2.8	162
103	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. International Journal of Cancer, 2014, 135, 453-466.	5.1	161
104	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. International Journal of Cancer, 2015, 136, 1149-1161.	5.1	161
105	Intake of fruit and vegetables and the risk of ischemic stroke in a cohort of Danish men and women. American Journal of Clinical Nutrition, 2003, 78, 57-64.	4.7	160
106	Prospective study of 8-oxo-7,8-dihydro-2′-deoxyguanosine excretion and the risk of lung cancer. Carcinogenesis, 2006, 27, 1245-1250.	2.8	160
107	Genome-wide association study identifies new prostate cancer susceptibility loci. Human Molecular Genetics, 2011, 20, 3867-3875.	2.9	160
108	Oral contraceptive use and reproductive factors and risk of ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2011, 105, 1436-1442.	6.4	160

#	Article	IF	Citations
109	Previous Lung Diseases and Lung Cancer Risk: A Pooled Analysis From the International Lung Cancer Consortium. American Journal of Epidemiology, 2012, 176, 573-585.	3.4	160
110	TP53 and KRAS2 Mutations in Plasma DNA of Healthy Subjects and Subsequent Cancer Occurrence: A Prospective Study. Cancer Research, 2006, 66, 6871-6876.	0.9	158
111	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. PLoS Genetics, 2011, 7, e1001333.	3.5	158
112	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. International Journal of Cancer, 2013, 132, 645-657.	5.1	158
113	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2008, 98, 1574-1581.	6.4	157
114	Insulin-Like Growth Factor (IGF) I, -II, and IGF Binding Protein-3 and Risk of Ischemic Stroke. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 5937-5941.	3.6	156
115	Predictive value of stroke and transient ischemic attack discharge diagnoses in The Danish National Registry of Patients. Journal of Clinical Epidemiology, 2002, 55, 602-607.	5.0	155
116	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. Diabetes, 2014, 63, 4378-4387.	0.6	153
117	Acrylamide exposure and incidence of breast cancer among postmenopausal women in the Danish Diet, Cancer and Health Study. International Journal of Cancer, 2008, 122, 2094-2100.	5.1	151
118	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. American Journal of Clinical Nutrition, 2013, 97, 1107-1120.	4.7	150
119	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2016, 13, e1002094.	8.4	150
120	Long-term weight change and breast cancer risk: the European prospective investigation into cancer and nutrition (EPIC). British Journal of Cancer, 2005, 93, 582-589.	6.4	149
121	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. Cancer Causes and Control, 2007, 18, 399-413.	1.8	148
122	Association of adherence to lifestyle recommendations and risk of colorectal cancer: a prospective Danish cohort study. BMJ: British Medical Journal, 2010, 341, c5504-c5504.	2.3	148
123	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. BMC Medicine, 2020, 18, 5.	5.5	148
124	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2012, 9, e1001230.	8.4	147
125	Age at Menarche and Type 2 Diabetes Risk. Diabetes Care, 2013, 36, 3526-3534.	8.6	147
126	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. Nature Genetics, 2014, 46, 1233-1238.	21.4	147

#	Article	IF	CITATIONS
127	A Study of the Combined Effects of Physical Activity and Air Pollution on Mortality in Elderly Urban Residents: The Danish Diet, Cancer, and Health Cohort. Environmental Health Perspectives, 2015, 123, 557-563.	6.0	146
128	Prospective study of alcohol drinking patterns and coronary heart disease in women and men. BMJ: British Medical Journal, 2006, 332, 1244.	2.3	144
129	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. Journal of Nutrition, 2009, 139, 1728-1737.	2.9	144
130	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case–control study. Endocrine-Related Cancer, 2010, 17, 1007-1019.	3.1	143
131	A Reverse J-Shaped Association Between Serum 25-Hydroxyvitamin D and Cardiovascular Disease Mortality: The CopD Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2339-2346.	3.6	143
132	Air pollution from traffic and cancer incidence: a Danish cohort study. Environmental Health, 2011, 10, 67.	4.0	142
133	Lung Cancer Incidence and Long-Term Exposure to Air Pollution from Traffic. Environmental Health Perspectives, 2011, 119, 860-865.	6.0	142
134	Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epstein–Barr Virus Status–Defined Subgroups. Journal of the National Cancer Institute, 2012, 104, 240-253.	6.3	141
135	Body Mass Index and the Risk for Crohn's Disease and Ulcerative Colitis: Data From a European Prospective Cohort Study (The IBD in EPIC Study). American Journal of Gastroenterology, 2013, 108, 575-582.	0.4	141
136	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. Diabetes Care, 2014, 37, 1854-1862.	8.6	141
137	Genetic Variation at the <i>CYP19A1</i> Locus Predicts Circulating Estrogen Levels but not Breast Cancer Risk in Postmenopausal Women. Cancer Research, 2007, 67, 1893-1897.	0.9	140
138	Meat consumption in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts: results from 24-hour dietary recalls. Public Health Nutrition, 2002, 5, 1243-1258.	2.2	139
139	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. Public Health Nutrition, 2007, 10, 1515-1525.	2.2	139
140	Arsenic in Drinking-Water and Risk for Cancer in Denmark. Environmental Health Perspectives, 2008, 116, 231-237.	6.0	139
141	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2008, 88, 1304-12.	4.7	139
142	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. Neurology, 2013, 80, 829-838.	1.1	138
143	Genome-wide association study identifies multiple loci associated with bladder cancer risk. Human Molecular Genetics, 2014, 23, 1387-1398.	2.9	137
144	Dietary patterns among older Europeans: the EPIC-Elderly study. British Journal of Nutrition, 2005, 94, 100-113.	2.3	136

#	Article	IF	Citations
145	Mediterranean diet and colorectal cancer risk: results from a European cohort. European Journal of Epidemiology, 2013, 28, 317-328.	5.7	136
146	Fruit and Vegetable Consumption and Mortality. American Journal of Epidemiology, 2013, 178, 590-602.	3.4	135
147	Adipose tissue fatty acids as biomarkers of dietary exposure in Danish men and women. American Journal of Clinical Nutrition, 1993, 57, 629-633.	4.7	132
148	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2008, 88, 1353-1363.	4.7	132
149	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. Lancet Diabetes and Endocrinology, the, 2014, 2, 19-29.	11.4	132
150	Physical activity of subjects aged 50–64 years involved in the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2002, 5, 1163-1177.	2.2	131
151	Epigenetic Impact of Long-Term Shiftwork: Pilot Evidence From Circadian Genes and Whole-Genome Methylation Analysis. Chronobiology International, 2011, 28, 852-861.	2.0	131
152	Diet, serum insulin-like growth factor-l and IGF-binding protein-3 in European women. European Journal of Clinical Nutrition, 2007, 61, 91-98.	2.9	129
153	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. Journal of Clinical Oncology, 2012, 30, 4550-4557.	1.6	129
154	Physical Activity and Breast Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 36-42.	2.5	127
155	Diet in the Aetiology of Ulcerative Colitis: A European Prospective Cohort Study. Digestion, 2008, 77, 57-64.	2.3	127
156	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. International Journal of Epidemiology, 2012, 41, 1162-1173.	1.9	127
157	Long-term exposure to elemental constituents of particulate matter and cardiovascular mortality in 19 European cohorts: Results from the ESCAPE and TRANSPHORM projects. Environment International, 2014, 66, 97-106.	10.0	127
158	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 582-593.	2.5	126
159	Menopausal hormone therapy and breast cancer risk: Impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 144-156.	5.1	125
160	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. Cancer Prevention Research, 2011, 4, 1873-1883.	1.5	125
161	Fruits and vegetables and lung cancer: Findings from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2004, 108, 269-276.	5.1	124
162	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). Carcinogenesis, 2006, 27, 2250-2257.	2.8	123

#	Article	IF	CITATIONS
163	Combined effects of road traffic noise and ambient air pollution in relation to risk for stroke?. Environmental Research, 2014, 133, 49-55.	7.5	123
164	Long-term exposure to low-level ambient air pollution and incidence of stroke and coronary heart disease: a pooled analysis of six European cohorts within the ELAPSE project. Lancet Planetary Health, The, 2021, 5, e620-e632.	11.4	123
165	Dietary patterns and survival of older Europeans: The EPIC-Elderly Study (European Prospective) Tj ETQq1 1 0.784	1314 rgBT 2.2	/Qverlock 1
166	The Association between Diet and Serum Concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1333-1340.	2.5	121
167	Obesity, unfavourable lifestyle and genetic risk of type 2 diabetes: a case-cohort study. Diabetologia, 2020, 63, 1324-1332.	6.3	121
168	Anthropometry, Body Fat, and Venous Thromboembolism. Circulation, 2009, 120, 1850-1857.	1.6	120
169	Breast Cancer Risk After Recent Childbirth. Annals of Internal Medicine, 2019, 170, 22.	3.9	120
170	Trend in Obesity Prevalence in European Adult Cohort Populations during Follow-up since 1996 and Their Predictions to 2015. PLoS ONE, 2011, 6, e27455.	2.5	119
171	Long-term exposure to air pollution and asthma hospitalisations in older adults: a cohort study. Thorax, 2012, 67, 6-11.	5.6	119
172	Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohortâ€"A Factor Analysis. American Journal of Epidemiology, 2013, 177, 787-799.	3.4	119
173	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. Cancer Causes and Control, 2006, 17, 957-969.	1.8	118
174	Smoking and venous thromboembolism: a Danish follow-up study. Journal of Thrombosis and Haemostasis, 2009, 7, 1297-1303.	3.8	118
175	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2394-2403.	5.1	118
176	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. American Journal of Human Genetics, 2020, 106, 389-404.	6.2	118
177	Menopausal Hormone Therapy and Risk of Endometrial Carcinoma Among Postmenopausal Women in the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 1394-1403.	3.4	117
178	Traffic air pollution and mortality from cardiovascular disease and all causes: a Danish cohort study. Environmental Health, 2012, 11, 60.	4.0	117
179	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2013, 42, 1772-1790.	1.9	117
180	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2012, 96, 164-174.	4.7	116

#	Article	IF	CITATIONS
181	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2007, 121, 1103-1114.	5.1	115
182	Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. Journal of Nutrition, 2014, 144, 335-343.	2.9	115
183	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. Journal of Clinical Oncology, 2014, 32, 1347-1355.	1.6	115
184	Patterns of alcohol consumption in 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. Public Health Nutrition, 2002, 5, 1287-1296.	2.2	114
185	Plasma carotenoids, retinol, and tocopherols and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition study. American Journal of Clinical Nutrition, 2007, 86, 672-681.	4.7	114
186	CagA+Helicobacter pyloriinfection and gastric cancer risk in the EPIC-EURGAST study. International Journal of Cancer, 2007, 120, 859-867.	5.1	114
187	Obesity, Behavioral Lifestyle Factors, and Risk of Acute Coronary Events. Circulation, 2008, 117, 3062-3069.	1.6	114
188	Diet and risk of inflammatory bowel disease. Digestive and Liver Disease, 2012, 44, 185-194.	0.9	114
189	Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the european prospective investigation into cancer and nutrition (EPICâ€EURGAST) study after a longer followâ€up. International Journal of Cancer, 2012, 131, 2910-2919.	5.1	114
190	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2013, 109, 1498-1507.	2.3	114
191	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. Annals of Oncology, 2013, 24, 2449-2455.	1.2	114
192	Fruit and vegetable intakes and subsequent changes in body weight in European populations: results from the project on Diet, Obesity, and Genes (DiOGenes). American Journal of Clinical Nutrition, 2009, 90, 202-209.	4.7	113
193	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2562-2569.	2.5	113
194	Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. European Journal of Clinical Nutrition, 2012, 66, 932-941.	2.9	113
195	Association between Plasma PFOA and PFOS Levels and Total Cholesterol in a Middle-Aged Danish Population. PLoS ONE, 2013, 8, e56969.	2.5	113
196	Social Inequalities and Mortality in Europe – Results from a Large Multi-National Cohort. PLoS ONE, 2012, 7, e39013.	2.5	113
197	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. International Journal of Cancer, 2014, 134, 1871-1888.	5.1	112
198	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. British Journal of Cancer, 2006, 95, 406-415.	6.4	111

#	Article	IF	CITATIONS
199	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. Annals of Neurology, 2009, 65, 378-385.	5.3	111
200	Long-Term Exposure to Traffic-Related Air Pollution Associated with Blood Pressure and Self-Reported Hypertension in a Danish Cohort. Environmental Health Perspectives, 2012, 120, 418-424.	6.0	111
201	Is the Association with Fiber from Foods in Colorectal Cancer Confounded by Folate Intake?. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1552-1556.	2.5	110
202	Quantification of the smoking-associated cancer risk with rate advancement periods: meta-analysis of individual participant data from cohorts of the CHANCES consortium. BMC Medicine, 2016, 14, 62.	5.5	110
203	Anthropometry and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2079-2089.	2.5	109
204	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. JAMA Oncology, 2018, 4, e182078.	7.1	109
205	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptor–Positive and -Negative Breast Cancer: a Nested Case–Control Study. Cancer Prevention Research, 2011, 4, 1626-1635.	1.5	108
206	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2011, 106, 1090-1099.	2.3	108
207	The Association Between Dietary Flavonoid and Lignan Intakes and Incident Type 2 Diabetes in European Populations. Diabetes Care, 2013, 36, 3961-3970.	8.6	108
208	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 407-418.	3.4	107
209	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. American Journal of Clinical Nutrition, 2015, 102, 1142-1157.	4.7	107
210	Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 879-885.	2.5	106
211	IGF-1, IGFBP-1, and IGFBP-3 Polymorphisms Predict Circulating IGF Levels but Not Breast Cancer Risk: Findings from the Breast and Prostate Cancer Cohort Consortium (BPC3). PLoS ONE, 2008, 3, e2578.	2.5	106
212	Exposure to road traffic and railway noise and associations with blood pressure and self-reported hypertension: a cohort study. Environmental Health, 2011, 10, 92.	4.0	106
213	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). Annals of Oncology, 2008, 19, 1894-1902.	1.2	105
214	Perfluorooctanoate and Perfluorooctanesulfonate Plasma Levels and Risk of Cancer in the General Danish Population. Journal of the National Cancer Institute, 2009, 101, 605-609.	6.3	105
215	Serum C-peptide levels and breast cancer risk: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2006, 119, 659-667.	5.1	104
216	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2007, 14, 755-767.	3.1	104

#	Article	IF	Citations
217	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2007, 18, 361-373.	1.8	104
218	Body Size and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3252-3261.	2.5	104
219	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2008, 87, 1405-1413.	4.7	104
220	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. International Journal of Cancer, 2012, 131, E1004-14.	5.1	104
221	Serological markers predict inflammatory bowel disease years before the diagnosis. Gut, 2013, 62, 683-688.	12.1	104
222	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. International Journal of Cancer, 2015, 137, 598-606.	5.1	104
223	Long-Term Exposure to Ambient Air Pollution and Incidence of Postmenopausal Breast Cancer in 15 European Cohorts within the ESCAPE Project. Environmental Health Perspectives, 2017, 125, 107005.	6.0	104
224	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. Circulation, 2019, 139, 2835-2845.	1.6	103
225	Pathway analysis of genome-wide association study data highlights pancreatic development genes as susceptibility factors for pancreatic cancer. Carcinogenesis, 2012, 33, 1384-1390.	2.8	102
226	Stroke and Long-Term Exposure to Outdoor Air Pollution From Nitrogen Dioxide. Stroke, 2012, 43, 320-325.	2.0	102
227	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. PLoS ONE, 2016, 11, e0147029.	2.5	102
228	Influence of Individually Estimated Portion Size Data on the Validity of a Semiquantitative Food Frequency Questionnaire. International Journal of Epidemiology, 1992, 21, 770-777.	1.9	101
229	Plasma levels of six carotenoids in nine European countries: report from the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2004, 7, 713-722.	2.2	101
230	Fruits and vegetables and prostate cancer: No association among 1,104 cases in a prospective study of 130,544 men in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2004, 109, 119-124.	5.1	100
231	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: AÂMultinational Cohort Study. Clinical Gastroenterology and Hepatology, 2019, 17, 1323-1331.e6.	4.4	99
232	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2009, 90, 602-612.	4.7	98
233	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. Annals of Oncology, 2013, 24, 543-553.	1.2	98
234	Long-Term Exposure to Low-Level Arsenic in Drinking Water and Diabetes Incidence: A Prospective Study of the Diet, Cancer and Health Cohort. Environmental Health Perspectives, 2014, 122, 1059-1065.	6.0	98

#	Article	IF	Citations
235	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. Diabetes, 2015, 64, 3028-3036.	0.6	98
236	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2007, 120, 2656-2664.	5.1	96
237	Amount of DNA in plasma and cancer risk: A prospective study. International Journal of Cancer, 2004, 111, 746-749.	5.1	95
238	Adherence to a Healthy Diet According to the World Health Organization Guidelines and All-Cause Mortality in Elderly Adults From Europe and the United States. American Journal of Epidemiology, 2014, 180, 978-988.	3.4	95
239	Two regions in chromosome 19q13.2-3 are associated with risk of lung cancer. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2004, 546, 65-74.	1.0	94
240	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. Breast Cancer Research, 2012, 14, R76.	5.0	94
241	Physical Activity, Air Pollution, and the Risk of Asthma and Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 855-865.	5.6	94
242	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Carcinogenesis, 2017, 38, 699-707.	2.8	94
243	Intake of macronutrients as predictors of 5-y changes in waist circumference. American Journal of Clinical Nutrition, 2006, 84, 789-797.	4.7	93
244	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2006, 119, 175-182.	5.1	93
245	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. European Journal of Epidemiology, 2007, 22, 871-881.	5.7	93
246	Variation in intakes of calcium, phosphorus, magnesium, iron and potassium in 10 countries in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S101-S121.	2.9	93
247	Alcohol intake and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium (PanScan). Cancer Causes and Control, 2010, 21, 1213-1225.	1.8	93
248	Intake of total, animal and plant protein and subsequent changes in weight or waist circumference in European men and women: the Diogenes project. International Journal of Obesity, 2011, 35, 1104-1113.	3.4	93
249	A Risk Model for Lung Cancer Incidence. Cancer Prevention Research, 2012, 5, 834-846.	1.5	93
250	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. BMC Medicine, 2015, 13, 242.	5.5	93
251	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2013, 110, 1500-1511.	2.3	92
252	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. Journal of the National Cancer Institute, 2014, 106, .	6.3	92

#	Article	IF	Citations
253	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. European Journal of Epidemiology, 2007, 22, 129-141.	5 . 7	91
254	Intake of whole grain in Scandinavia: Intake, sources and compliance with new national recommendations. Scandinavian Journal of Public Health, 2012, 40, 76-84.	2.3	91
255	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. Hepatology, 2014, 60, 1222-1230.	7.3	91
256	Soy product consumption in 10 European countries: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Public Health Nutrition, 2002, 5, 1217-1226.	2.2	90
257	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2005, 16, 561-572.	1.8	90
258	Self-Reported and Technician-Measured Waist Circumferences Differ in Middle-Aged Men and Women. Journal of Nutrition, 2005, 135, 2263-2270.	2.9	90
259	Obesity and risk of subsequent hospitalisation with pneumonia. European Respiratory Journal, 2010, 36, 1330-1336.	6.7	90
260	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2011, 94, 1266-1275.	4.7	90
261	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2012, 108, 1095-1108.	2.3	90
262	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	2.9	90
263	Dietary Determinants of Changes in Waist Circumference Adjusted for Body Mass Index – a Proxy Measure of Visceral Adiposity. PLoS ONE, 2010, 5, e11588.	2.5	90
264	Physical activity and risk of endometrial cancer: The European prospective investigation into cancer and nutrition. International Journal of Cancer, 2007, 121, 347-355.	5.1	89
265	Intake of total, animal and plant proteins, and their food sources in 10 countries in the European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S16-S36.	2.9	89
266	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. British Journal of Nutrition, 2011, 106, 1915-1925.	2.3	89
267	Comparison of general obesity and measures of body fat distribution in older adults in relation to cancer risk: meta-analysis of individual participant data of seven prospective cohorts in Europe. British Journal of Cancer, 2017, 116, 1486-1497.	6.4	89
268	Dietary Fiber, Carbohydrate Quality and Quantity, and Mortality Risk of Individuals with Diabetes Mellitus. PLoS ONE, 2012, 7, e43127.	2.5	89
269	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1121-1127.	2.5	88
270	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. Oncotarget, 2016, 7, 66328-66343.	1.8	88

#	Article	IF	Citations
271	Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Epidemiology, 2009, 169, 1223-1232.	3.4	87
272	Polymorphisms in the xenobiotic transporter Multidrug Resistance 1 (MDR1) and interaction with meat intake in relation to risk of colorectal cancer in a Danish prospective case-cohort study. BMC Cancer, 2009, 9, 407.	2.6	87
273	Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S37-S60.	2.9	87
274	Long-term exposure to residential traffic noise and changes in body weight and waist circumference: A cohort study. Environmental Research, 2015, 143, 154-161.	7.5	87
275	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Diabetologia, 2011, 54, 3037-3046.	6.3	85
276	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2013, 8, e72715.	2.5	85
277	High-Density Lipoprotein Subspecies Defined by Presence of Apolipoprotein C-III and Incident Coronary Heart Disease in Four Cohorts. Circulation, 2018, 137, 1364-1373.	1.6	85
278	The relation between drinking pattern and body mass index and waist and hip circumference. International Journal of Obesity, 2005, 29, 490-497.	3.4	84
279	Intake of dietary fiber, especially from cereal foods, is associated with lower incidence of colon cancer in the HELGA cohort. International Journal of Cancer, 2012, 131, 469-478.	5.1	84
280	Thyroid-Stimulating Hormone, Thyroglobulin, and Thyroid Hormones and Risk of Differentiated Thyroid Carcinoma: The EPIC Study. Journal of the National Cancer Institute, 2014, 106, dju097.	6.3	84
281	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. Scientific Reports, 2020, 10, 14541.	3.3	84
282	Food Composition of the Diet in Relation to Changes in Waist Circumference Adjusted for Body Mass Index. PLoS ONE, 2011, 6, e23384.	2.5	84
283	The Role of Smoking and Diet in Explaining Educational Inequalities in Lung Cancer Incidence. Journal of the National Cancer Institute, 2009, 101, 321-330.	6.3	83
284	An Association Between Dietary Arachidonic Acid, Measured in Adipose Tissue, and Ulcerative Colitis. Gastroenterology, 2010, 139, 1912-1917.	1.3	83
285	Variety in vegetable and fruit consumption and the risk of gastric and esophageal cancer in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2012, 131, E963-73.	5.1	83
286	The combined impact of adherence to five lifestyle factors on all-cause, cancer and cardiovascular mortality: a prospective cohort study among Danish men and women. British Journal of Nutrition, 2015, 113, 849-858.	2.3	83
287	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 103, 454-464.	4.7	83
288	Polymorphisms in NF-ΰB, PXR, LXR, PPARγ and risk of inflammatory bowel disease. World Journal of Gastroenterology, 2011, 17, 197.	3.3	83

#	Article	IF	CITATIONS
289	GPX1 Pro198Leu polymorphism, interactions with smoking and alcohol consumption, and risk for lung cancer. Cancer Letters, 2007, 247, 293-300.	7.2	82
290	Dietary Predictors of 5-Year Changes in Waist Circumference. Journal of the American Dietetic Association, 2009, 109, 1356-1366.	1.1	82
291	Food and drinking patterns as predictors of 6-year BMI-adjusted changes in waist circumference. British Journal of Nutrition, 2004, 92, 735-748.	2.3	81
292	Waist and hip circumferences and all-cause mortality: usefulness of the waist-to-hip ratio?. International Journal of Obesity, 2004, 28, 741-747.	3.4	81
293	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). International Journal of Epidemiology, 2007, 36, 66-76.	1.9	81
294	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2012, 96, 1398-1408.	4.7	81
295	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. Human Molecular Genetics, 2012, 21, 456-462.	2.9	81
296	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. BMJ Open, 2014, 4, e005245-e005245.	1.9	81
297	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2007, 121, 1331-1338.	5.1	80
298	Long-term exposure to traffic-related air pollution and diabetes-associated mortality: a cohort study. Diabetologia, 2013, 56, 36-46.	6.3	80
299	A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. Clinical Cancer Research, 2016, 22, 4664-4675.	7.0	80
300	A specific haplotype of single nucleotide polymorphisms on chromosome 19q13.2-3 encompassing the gene RAI is indicative of post-menopausal breast cancer before age 55. Carcinogenesis, 2003, 24, 899-904.	2.8	79
301	Intake of Whole Grains and Vegetables Determines the Plasma Enterolactone Concentration of Danish Women. Journal of Nutrition, 2004, 134, 2691-2697.	2.9	79
302	Polymorphisms in genes involved in the inflammatory response and interaction with NSAID use or smoking in relation to lung cancer risk in a prospective study. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2008, 639, 89-100.	1.0	79
303	Air Pollution from Traffic and Risk for Lung Cancer in Three Danish Cohorts. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1284-1291.	2.5	79
304	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition–Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. American Journal of Clinical Nutrition, 2012, 95, 184-193.	4.7	79
305	Dietary Glycemic Index, Glycemic Load, and Digestible Carbohydrate Intake Are Not Associated with Risk of Type 2 Diabetes in Eight European Countries. Journal of Nutrition, 2013, 143, 93-99.	2.9	79
306	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 137, 646-657.	5.1	79

#	Article	IF	CITATIONS
307	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). Journal of Crohn's and Colitis, 2018, 12, 129-136.	1.3	79
308	Prospective analysis of circulating metabolites and breast cancer in EPIC. BMC Medicine, 2019, 17, 178.	5. 5	79
309	Combinations of polymorphisms in XPD, XPC and XPA in relation to risk of lung cancer. Cancer Letters, 2005, 222, 67-74.	7.2	78
310	Variations in Plasma Phytoestrogen Concentrations in European Adults. Journal of Nutrition, 2007, 137, 1294-1300.	2.9	78
311	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Haematologica, 2008, 93, 1666-1677.	3.5	78
312	Associations Between General and Abdominal Adiposity and Mortality in Individuals With Diabetes Mellitus. American Journal of Epidemiology, 2011, 174, 22-34.	3.4	78
313	Carbohydrate Intake in the Etiology of Crohn's Disease and Ulcerative Colitis. Inflammatory Bowel Diseases, 2014, 20, 2013-2021.	1.9	78
314	Hormone replacement therapy in relation to breast carcinoma incidence rate ratios. Cancer, 2004, 100, 2328-2337.	4.1	77
315	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2008, 88, 1567-1575.	4.7	77
316	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2012, 175, 653-663.	3.4	77
317	Intake of whole grains from different cereal and food sources and incidence of colorectal cancer in the Scandinavian HELGA cohort. Cancer Causes and Control, 2013, 24, 1363-1374.	1.8	77
318	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. International Journal of Cancer, 2016, 138, 348-360.	5.1	77
319	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. British Journal of Nutrition, 2006, 96, S12-S23.	2.3	76
320	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2009, 125, 902-908.	5.1	76
321	Dietary fiber intake and risk of hormonal receptor–defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. American Journal of Clinical Nutrition, 2013, 97, 344-353.	4.7	76
322	A Nested Case–Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS Medicine, 2016, 13, e1001988.	8.4	76
323	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a <scp>E</scp> uropean population: Multicentre, prospective cohort study. International Journal of Cancer, 2015, 136, 1899-1908.	5.1	75
324	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. BMJ, The, 2020, 370, m2194.	6.0	75

#	Article	IF	Citations
325	Body mass index, waist circumference and waist–hip ratio and serum levels of IGF-I and IGFBP-3 in European women. International Journal of Obesity, 2006, 30, 1623-1631.	3.4	74
326	Peroxisome profilerator-activated receptorÂ2 Pro12Ala, interaction with alcohol intake and NSAID use, in relation to risk of breast cancer in a prospective study of Danes. Carcinogenesis, 2006, 28, 427-434.	2.8	74
327	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. BMC Cancer, 2013, 13, 584.	2.6	74
328	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2016, 22, 1403-1411.	1.9	74
329	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. Clinical Gastroenterology and Hepatology, 2020, 18, 654-666.e6.	4.4	74
330	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2006, 118, 3133-3139.	5.1	73
331	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2485-2491.	2.5	73
332	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2278-2286.	2.5	73
333	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 131, E544-54.	5.1	73
334	Low-level arsenic in drinking water and risk of incident myocardial infarction: A cohort study. Environmental Research, 2017, 154, 318-324.	7.5	73
335	Glutathione S-transferase T1 null-genotype is associated with an increased risk of lung cancer. International Journal of Cancer, 2004, 110, 219-224.	5.1	72
336	GPX1 Pro198Leu polymorphism, erythrocyte GPX activity, interaction with alcohol consumption and smoking, and risk of colorectal cancer. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2009, 664, 13-19.	1.0	72
337	Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1328-1340.	2.5	72
338	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). Annals of Human Biology, 2011, 38, 194-202.	1.0	72
339	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. BMC Public Health, 2011, 11, 169.	2.9	72
340	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. Carcinogenesis, 2012, 33, 1211-1218.	2.8	72
341	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 1667-1678.	5.1	72
342	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). Annals of Oncology, 2013, 24, 2166-2173.	1.2	72

#	Article	IF	CITATIONS
343	Diabetes mellitus and risk of prostate cancer in the EuropeanProspectiveInvestigation into Cancer and Nutrition. International Journal of Cancer, 2015, 136, 372-381.	5.1	72
344	Ambient air pollution and primary liver cancer incidence in four European cohorts within the ESCAPE project. Environmental Research, 2017, 154, 226-233.	7.5	72
345	Lean Body Mass Is the Predominant Anthropometric Risk Factor for AtrialÂFibrillation. Journal of the American College of Cardiology, 2017, 69, 2488-2497.	2.8	72
346	Consumption of dairy products in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: data from 35955 24-hour dietary recalls in 10 European countries. Public Health Nutrition, 2002, 5, 1259-1271.	2.2	71
347	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 95, 1445-1453.	4.7	71
348	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. International Journal of Cancer, 2014, 134, 1947-1957.	5.1	71
349	Whole-grain products and whole-grain types are associated with lower all-cause and cause-specific mortality in the Scandinavian HELGA cohort. British Journal of Nutrition, 2015, 114, 608-623.	2.3	71
350	Fruits and Vegetables Intake Differentially Affects Estrogen Receptor Negative and Positive Breast Cancer Incidence Rates. Journal of Nutrition, 2003, 133, 2342-2347.	2.9	70
351	Prospective study of interaction between alcohol, NSAID use and polymorphisms in genes involved in the inflammatory response in relation to risk of colorectal cancer. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2007, 624, 88-100.	1.0	70
352	DNA adducts and cancer risk in prospective studies: a pooled analysis and a meta-analysis. Carcinogenesis, 2008, 29, 932-936.	2.8	70
353	Physical Activity and Ovarian Cancer Risk: the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 351-354.	2.5	70
354	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 940-948.	5.1	70
355	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 104, 406-414.	4.7	70
356	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. BMJ: British Medical Journal, 2018, 361, k934.	2.3	70
357	Social inequality and incidence of and survival from breast cancer in a population-based study in Denmark, 1994–2003. European Journal of Cancer, 2008, 44, 1996-2002.	2.8	69
358	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 124, 1926-1934.	5.1	69
359	Asthma and lung cancer risk: a systematic investigation by the International Lung Cancer Consortium. Carcinogenesis, 2012, 33, 587-597.	2.8	69
360	Education and Cause-specific Mortality. Epidemiology, 2014, 25, 389-396.	2.7	69

#	Article	IF	CITATIONS
361	Body fat, body fat distribution, lean body mass and atrial fibrillation and flutter. A Danish cohort study. Obesity, 2014, 22, 1546-1552.	3.0	69
362	Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: The EPIC study. International Journal of Cancer, 2015, 136, 1218-1227.	5.1	69
363	Association of <i>CRP</i> genetic variants with blood concentrations of Câ€reactive protein and colorectal cancer risk. International Journal of Cancer, 2015, 136, 1181-1192.	5.1	69
364	Tracking of body mass index from 7 to 69 years of age. International Journal of Obesity, 2016, 40, 1376-1383.	3.4	69
365	Long-term exposure to residential railway and road traffic noise and risk for diabetes in a Danish cohort. Environmental Research, 2018, 160, 292-297.	7. 5	69
366	Fish Intake Is Positively Associated with Breast Cancer Incidence Rate. Journal of Nutrition, 2003, 133, 3664-3669.	2.9	68
367	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. International Journal of Epidemiology, 2008, 37, 1316-1325.	1.9	68
368	Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. American Journal of Clinical Nutrition, 2009, 90, 1632-1641.	4.7	68
369	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2404-2415.	5.1	68
370	Polymorphisms in NFkB, PXR, LXR and risk of colorectal cancer in a prospective study of Danes. BMC Cancer, 2010, 10, 484.	2.6	68
371	PTGS2 and IL6 genetic variation and risk of breast and prostate cancer: results from the Breast and Prostate Cancer Cohort Consortium (BPC3). Carcinogenesis, 2010, 31, 455-461.	2.8	68
372	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. Diabetes Care, 2021, 44, 98-106.	8.6	68
373	XPA A23G, XPC Lys939Gln, XPD Lys751Gln and XPD Asp312Asn polymorphisms, interactions with smoking, alcohol and dietary factors, and risk of colorectal cancer. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2007, 619, 68-80.	1.0	67
374	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3108-3115.	2.5	67
375	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2012, 96, 345-355.	4.7	67
376	Association of Type 2 Diabetes Susceptibility Variants With Advanced Prostate Cancer Risk in the Breast and Prostate Cancer Cohort Consortium. American Journal of Epidemiology, 2012, 176, 1121-1129.	3.4	67
377	Insulin-like Growth Factor-I Concentration and Risk of Prostate Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1531-1541.	2.5	67
378	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. Journal of the National Cancer Institute, 2014, 106, djt352.	6.3	67

#	Article	IF	Citations
379	Road Traffic and Railway Noise Exposures and Adiposity in Adults: A Cross-Sectional Analysis of the Danish Diet, Cancer, and Health Cohort. Environmental Health Perspectives, 2016, 124, 329-335.	6.0	67
380	Combined effects of smoking and HPV16 in oropharyngeal cancer. International Journal of Epidemiology, 2016, 45, 752-761.	1.9	67
381	Adherence to the WCRF/AICR Dietary Recommendations for Cancer Prevention and Risk of Cancer in Elderly from Europe and the United States: A Meta-Analysis within the CHANCES Project. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 136-144.	2.5	67
382	Vitamin D Status and Seasonal Variation among Danish Children and Adults: A Descriptive Study. Nutrients, 2018, 10, 1801.	4.1	67
383	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk. JAMA Oncology, 2020, 6, e194107.	7.1	67
384	Validity of Individual Portion Size Estimates in a Food Frequency Questionnaire. International Journal of Epidemiology, 1994, 23, 787-796.	1.9	66
385	Cross-Sectional Study on Acrylamide Hemoglobin Adducts in Subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Journal of Agricultural and Food Chemistry, 2008, 56, 6046-6053.	5.2	66
386	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. BMC Medicine, 2015, 13, 107.	5.5	66
387	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. BMC Medicine, 2017, 15, 115.	5.5	66
388	Long-term exposure to ambient air pollution and incidence of brain tumor: the European Study of Cohorts for Air Pollution Effects (ESCAPE). Neuro-Oncology, 2018, 20, 420-432.	1.2	66
389	Rye and health - Where do we stand and where do we go?. Trends in Food Science and Technology, 2018, 79, 78-87.	15.1	66
390	XRCC3 polymorphisms and risk of lung cancer. Cancer Letters, 2004, 213, 67-72.	7.2	65
391	Tobacco smoke and bladder cancer-in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2006, 119, 2412-2416.	5.1	65
392	Determinants of Plasma PFOA and PFOS Levels Among 652 Danish Men. Environmental Science & Environmental Science & Technology, 2011, 45, 8137-8143.	10.0	65
393	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. Cancer Research, 2012, 72, 5328-5337.	0.9	65
394	Meat and fish consumption and risk of pancreatic cancer: Results from the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2013, 132, 617-624.	5.1	65
395	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2013, 133, 2429-2443.	5.1	65
396	Adherence to a Healthy Nordic Food Index Is Associated with a Lower Risk of Type-2 Diabetesâ€"The Danish Diet, Cancer and Health Cohort Study. Nutrients, 2015, 7, 8633-8644.	4.1	65

#	Article	IF	CITATIONS
397	Alcohol intake and breast cancer in the <scp>E</scp> uropean prospective investigation into cancer and nutrition. International Journal of Cancer, 2015, 137, 1921-1930.	5.1	65
398	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. Diabetes Care, 2016, 39, 572-581.	8.6	65
399	Adherence to a Healthy Nordic Diet and Risk of Stroke. Stroke, 2017, 48, 259-264.	2.0	65
400	Drinking pattern and mortality in middle-aged men and women. Addiction, 2004, 99, 323-330.	3.3	64
401	Haplotype Analysis of the HSD17B1 Gene and Risk of Breast Cancer: A Comprehensive Approach to Multicenter Analyses of Prospective Cohort Studies. Cancer Research, 2006, 66, 2468-2475.	0.9	64
402	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 208-214.	2.5	64
403	Determinants of dietary supplement use – healthy individuals use dietary supplements. British Journal of Nutrition, 2015, 113, 1993-2000.	2.3	64
404	Prostate cancer incidence, clinical stage and survival in relation to obesity: A prospective cohort study in Denmark. International Journal of Cancer, 2015, 136, 1940-1947.	5.1	64
405	Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. PLoS ONE, 2013, 8, e57300.	2.5	64
406	Polymorphisms in COX-2, NSAID use and risk of basal cell carcinoma in a prospective study of Danes. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2007, 617, 138-146.	1.0	63
407	Dietary Energy Density in Relation to Subsequent Changes of Weight and Waist Circumference in European Men and Women. PLoS ONE, 2009, 4, e5339.	2.5	63
408	Body height and sex-related differences in incidence of venous thromboembolism: A Danish follow-up study. European Journal of Internal Medicine, 2010, 21, 268-272.	2.2	63
409	Air Pollution and Nonmalignant Respiratory Mortality in 16 Cohorts within the ESCAPE Project. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 684-696.	5.6	63
410	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. Annals of Oncology, 2014, 25, 1422-1428.	1.2	63
411	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2015, 102, 1498-1508.	4.7	63
412	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. International Journal of Cancer, 2006, 119, 2389-2397.	5.1	62
413	Dietary \hat{l}^2 -carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Breast Cancer Research and Treatment, 2010, 119, 753-765.	2.5	62
414	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC–EURGAST). Cancer Letters, 2011, 311, 85-95.	7.2	62

#	Article	IF	CITATIONS
415	Height, age at menarche and risk of hormone receptorâ€positive and â€negative breast cancer: A cohort study. International Journal of Cancer, 2013, 132, 2619-2629.	5.1	62
416	Meat consumption, N-acetyl transferase 1 and 2 polymorphism and risk of breast cancer in Danish postmenopausal women. European Journal of Cancer Prevention, 2008, 17, 39-47.	1.3	61
417	Methodological Challenges in the Application of the Glycemic Index in Epidemiological Studies Using Data from the European Prospective Investigation into Cancer and Nutrition. Journal of Nutrition, 2009, 139, 568-575.	2.9	61
418	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. Clinical Gastroenterology and Hepatology, 2011, 9, 137-144.	4.4	61
419	Tumor necrosis factor (TNF) $\hat{a}\in\hat{I}_{\pm}$, soluble TNF receptors and endometrial cancer risk: The EPIC study. International Journal of Cancer, 2011, 129, 2032-2037.	5.1	61
420	Association between 8-oxo-7,8-dihydro-2′-deoxyguanosine Excretion and Risk of Postmenopausal Breast Cancer: Nested Case–Control Study. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1289-1296.	2.5	61
421	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. PLoS Medicine, 2017, 14, e1002409.	8.4	61
422	Long-Term Exposure to Traffic-Related Air Pollution and Risk of Incident Atrial Fibrillation: A Cohort Study. Environmental Health Perspectives, 2017, 125, 422-427.	6.0	61
423	Dietary Carbohydrate Intake Is Not Associated with the Breast Cancer Incidence Rate Ratio in Postmenopausal Danish Women. Journal of Nutrition, 2005, 135, 124-128.	2.9	60
424	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2416-2424.	2.5	60
425	Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. International Journal of Obesity, 2009, 33, 1280-1288.	3.4	60
426	Prostate stemâ€cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPICâ€EURGAST study. International Journal of Cancer, 2012, 130, 2417-2427.	5.1	60
427	Association between 8-oxo-7,8-dihydroguanine excretion and risk of lung cancer in a prospective study. Free Radical Biology and Medicine, 2012, 52, 167-172.	2.9	60
428	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: The Diet, Cancer and Health cohort study. British Journal of Nutrition, 2013, 109, 920-927.	2.3	60
429	Association between Polymorphisms in Glutathione Peroxidase and Selenoprotein P Genes, Glutathione Peroxidase Activity, HRT Use and Breast Cancer Risk. PLoS ONE, 2013, 8, e73316.	2.5	60
430	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. International Journal of Cancer, 2014, 135, 2887-2899.	5.1	60
431	Intake of whole grains is associated with lower risk of myocardial infarction: the Danish Diet, Cancer and Health Cohort. American Journal of Clinical Nutrition, 2016, 103, 999-1007.	4.7	60
432	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418Â329 participants in the EPIC cohort across nine European countries. European Heart Journal, 2020, 41, 2632-2640.	2.2	60

#	Article	IF	CITATIONS
433	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2549-2561.	2.5	59
434	Eighteen Insulin-like Growth Factor Pathway Genes, Circulating Levels of IGF-I and Its Binding Protein, and Risk of Prostate and Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2877-2887.	2.5	59
435	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. PLoS ONE, 2012, 7, e36910.	2.5	59
436	Genome-wide association study of survival in patients with pancreatic adenocarcinoma. Gut, 2014, 63, 152-160.	12.1	59
437	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. Human Reproduction, 2015, 30, 1491-1498.	0.9	59
438	New basal cell carcinoma susceptibility loci. Nature Communications, 2015, 6, 6825.	12.8	59
439	A Transcriptome-Wide Association Study Identifies Novel Candidate Susceptibility Genes for Pancreatic Cancer. Journal of the National Cancer Institute, 2020, 112, 1003-1012.	6.3	59
440	Alcohol Intake, Type of Beverage, and Risk of Breast Cancer in Pre- and Postmenopausal Women. Alcoholism: Clinical and Experimental Research, 2004, 28, 1084-1090.	2.4	58
441	Folate intake, alcohol and risk of breast cancer among postmenopausal women in Denmark. European Journal of Clinical Nutrition, 2006, 60, 280-286.	2.9	58
442	Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2011, 128, 2695-2708.	5.1	58
443	Inflammation marker and risk of pancreatic cancer: a nested case–control study within the EPIC cohort. British Journal of Cancer, 2012, 106, 1866-1874.	6.4	58
444	Mortality among participants and non-participants in a prospective cohort study. European Journal of Epidemiology, 2012, 27, 837-845.	5.7	58
445	Dairy products and risk of hepatocellular carcinoma: The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2014, 135, 1662-1672.	5.1	58
446	Parity, breastfeeding and risk of coronary heart disease: A pan-European case–cohort study. European Journal of Preventive Cardiology, 2016, 23, 1755-1765.	1.8	58
447	Meal patterns across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. Public Health Nutrition, 2016, 19, 2769-2780.	2.2	58
448	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. European Journal of Nutrition, 2018, 57, 2399-2408.	3.9	58
449	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. Journal of Hepatology, 2019, 70, 885-892.	3.7	58
450	Fruit and Vegetable Consumption and Risk of Epithelial Ovarian Cancer: The European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2531-2535.	2.5	57

#	Article	IF	CITATIONS
451	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2427-2434.	2.5	57
452	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. Cancer Causes and Control, 2010, 21, 657-669.	1.8	57
453	Intake of wholegrain products and risk of colorectal cancers in the Diet, Cancer and Health cohort study. British Journal of Cancer, 2010, 103, 730-734.	6.4	57
454	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. Diabetes Care, 2014, 37, 3164-3171.	8.6	57
455	Air pollution and incidence of cancers of the stomach and the upper aerodigestive tract in the European Study of Cohorts for Air Pollution Effects (ESCAPE). International Journal of Cancer, 2018, 143, 1632-1643.	5.1	57
456	Long-term residential exposure to PM2.5 constituents and mortality in a Danish cohort. Environment International, 2019, 133, 105268.	10.0	57
457	Consumption of added fats and oils in the European Prospective Investigation into Cancer and Nutrition (EPIC) centres across 10 European countries as assessed by 24-hour dietary recalls. Public Health Nutrition, 2002, 5, 1227-1242.	2.2	56
458	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk $\hat{a} \in ``results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2006, 9, 449-464.$	2.2	56
459	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2007, 14, 81-90.	3.1	56
460	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. American Journal of Clinical Nutrition, 2012, 95, 1172-1181.	4.7	56
461	Fruit and vegetable intake and cause-specific mortality in the EPIC study. European Journal of Epidemiology, 2014, 29, 639-652.	5.7	56
462	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). European Journal of Epidemiology, 2014, 29, 261-275.	5.7	56
463	Impact of prediagnostic smoking and smoking cessation on colorectal cancer prognosis: a meta-analysis of individual patient data from cohorts within the CHANCES consortium. Annals of Oncology, 2018, 29, 472-483.	1.2	56
464	Higher Whole-Grain Intake Is Associated with Lower Risk of Type 2 Diabetes among Middle-Aged Men and Women: The Danish Diet, Cancer, and Health Cohort. Journal of Nutrition, 2018, 148, 1434-1444.	2.9	56
465	Particulate matter air pollution components and incidence of cancers of the stomach and the upper aerodigestive tract in the European Study of Cohorts of Air Pollution Effects (ESCAPE). Environment International, 2018, 120, 163-171.	10.0	56
466	Dietary Cadmium Intake and Risk of Breast, Endometrial and Ovarian Cancer in Danish Postmenopausal Women: A Prospective Cohort Study. PLoS ONE, 2014, 9, e100815.	2.5	56
467	Food sources of carbohydrates in a European cohort of adults. Public Health Nutrition, 2002, 5, 1197-1215.	2.2	55
468	OGG1 expression and OGG1 Ser326Cys polymorphism and risk of lung cancer in a prospective study. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2008, 639, 45-54.	1.0	55

#	Article	IF	Citations
469	Nonsteroidal anti-inflammatory drug use and breast cancer risk: a Danish cohort study. European Journal of Cancer Prevention, 2008, 17, 88-96.	1.3	55
470	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Carcinogenesis, 2012, 33, 361-367.	2.8	55
471	Quantifying Mediating Effects of Endogenous Estrogen and Insulin in the Relation between Obesity, Alcohol Consumption, and Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1203-1212.	2.5	55
472	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2013, 49, 3526-3536.	2.8	55
473	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2013, 108, 708-714.	6.4	55
474	Timing of HPV16-E6 antibody seroconversion before OPSCC: findings from the HPVC3 consortium. Annals of Oncology, 2019, 30, 1335-1343.	1.2	55
475	Apolipoproteins E and CIII interact to regulate HDL metabolism and coronary heart disease risk. JCI Insight, 2018, 3, .	5.0	55
476	No Association Between Base Excision Repair Gene Polymorphisms and Risk of Lung Cancer. Biochemical Genetics, 2004, 42, 453-460.	1.7	54
477	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 23-29.	2.5	54
478	Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. Cancer Prevention Research, 2011, 4, 1385-1392.	1.5	54
479	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. Diabetologia, 2014, 57, 63-72.	6.3	54
480	Forecasting individual breast cancer risk using plasma metabolomics and biocontours. Metabolomics, 2015, 11, 1376-1380.	3.0	54
481	Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 683-689.	2.5	54
482	Exposure to long-term air pollution and road traffic noise in relation to cholesterol: A cross-sectional study. Environment International, 2015, 85, 238-243.	10.0	54
483	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. BMJ, The, 2020, 370, m3173.	6.0	54
484	Effects of whole-grain wheat, rye, and lignan supplementation on cardiometabolic risk factors in men with metabolic syndrome: a randomized crossover trial. American Journal of Clinical Nutrition, 2020, 111, 864-876.	4.7	54
485	Tobacco Smoking and Risk of Second Primary Lung Cancer. Journal of Thoracic Oncology, 2021, 16, 968-979.	1.1	54
486	Bulky DNA adducts as risk indicator of lung cancer in a Danish case-cohort study. International Journal of Cancer, 2006, 118, 1618-1622.	5.1	53

#	Article	IF	CITATIONS
487	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. American Journal of Epidemiology, 2007, 166, 912-923.	3.4	53
488	Interactions between Diet, Lifestyle and IL10, IL1B, and PTGS2/COX-2 Gene Polymorphisms in Relation to Risk of Colorectal Cancer in a Prospective Danish Case-Cohort Study. PLoS ONE, 2013, 8, e78366.	2.5	53
489	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. BMC Medicine, 2015, 13, 252.	5.5	53
490	Reproductive and hormoneâ€related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. International Journal of Cancer, 2015, 137, 1196-1208.	5.1	53
491	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. British Journal of Cancer, 2017, 116, 688-696.	6.4	53
492	Validity of Peripheral Arterial Disease Diagnoses in the Danish National Patient Registry. European Journal of Vascular and Endovascular Surgery, 2017, 53, 679-685.	1.5	53
493	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. Journal of Proteome Research, 2017, 16, 3137-3146.	3.7	53
494	Long-Term Exposure to Fine Particle Elemental Components and Natural and Cause-Specific Mortality—a Pooled Analysis of Eight European Cohorts within the ELAPSE Project. Environmental Health Perspectives, 2021, 129, 47009.	6.0	53
495	Alcohol drinking, consumption patterns and breast cancer among Danish nurses: a cohort study. European Journal of Public Health, 2007, 17, 624-629.	0.3	52
496	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S188-S205.	2.9	52
497	Changes in Waist Circumference and Mortality in Middle-Aged Men and Women. PLoS ONE, 2010, 5, e13097.	2.5	52
498	Intake of whole grains in Scandinavia is associated with healthy lifestyle, socio-economic and dietary factors. Public Health Nutrition, 2011, 14, 1787-1795.	2.2	52
499	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Breast Cancer Research and Treatment, 2013, 139, 163-176.	2.5	52
500	The Consortium on Health and Ageing: Network of Cohorts in Europe and the United States (CHANCES) projectâ€"design, population and data harmonization of a large-scale, international study. European Journal of Epidemiology, 2014, 29, 929-936.	5.7	52
501	Insulinâ€like growth factor I and risk of breast cancer by age and hormone receptor statusâ€"A prospective study within the EPIC cohort. International Journal of Cancer, 2014, 134, 2683-2690.	5.1	52
502	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. Human Molecular Genetics, 2016, 25, 1663-1676.	2.9	52
503	Residential exposure to traffic noise and leisure-time sports $\hat{a} \in A$ population-based study. International Journal of Hygiene and Environmental Health, 2017, 220, 1006-1013.	4.3	52
504	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 2680-2693.	5.1	52

#	Article	IF	CITATIONS
505	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. International Journal of Obesity, 2011, 35, 416-426.	3.4	51
506	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. Cancer Causes and Control, 2011, 22, 1075-1084.	1.8	51
507	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2011, 129, 449-459.	5.1	51
508	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2012, 106, 1004-1010.	6.4	51
509	Common Genetic Variants in Prostate Cancer Risk Prediction—Results from the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 437-444.	2.5	51
510	Opposite effects of microchimerism on breast and colon cancer. European Journal of Cancer, 2012, 48, 2227-2235.	2.8	51
511	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 951-961.	2.5	51
512	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and risk of type 2 diabetes in Scandinavian men and women. American Journal of Clinical Nutrition, 2016, 104, 88-96.	4.7	51
513	Genetic polymorphisms in CYP1B1, GSTA1, NQO1 and NAT2 and the risk of lung cancer. Cancer Letters, 2005, 221, 185-190.	7.2	50
514	Weight change in later life and risk of death amongst the elderly: the European Prospective Investigation into Cancer and Nutritionâ€Elderly Network on Ageing and Health study. Journal of Internal Medicine, 2010, 268, 133-144.	6.0	50
515	Marine n-3 Polyunsaturated Fatty Acids in Adipose Tissue and the Risk of Acute Coronary Syndrome. Circulation, 2011, 124, 1232-1238.	1.6	50
516	Genetic variation in the h <i>TAS2R38</i> taste receptor and brassica vegetable intake. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 274-279.	1.2	50
517	Genome-wide interaction study of smoking and bladder cancer risk. Carcinogenesis, 2014, 35, 1737-1744.	2.8	50
518	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2017, 140, 1836-1844.	5.1	50
519	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2018, 107, 607-616.	4.7	50
520	Long-term exposure to low-level air pollution and incidence of chronic obstructive pulmonary disease: The ELAPSE project. Environment International, 2021, 146, 106267.	10.0	50
521	Occupational Exposures, Environmental Tobacco Smoke, and Lung Cancer. Epidemiology, 2007, 18, 769-775.	2.7	49
522	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPICâ€EURGAST study. International Journal of Cancer, 2007, 121, 1618-1623.	5.1	49

#	Article	IF	CITATIONS
523	Plasma 25â€hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case–control study. International Journal of Cancer, 2013, 133, 1689-1700.	5.1	49
524	Circulating Fatty Acids and Prostate Cancer Risk: Individual Participant Meta-Analysis of Prospective Studies. Journal of the National Cancer Institute, 2014, 106, .	6.3	49
525	Residential exposure to traffic noise and risk of incident atrial fibrillation: A cohort study. Environment International, 2016, 92-93, 457-463.	10.0	49
526	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. European Journal of Epidemiology, 2016, 31, 255-266.	5.7	49
527	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. BMC Medicine, 2017, 15, 72.	5.5	49
528	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2018, 142, 449-459.	5.1	49
529	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). Cancer Causes and Control, 2009, 20, 785-794.	1.8	48
530	Cigar and pipe smoking and cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2010, 127, 2402-2411.	5.1	48
531	The polymorphism rs3024505 proximal to IL-10 is associated with risk of ulcerative colitis and Crohns disease in a Danish case-control study. BMC Medical Genetics, 2010, 11, 82.	2.1	48
532	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. European Journal of Nutrition, 2013, 52, 1369-1380.	3.9	48
533	Germline sequence variants in TGM3 and RGS22 confer risk of basal cell carcinoma. Human Molecular Genetics, 2014, 23, 3045-3053.	2.9	48
534	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. European Journal of Nutrition, 2016, 55, 7-20.	3.9	48
535	Vegetable and fruit consumption and the risk of hormone receptor–defined breast cancer in the EPIC cohort. American Journal of Clinical Nutrition, 2016, 103, 168-177.	4.7	48
536	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. International Journal of Cancer, 2017, 141, 905-915.	5.1	48
537	Androgens Are Differentially Associated with Ovarian Cancer Subtypes in the Ovarian Cancer Cohort Consortium. Cancer Research, 2017, 77, 3951-3960.	0.9	48
538	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. Clinical Nutrition, 2021, 40, 5079-5088.	5.0	48
539	Associations between Recreational and Commuter Cycling, Changes in Cycling, and Type 2 Diabetes Risk: A Cohort Study of Danish Men and Women. PLoS Medicine, 2016, 13, e1002076.	8.4	48
540	Lifetime Alcohol Consumption and Postmenopausal Breast Cancer Rate in Denmark: a Prospective Cohort Study. Journal of Nutrition, 2004, 134, 173-178.	2.9	47

#	Article	IF	Citations
541	Aspirin and other non-steroidal anti-inflammatory drugs and risk of colorectal cancer: A Danish cohort study. Cancer Causes and Control, 2009, 20, 731-740.	1.8	47
542	A comprehensive analysis of common IGF1, IGFBP1 and IGFBP3 genetic variation with prospective IGF-I and IGFBP-3 blood levels and prostate cancer risk among Caucasians â€. Human Molecular Genetics, 2010, 19, 3089-3101.	2.9	47
543	Aspirin and NSAID use and lung cancer risk: a pooled analysis in the International Lung Cancer Consortium (ILCCO). Cancer Causes and Control, 2011, 22, 1709-1720.	1.8	47
544	Genetic association of gastric cancer with miRNA clusters including the cancerâ€related genes ⟨i>MIR29, MIR25, MIR93⟨ i> and ⟨i>MIR106⟨ i>: Results from the EPICâ€EURGAST study. International Journal of Cancer, 2014, 135, 2065-2076.	5.1	47
545	Exposure to Ambient Air Pollution and the Risk of Inflammatory Bowel Disease: A European Nested Case–Control Study. Digestive Diseases and Sciences, 2016, 61, 2963-2971.	2.3	47
546	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. BMC Medicine, 2017, 15, 203.	5.5	47
547	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case–cohort analysis. International Journal of Epidemiology, 2019, 48, 1275-1285.	1.9	47
548	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. International Journal of Cancer, 2007, 121, 2741-2747.	5.1	46
549	Lifetime and baseline alcohol intake and risk of cancer of the upper aeroâ€digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2009, 125, 406-412.	5.1	46
550	Fruit and vegetable intake and risk of acute coronary syndrome. British Journal of Nutrition, 2010, 104, 248-255.	2.3	46
551	Oral contraceptives, reproductive history and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2010, 103, 1755-1759.	6.4	46
552	Exposure to road traffic and railway noise and postmenopausal breast cancer: A cohort study. International Journal of Cancer, 2014, 134, 2691-2698.	5.1	46
553	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. Blood, 2014, 124, 530-535.	1.4	46
554	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. American Journal of Clinical Nutrition, 2017, 106, 263-275.	4.7	46
555	Perspective: Metabotyping—A Potential Personalized Nutrition Strategy for Precision Prevention of Cardiometabolic Disease. Advances in Nutrition, 2020, 11, 524-532.	6.4	46
556	Alcohol intake, drinking patterns and risk of postmenopausal breast cancer in Denmark: a prospective cohort study. Cancer Causes and Control, 2003, 14, 277-284.	1.8	45
557	Intake of wine, beer and spirits and risk of gastric cancer. European Journal of Cancer Prevention, 2005, 14, 239-243.	1.3	45
558	Physical activity and risk for lung cancer in a Danish cohort. International Journal of Cancer, 2005, 116, 439-444.	5.1	45

#	Article	IF	Citations
559	Comprehensive analysis of common genetic variation in 61 genes related to steroid hormone and insulin-like growth factor-I metabolism and breast cancer risk in the NCI breast and prostate cancer cohort consortiumâ€. Human Molecular Genetics, 2010, 19, 3873-3884.	2.9	45
560	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2011, 47, 1808-1816.	2.8	45
561	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 555-559.	2.5	45
562	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 976-985.	2.5	45
563	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Annals of Oncology, 2014, 25, 1609-1615.	1.2	45
564	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition. International Journal of Cancer, 2015, 137, 2705-2714.	5.1	45
565	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. Breast Cancer Research, 2015, 17, 15.	5.0	45
566	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. International Journal of Cancer, 2021, 148, 609-625.	5.1	45
567	Effect of polymorphisms in XPD, RAI, ASE-1 and ERCC1 on the risk of basal cell carcinoma among Caucasians after age 50. Cancer Detection and Prevention, 2005, 29, 209-214.	2.1	44
568	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. American Journal of Clinical Nutrition, 2010, 92, 1145-1150.	4.7	44
569	Food intake of individuals with and without diabetes across different countries and ethnic groups. European Journal of Clinical Nutrition, 2011, 65, 635-641.	2.9	44
570	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. PLoS ONE, 2014, 9, e98647.	2.5	44
571	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. International Journal of Cancer, 2014, 135, 440-452.	5.1	44
572	Interactions between genetic variants associated with adiposity traits and soft drinks in relation to longitudinal changes in body weight and waist circumference. American Journal of Clinical Nutrition, 2016, 104, 816-826.	4.7	44
573	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. BMC Medicine, 2016, 14, 87.	5.5	44
574	Outdoor air pollution and risk for kidney parenchyma cancer in 14 European cohorts. International Journal of Cancer, 2017, 140, 1528-1537.	5.1	44
575	CA19 \hat{a} and apolipoprotein \hat{a} isoforms as detection markers for pancreatic cancer: a prospective evaluation. International Journal of Cancer, 2019, 144, 1877-1887.	5.1	44
576	Breast cancer risk in relation to abortion: Results from the EPIC study. International Journal of Cancer, 2006, 119, 1741-1745.	5.1	43

#	Article	IF	CITATIONS
577	A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. American Journal of Clinical Nutrition, 2008, 88, 1653-1662.	4.7	43
578	Genetic susceptibility, smoking, obesity and risk of venous thromboembolism. British Journal of Haematology, 2010, 149, 273-279.	2. 5	43
579	Socioeconomic position and lifestyle in relation to breast cancer incidence among postmenopausal women: A prospective cohort study, Denmark, 1993–2006. Cancer Epidemiology, 2011, 35, 438-441.	1.9	43
580	The NFKB1 ATTG ins/del polymorphism and risk of coronary heart disease in three independent populations. Atherosclerosis, 2011, 219, 200-204.	0.8	43
581	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2011, 173, 26-37.	3.4	43
582	A Prospective Study of Organochlorines in Adipose Tissue and Risk of Non-Hodgkin Lymphoma. Environmental Health Perspectives, 2012, 120, 105-111.	6.0	43
583	Predictors of adipose tissue concentrations of organochlorine pesticides in a general Danish population. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 52-59.	3.9	43
584	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2012, 96, 902-910.	4.7	43
585	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. International Journal of Cancer, 2012, 130, 2428-2437.	5.1	43
586	Associations between Red Meat and Risks for Colon and Rectal Cancer Depend on the Type of Red Meat Consumed. Journal of Nutrition, 2013, 143, 464-472.	2.9	43
587	Physical activity and survival in breast cancer. European Journal of Cancer, 2016, 66, 67-74.	2.8	43
588	An epidemiological model for prediction of endometrial cancer risk in Europe. European Journal of Epidemiology, 2016, 31, 51-60.	5.7	43
589	Demographic, lifestyle, and other factors in relation to antim $\tilde{A}^{1/4}$ llerian hormone levels in mostly late premenopausal women. Fertility and Sterility, 2017, 107, 1012-1022.e2.	1.0	43
590	Cooking of meat and fish in Europeâ€"results from the European Prospective Investigation into Cancer and Nutrition (EPIC). European Journal of Clinical Nutrition, 2002, 56, 1216-1230.	2.9	42
591	Organochlorines in Danish women: Predictors of adipose tissue concentrations. Environmental Research, 2006, 100, 362-370.	7. 5	42
592	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 2643-2651.	5.1	42
593	Changes in body mass index and alcohol and tobacco consumption among breast cancer survivors and cancer-free women: A prospective study in the Danish Diet, Cancer and Health Cohort. Acta Oncol \tilde{A}^3 gica, 2013, 52, 327-335.	1.8	42
594	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. International Journal of Cancer, 2014, 135, 1949-1960.	5.1	42

#	Article	IF	CITATIONS
595	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 466-471.	2.5	42
596	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2018, 143, 801-812.	5.1	42
597	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. International Journal of Cancer, 2018, 142, 1332-1342.	5.1	42
598	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. European Journal of Epidemiology, 2020, 35, 975-986.	5.7	42
599	Type of alcohol and drinking pattern in 56, 970 Danish men and women. European Journal of Clinical Nutrition, 2000, 54, 174-176.	2.9	41
600	Urinary Hydroxyestrogens and Breast Cancer Risk among Postmenopausal Women: A Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2137-2142.	2.5	41
601	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. Haematologica, 2008, 93, 842-850.	3.5	41
602	Fish intake and acute coronary syndrome. European Heart Journal, 2010, 31, 29-34.	2.2	41
603	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). American Journal of Clinical Nutrition, 2011, 94, 1304-1313.	4.7	41
604	Axonal guidance signaling pathway interacting with smoking in modifying the risk of pancreatic cancer: a gene- and pathway-based interaction analysis of GWAS data. Carcinogenesis, 2014, 35, 1039-1045.	2.8	41
605	Association between Mediterranean and Nordic diet scores and changes in weight and waist circumference: influence of FTO and TCF7L2 loci. American Journal of Clinical Nutrition, 2014, 100, 1188-1197.	4.7	41
606	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2014, 134, 612-621.	5.1	41
607	Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. International Journal of Cancer, 2014, 135, 2475-2481.	5.1	41
608	Dietary Intake Estimates and Urinary Cadmium Levels in Danish Postmenopausal Women. PLoS ONE, 2015, 10, e0138784.	2.5	41
609	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. Cancer Prevention Research, 2016, 9, 758-765.	1.5	41
610	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Epidemiology, 2018, 33, 1063-1075.	5.7	41
611	Atrial Fibrillation and Risk of Cancer: A Danish Populationâ€Based Cohort Study. Journal of the American Heart Association, 2018, 7, e009543.	3.7	41
612	Association of Birth Weight With Type 2 Diabetes and Glycemic Traits. JAMA Network Open, 2019, 2, e1910915.	5.9	41

#	Article	IF	CITATIONS
613	Anorexia nervosa and cancer risk. Cancer Causes and Control, 2001, 12, 173-177.	1.8	40
614	Does the association between smoking status and selected healthy foods depend on gender? A population-based study of 54 417 middle-aged Danes. European Journal of Clinical Nutrition, 2002, 56, 57-63.	2.9	40
615	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. International Journal of Cancer, 2012, 130, 622-630.	5.1	40
616	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. International Journal of Cancer, 2012, 130, 2204-2210.	5.1	40
617	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. Genes and Nutrition, 2013, 8, 549-560.	2.5	40
618	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. British Journal of Cancer, 2015, 112, 1257-1265.	6.4	40
619	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. British Journal of Cancer, 2015, 112, 1273-1282.	6.4	40
620	Overweight duration in older adults and cancer risk: a study of cohorts in Europe and the United States. European Journal of Epidemiology, 2016, 31, 893-904.	5.7	40
621	Long-Term Exposure to Road Traffic Noise and Nitrogen Dioxide and Risk of Heart Failure: A Cohort Study. Environmental Health Perspectives, 2017, 125, 097021.	6.0	40
622	Effects of Leisureâ€Time and Transportâ€Related Physical Activities on the Risk of Incident and Recurrent Myocardial Infarction and Interaction With Trafficâ€Related Air Pollution: A Cohort Study. Journal of the American Heart Association, 2018, 7, .	3.7	40
623	Long-term exposure to low-level air pollution and incidence of asthma: the ELAPSE project. European Respiratory Journal, 2021, 57, 2003099.	6.7	40
624	Polymorphisms in nucleotide excision repair genes, smoking and intake of fruit and vegetables in relation to lung cancer. Lung Cancer, 2008, 59, 171-179.	2.0	39
625	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). Carcinogenesis, 2008, 29, 1360-1366.	2.8	39
626	The T111I variant in the endothelial lipase gene and risk of coronary heart disease in three independent populations. European Heart Journal, 2009, 30, 1584-1589.	2.2	39
627	Vitamins B2 and B6 and Genetic Polymorphisms Related to One-Carbon Metabolism as Risk Factors for Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 28-38.	2.5	39
628	Impact of vascular disease in predicting stroke and death in patients with atrial fibrillation: the Danish Diet, Cancer and Health cohort study. Journal of Thrombosis and Haemostasis, 2011, 9, 1301-1307.	3.8	39
629	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Case–Control Study within the Prospective EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 619-628.	2.5	39
630	Association Between FTO Variant and Change in Body Weight and Its Interaction With Dietary Factors: The DiOGenes Study. Obesity, 2012, 20, 1669-1674.	3.0	39

#	Article	IF	CITATIONS
631	A U-shaped association between consumption of marine n-3 fatty acids and development of atrial fibrillation/atrial fluttera Danish cohort study. Europace, 2014, 16, 1554-1561.	1.7	39
632	Self-Reported Whole-Grain Intake and Plasma Alkylresorcinol Concentrations in Combination in Relation to the Incidence of Colorectal Cancer. American Journal of Epidemiology, 2014, 179, 1188-1196.	3.4	39
633	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. European Journal of Epidemiology, 2015, 30, 57-70.	5.7	39
634	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2017, 140, 2246-2255.	5.1	39
635	The impact of initial cancer stage on the incidence of venous thromboembolism: the Scandinavian Thrombosis and Cancer (STAC) Cohort. Journal of Thrombosis and Haemostasis, 2017, 15, 1567-1575.	3.8	39
636	Association of nut and seed intake with colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1595-603.	2.5	39
637	Haplotypes of the estrogen receptor beta gene and breast cancer risk. International Journal of Cancer, 2008, 122, 387-392.	5.1	38
638	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 1384-1393.	3.4	38
639	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2014, 135, 1470-1479.	5.1	38
640	Polymorphisms of <i>Helicobacter pylori</i> signaling pathway genes and gastric cancer risk in the European prospective investigation into cancerâ€eurgast cohort. International Journal of Cancer, 2014, 134, 92-101.	5.1	38
641	Prognosis of synchronous bilateral breast cancer: a review and meta-analysis of observational studies. Breast Cancer Research and Treatment, 2014, 146, 461-475.	2.5	38
642	Dietary fat, fat subtypes and hepatocellular carcinoma in a large <scp>E</scp> uropean cohort. International Journal of Cancer, 2015, 137, 2715-2728.	5.1	38
643	Prospective association of liver function biomarkers with development of hepatobiliary cancers. Cancer Epidemiology, 2016, 40, 179-187.	1.9	38
644	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. Human Molecular Genetics, 2016, 25, 1203-1214.	2.9	38
645	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. Inflammatory Bowel Diseases, 2018, 24, 633-640.	1.9	38
646	Physical activity and risk of colon cancer in a cohort of Danish middle-aged men and women. European Journal of Epidemiology, 2007, 21, 877-884.	5.7	37
647	Use of NSAIDs, smoking and lung cancer risk. British Journal of Cancer, 2008, 98, 232-237.	6.4	37
648	Alcohol Consumption and the Risk for Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1282-1287.	2.5	37

#	Article	IF	Citations
649	Intake of whole grain products and risk of breast cancer by hormone receptor status and histology among postmenopausal women. International Journal of Cancer, 2009, 124, 745-750.	5.1	37
650	Interaction between interleukin-10 (IL-10) polymorphisms and dietary fibre in relation to risk of colorectal cancer in a Danish case-cohort study. BMC Cancer, 2012, 12, 183.	2.6	37
651	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 130, 2654-2663.	5.1	37
652	Genetic variation in the <i>lactase</i> gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 1901-1910.	5.1	37
653	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the <scp>E< scp>uropean <scp>P< scp>rospective <scp>I< scp>nvestigation into <scp>C< scp>ancer and <scp>N< scp>utrition: A nested caseâ€"control study. International Journal of Cancer, 2015, 136, E665-76.</scp></scp></scp></scp></scp>	5.1	37
654	Joint Effect of Alcohol Consumption and Educational Level on Alcohol-related Medical Events. Epidemiology, 2017, 28, 872-879.	2.7	37
655	Hormone replacement therapy, mammographic density, and breast cancer risk: a cohort study. Cancer Causes and Control, 2018, 29, 495-505.	1.8	37
656	Low-level exposure to arsenic in drinking water and incidence rate of stroke: A cohort study in Denmark. Environment International, 2018, 120, 72-80.	10.0	37
657	Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2008, 167, 1081-1089.	3.4	36
658	Endogenous Sex Steroids and Risk of Cervical Carcinoma: Results from the EPIC Study. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2532-2540.	2.5	36
659	Role of CYP1A2 polymorphisms on lung cancer risk in a prospective study. Cancer Genetics, 2012, 205, 278-284.	0.4	36
660	Preâ€diagnostic alcohol consumption and breast cancer recurrence and mortality: Results from a prospective cohort with a wide range of variation in alcohol intake. International Journal of Cancer, 2013, 132, 686-694.	5.1	36
661	Exposure to estrogen and women's risk for Parkinson's disease: AÂprospective cohort study in Denmark. Parkinsonism and Related Disorders, 2013, 19, 457-460.	2.2	36
662	Prostate cancer in Denmark 1978–2009 — trends in incidence and mortality. Acta Oncológica, 2013, 52, 831-836.	1.8	36
663	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 136, 399-410.	5.1	36
664	Determinants of frequent attendance in Danish general practice: a cohort-based cross-sectional study. BMC Family Practice, 2016, 17, 9.	2.9	36
665	Urinary Cadmium and Breast Cancer: A Prospective Danish Cohort Study. Journal of the National Cancer Institute, 2017, 109, djw204.	6.3	36
666	High Levels of C-Reactive Protein Are Associated with an Increased Risk of Ovarian Cancer: Results from the Ovarian Cancer Cohort Consortium. Cancer Research, 2019, 79, 5442-5451.	0.9	36

#	Article	IF	CITATIONS
667	Long-term exposure to low-level air pollution and incidence of asthma: the ELAPSE project. European Respiratory Journal, 2021, 57, 2003099.	6.7	36
668	Micronutrient Intake and Risk of Urothelial Carcinoma in a Prospective Danish Cohort. European Urology, 2009, 56, 764-770.	1.9	35
669	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2009, 20, 811-821.	1.8	35
670	Second-hand Smoke, Cotinine Levels, and Risk of Circulatory Mortality in a Large Cohort Study of Never-Smokers. Epidemiology, 2010, 21, 207-214.	2.7	35
671	Micronutrient intake and risk of colon and rectal cancer in a Danish cohort. Cancer Epidemiology, 2010, 34, 40-46.	1.9	35
672	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. European Journal of Clinical Nutrition, 2012, 66, 950-956.	2.9	35
673	Coffee and tea consumption, genotype-based (i> CYP1A2 < /i> and <i> NAT2 < /i> activity and colorectal cancer risk-Results from the EPIC cohort study. International Journal of Cancer, 2014, 135, 401-412.</i>	5.1	35
674	Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitisâ€"A Multicenter European Prospective Cohort Study (EPIC). Inflammatory Bowel Diseases, 2017, 23, 2072-2082.	1.9	35
675	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. Diabetes Care, 2020, 43, 2660-2667.	8.6	35
676	Obesity is Associated With Increased Risk of Crohn's disease, but not Ulcerative Colitis: A Pooled Analysis of Five Prospective Cohort Studies. Clinical Gastroenterology and Hepatology, 2022, 20, 1048-1058.	4.4	35
677	Longâ€term exposure to air pollution and liver cancer incidence in six European cohorts. International Journal of Cancer, 2021, 149, 1887-1897.	5.1	35
678	Intake of vitamins A, C, and E from diet and supplements and breast cancer in postmenopausal women. Cancer Causes and Control, 2003, 14, 695-704.	1.8	34
679	Body Composition and Breast Cancer in Postmenopausal Women: A Danish Prospective Cohort Study. Obesity, 2006, 14, 1854-1862.	3.0	34
680	Plasma enterolactone and risk of colon and rectal cancer in a case–cohort study of Danish men and women. Cancer Causes and Control, 2010, 21, 153-162.	1.8	34
681	Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European prospective investigation into cancer and nutrition. Cancer Causes and Control, 2011, 22, 487-494.	1.8	34
682	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 623-634.	5.1	34
683	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2011, 63, 1235-1250.	2.0	34
684	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2012, 66, 1303-1308.	2.9	34

#	Article	IF	CITATIONS
685	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 635-644.	5.1	34
686	Alcohol intake and risk of venous thromboembolism. Thrombosis and Haemostasis, 2013, 110, 39-45.	3 . 4	34
687	Leisure Time Physical Activity and Mortality. Epidemiology, 2013, 24, 717-725.	2.7	34
688	Aberrant DNA methylation of miRâ€219 promoter in longâ€term night shiftworkers. Environmental and Molecular Mutagenesis, 2013, 54, 406-413.	2.2	34
689	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival—Results from the EPIC Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1813-1823.	2.5	34
690	Five year change in alcohol intake and risk of breast cancer and coronary heart disease among postmenopausal women: prospective cohort study. BMJ, The, 2016, 353, i2314.	6.0	34
691	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2017, 141, 287-297.	5.1	34
692	Incidence and long-term outcome of severe asthma–COPD overlap compared to asthma and COPD alone: a 35-year prospective study of 57,053 middle-aged adults. International Journal of COPD, 2017, Volume 12, 571-579.	2.3	34
693	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. PLoS ONE, 2017, 12, e0187741.	2.5	34
694	Meat and fiber intake and interaction with pattern recognition receptors (TLR1, TLR2, TLR4, and TLR10) in relation to colorectal cancer in a Danish prospective, case-cohort study. American Journal of Clinical Nutrition, 2018, 107, 465-479.	4.7	34
695	Dairy Consumption and Body Mass Index Among Adults: Mendelian Randomization Analysis of 184802 Individuals from 25 Studies. Clinical Chemistry, 2018, 64, 183-191.	3.2	34
696	Associations between habitual flavonoid intake and hospital admissions for atherosclerotic cardiovascular disease: a prospective cohort study. Lancet Planetary Health, The, 2019, 3, e450-e459.	11.4	34
697	Interactions between GSTM1, GSTT1 and GSTP1 polymorphisms and smoking and intake of fruit and vegetables in relation to lung cancer. Lung Cancer, 2007, 55, 137-144.	2.0	33
698	<i>CYP19A1</i> Genetic Variation in Relation to Prostate Cancer Risk and Circulating Sex Hormone Concentrations in Men from the Breast and Prostate Cancer Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2734-2744.	2.5	33
699	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. International Journal of Cancer, 2009, 124, 245-249.	5.1	33
700	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). European Journal of Cancer, 2011, 47, 748-760.	2.8	33
701	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2012, 96, 1354-1361.	4.7	33
702	Prediagnostic plasma testosterone, sex hormoneâ€binding globulin, IGFâ€l and hepatocellular carcinoma: Etiological factors or risk markers?. International Journal of Cancer, 2014, 134, 164-173.	5.1	33

#	Article	IF	CITATIONS
703	No Causal Association Identified for Human Papillomavirus Infections in Lung Cancer. Cancer Research, 2014, 74, 3525-3534.	0.9	33
704	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. American Journal of Clinical Nutrition, 2014, 99, 139-147.	4.7	33
705	Dietary cadmium intake and risk of prostate cancer: a Danish prospective cohort study. BMC Cancer, 2015, 15, 177.	2.6	33
706	A prospective evaluation of plasma polyphenol levels and colon cancer risk. International Journal of Cancer, 2018, 143, 1620-1631.	5.1	33
707	Is There an Association Between Ambient Air Pollution and Bladder Cancer Incidence? Analysis of 15 European Cohorts. European Urology Focus, 2018, 4, 113-120.	3.1	33
708	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. European Journal of Nutrition, 2020, 59, 2893-2904.	3.9	33
709	Variations in Lycopene Blood Levels and Tomato Consumption across European Countries Based on the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Journal of Nutrition, 2005, 135, 2032S-2036S.	2.9	32
710	4-Aminobiphenyl-Hemoglobin Adducts and Risk of Smoking-Related Disease in Never Smokers and Former Smokers in the European Prospective Investigation into Cancer and Nutrition Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2118-2124.	2.5	32
711	A comprehensive analysis of the androgen receptor gene and risk of breast cancer: results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). Breast Cancer Research, 2006, 8, R54.	5.0	32
712	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 982-987.	5.1	32
713	Alcohol consumption patterns, diet and body weight in 10 European countries. European Journal of Clinical Nutrition, 2009, 63, 581-S100.	2.9	32
714	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. International Journal of Cancer, 2010, 126, 1928-1935.	5.1	32
715	Predictors of Polychlorinated Biphenyl Concentrations in Adipose Tissue in a General Danish Population. Environmental Science & Eamp; Technology, 2011, 45, 679-685.	10.0	32
716	Men with cancer change their health behaviour: a prospective study from the Danish Diet, Cancer and Health Study. British Journal of Cancer, 2012, 107, 201-206.	6.4	32
717	Impact of thearubigins on the estimation of total dietary flavonoids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Clinical Nutrition, 2013, 67, 779-782.	2.9	32
718	Genes–Environment Interactions in Obesity- and Diabetes-Associated Pancreatic Cancer: A GWAS Data Analysis. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 98-106.	2.5	32
719	Alcohol consumption and the risk of renal cancers in the <scp>E</scp> uropean prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 1953-1966.	5.1	32
720	Obesity and Risks for Malignant Melanoma and Non-Melanoma Skin Cancer: Results from a Large Danish Prospective Cohort Study. Journal of Investigative Dermatology, 2015, 135, 901-904.	0.7	32

#	Article	IF	Citations
721	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. Nutrients, 2018, 10, 654.	4.1	32
722	Socioeconomic status and risk of childhood leukaemia in Denmark. Scandinavian Journal of Public Health, 2004, 32, 279-286.	2.3	31
723	Interactions between theOGG1Ser326Cys polymorphism and intake of fruit and vegetables in relation to lung cancer. Free Radical Research, 2006, 40, 885-891.	3.3	31
724	Prospective study of NAT1 and NAT2 polymorphisms, tobacco smoking and meat consumption and risk of colorectal cancer. Cancer Letters, 2008, 266, 186-193.	7.2	31
725	Prediagnostic plasma enterolactone levels and mortality among women with breast cancer. Breast Cancer Research and Treatment, 2011, 128, 883-889.	2.5	31
726	Human immunoglobulin G levels of viruses and associated glioma risk. Cancer Causes and Control, 2011, 22, 1259-1266.	1.8	31
727	Effects of Smoking and Antioxidant Micronutrients on Risk of Colorectal Cancer. Clinical Gastroenterology and Hepatology, 2013, 11, 406-415.e3.	4.4	31
728	N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2055-2065.	2.5	31
729	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401.	2.5	31
730	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2016, 104, 760-768.	4.7	31
731	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. Gut, 2019, 68, 672-683.	12.1	31
732	The effect of occasional smoking on smoking-related cancers. Cancer Causes and Control, 2006, 17, 1305-1309.	1.8	30
733	Prospective study of urinary excretion of 7-methylguanine and the risk of lung cancer: Effect modification bymu class glutathione-S-transferases. International Journal of Cancer, 2007, 121, 1579-1584.	5.1	30
734	Micronutrient intake and breast cancer characteristics among postmenopausal women. European Journal of Cancer Prevention, 2010, 19, 360-365.	1.3	30
735	Determinants of plasma alkylresorcinol concentration in Danish post-menopausal women. European Journal of Clinical Nutrition, 2011, 65, 94-101.	2.9	30
736	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	2.5	30
737	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2174-2182.	2.5	30
738	Micronutrient intake and risk of prostate cancer in a cohort of middle-aged, Danish men. Cancer Causes and Control, 2013, 24, 1129-1135.	1.8	30

#	Article	IF	Citations
739	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Nutrition and Cancer, 2013, 65, 178-187.	2.0	30
740	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. Breast Cancer Research, 2015, 17, 49.	5.0	30
741	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863.	2.5	30
742	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	2.3	30
743	Adherence to a healthy Nordic food index and risk of myocardial infarction in middle-aged Danes: the diet, cancer and health cohort study. European Journal of Clinical Nutrition, 2017, 71, 652-658.	2.9	30
744	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 147, 648-661.	5.1	30
745	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. Breast Cancer Research, 2020, 22, 5.	5.0	30
746	Long-term residential road traffic noise and mortality in a Danish cohort. Environmental Research, 2020, 187, 109633.	7.5	30
747	Trends in self-reported past alcoholic beverage consumption and ethanol intake from 1950 to 1995 observed in eight European countries participating in the European Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2002, 5, 1297-1310.	2.2	29
748	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2007, 18, 537-549.	1.8	29
749	Linkage disequilibrium mapping of a breast cancer susceptibility locus near RAI/PPP1R13L/iASPP. BMC Medical Genetics, 2008, 9, 56.	2.1	29
750	Intake of whole-grain products and risk of prostate cancer among men in the Danish Diet, Cancer and Health cohort study. Cancer Causes and Control, 2011, 22, 1133-1139.	1.8	29
751	PPARgamma-PGC-1alpha activity is determinant of alcohol related breast cancer. Cancer Letters, 2012, 315, 59-68.	7.2	29
752	Residential radon and lung cancer incidence in a Danish cohort. Environmental Research, 2012, 118, 130-136.	7.5	29
753	Post-traumatic growth among elderly women with breast cancer compared to breast cancer-free women. Acta Oncológica, 2013, 52, 345-354.	1.8	29
754	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Carcinogenesis, 2013, 34, 1244-1250.	2.8	29
755	Dietary Flavonoid Intake and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Cohort. American Journal of Epidemiology, 2013, 178, 570-581.	3.4	29
756	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2013, 133, n/a-n/a.	5.1	29

#	Article	IF	CITATIONS
757	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890.	2.3	29
758	Dietary Folate Intake and Breast Cancer Risk: European Prospective Investigation Into Cancer and Nutrition. Journal of the National Cancer Institute, 2014, 107, dju367-dju367.	6.3	29
759	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. British Journal of Cancer, 2015, 113, 1622-1631.	6.4	29
760	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2016, 103, 161-167.	4.7	29
761	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. Cancer Prevention Research, 2017, 10, 525-534.	1.5	29
762	Associations between residential traffic noise exposure and smoking habits and alcohol consumption–A population-based study. Environmental Pollution, 2018, 236, 983-991.	7. 5	29
763	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. Diabetes Care, 2019, 42, 568-575.	8.6	29
764	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and <i>trans</i> fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. International Journal of Cancer, 2021, 149, 865-882.	5.1	29
765	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC VD Case ohort Study Across Nine European Countries. Journal of the American Heart Association, 2021, 10, e019814.	3.7	29
766	A genetic polymorphism in prostaglandin synthase 2 (8473, Tâ†'C) and the risk of lung cancer. Cancer Letters, 2005, 226, 49-54.	7.2	28
767	ERCC1, XPD and RAI mRNA levels in lymphocytes are not associated with lung cancer risk in a prospective study of Danes. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2006, 593, 88-96.	1.0	28
768	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Epidemiology, 2006, 164, 1103-1114.	3.4	28
769	Marine n-3 polyunsaturated fatty acids in adipose tissue and breast cancer risk: a case–cohort study from Denmark. Cancer Causes and Control, 2009, 20, 1715-1721.	1.8	28
770	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 1881-1889.	5.1	28
771	Does hormone replacement therapy and use of oral contraceptives increase the risk of non-melanoma skin cancer?. Cancer Causes and Control, 2012, 23, 379-388.	1.8	28
772	Male microchimerism and survival among women. International Journal of Epidemiology, 2014, 43, 168-173.	1.9	28
773	Body iron status and gastric cancer risk in the <scp>EURGAST</scp> study. International Journal of Cancer, 2015, 137, 2904-2914.	5.1	28
774	Variation at <i>ABO</i> histoâ€blood group and <i>FUT</i> loci and diffuse and intestinal gastric cancer risk in a European population. International Journal of Cancer, 2015, 136, 880-893.	5.1	28

#	Article	IF	Citations
775	Influence of metabolic indicators, smoking, alcohol and socioeconomic position on mortality after breast cancer. Acta Oncol $ ilde{A}^3$ gica, 2015, 54, 780-788.	1.8	28
776	Long-term exposure to air pollution and mammographic density in the Danish Diet, Cancer and Health cohort. Environmental Health, 2015, 14, 31.	4.0	28
777	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 291-301.	2.5	28
778	Risk of atrial fibrillation associated with coffee intake: Findings from the Danish Diet, Cancer, and Health study. European Journal of Preventive Cardiology, 2016, 23, 922-930.	1.8	28
779	Apolipoprotein C-III and High-Density Lipoprotein Subspecies Defined by Apolipoprotein C-III in Relation to Diabetes Risk. American Journal of Epidemiology, 2017, 186, 736-744.	3.4	28
780	Chocolate intake and risk of clinically apparent atrial fibrillation: the Danish Diet, Cancer, and Health Study. Heart, 2017, 103, 1163-1167.	2.9	28
781	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. International Journal of Cancer, 2017, 140, 1317-1323.	5.1	28
782	Ovarian cancer risk factors by tumor aggressiveness: An analysis from the Ovarian Cancer Cohort Consortium. International Journal of Cancer, 2019, 145, 58-69.	5.1	28
783	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2020, 146, 929-942.	5.1	28
784	Circulating bilirubin levels and risk of colorectal cancer: serological and Mendelian randomization analyses. BMC Medicine, 2020, 18, 229.	5.5	28
785	Vegetable nitrate intake, blood pressure and incident cardiovascular disease: Danish Diet, Cancer, and Health Study. European Journal of Epidemiology, 2021, 36, 813-825.	5.7	28
786	Genetic Polymorphisms in the Hypothalamic Pathway in Relation to Subsequent Weight Change – The DiOGenes Study. PLoS ONE, 2011, 6, e17436.	2.5	28
787	Polymorphisms in NFKB1 and TLR4 and Interaction with Dietary and Life Style Factors in Relation to Colorectal Cancer in a Danish Prospective Case-Cohort Study. PLoS ONE, 2015, 10, e0116394.	2.5	28
788	Plasma enterolactone and breast cancer incidence by estrogen receptor status. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 2084-9.	2.5	28
789	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). European Journal of Cancer, 2008, 44, 774-780.	2.8	27
790	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. PLoS ONE, 2012, 7, e50712.	2.5	27
791	Circulating 25-Hydroxyvitamin D3 in Relation to Renal Cell Carcinoma Incidence and Survival in the EPIC Cohort. American Journal of Epidemiology, 2014, 180, 810-820.	3.4	27
792	Residential Radon Exposure and Skin Cancer Incidence in a Prospective Danish Cohort. PLoS ONE, 2015, 10, e0135642.	2.5	27

#	Article	IF	CITATIONS
793	Genome-Wide Association Study of Prostate Cancer–Specific Survival. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1796-1800.	2.5	27
794	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. British Journal of Cancer, 2017, 116, 811-820.	6.4	27
795	No association between the DNA repair gene XRCC3 T241M polymorphism and risk of skin cancer and breast cancer. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 584-5.	2.5	27
796	Adipose organochlorine concentrations and risk of breast cancer among postmenopausal Danish women. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 67-74.	2.5	27
797	Meat Intake Is Associated with a Higher Risk of Ulcerative Colitis in a Large European Prospective Cohort StudyÃ, Journal of Crohn's and Colitis, 2022, 16, 1187-1196.	1.3	27
798	Dietary intake of total marine ⟨i>n⟨ i>-3 polyunsaturated fatty acids, eicosapentaenoic acid, docosahexaenoic acid and docosapentaenoic acid and the risk of acute coronary syndrome – a cohort study. British Journal of Nutrition, 2010, 103, 602-607.	2.3	26
799	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. Cancer Causes and Control, 2011, 22, 909-918.	1.8	26
800	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 2971-2979.	5.1	26
801	Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 767-778.	2.5	26
802	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2012, 48, 3267-3277.	2.8	26
803	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. Preventive Medicine, 2012, 54, 183-192.	3.4	26
804	Challenges in estimating the validity of dietary acrylamide measurements. European Journal of Nutrition, 2013, 52, 1503-1512.	3.9	26
805	Single nucleotide polymorphisms and the risk of venous thrombosis: results from a Danish caseâ€cohort study. British Journal of Haematology, 2013, 160, 838-841.	2.5	26
806	Methylation alterations at imprinted genes detected among longâ€ŧerm shiftworkers. Environmental and Molecular Mutagenesis, 2013, 54, 141-146.	2.2	26
807	Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. International Journal of Cancer, 2014, 135, 2910-2917.	5.1	26
808	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. British Journal of Cancer, 2016, 115, 1430-1440.	6.4	26
809	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2016, 19, 242-254.	2.2	26
810	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. Clinical Cancer Research, 2017, 23, 4181-4189.	7.0	26

#	Article	IF	CITATIONS
811	Serologic markers of <i>Chlamydia trachomatis</i> and other sexually transmitted infections and subsequent ovarian cancer risk: Results from the <scp>EPIC</scp> cohort. International Journal of Cancer, 2020, 147 , 2042 - 2052 .	5.1	26
812	No association between OGG1 Ser326Cys polymorphism and breast cancer risk. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 170-1.	2.5	26
813	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1043-1045.	2.5	25
814	No Association of Consumption of Animal Foods with Risk of Ovarian Cancer. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 852-855.	2.5	25
815	Intake of wholegrain products is associated with dietary, lifestyle, anthropometric and socio-economic factors in Denmark. Public Health Nutrition, 2009, 12, 1519-1530.	2.2	25
816	PPARÎ ³ Pro12Ala polymorphism and risk of acute coronary syndrome in a prospective study of Danes. BMC Medical Genetics, 2009, 10, 52.	2.1	25
817	Source-specific effects of micronutrients in lung cancer prevention. Lung Cancer, 2010, 67, 275-281.	2.0	25
818	Intake of Alcohol May Modify the Risk for Non-Melanoma Skin Cancer: Results of a Large Danish Prospective Cohort Study. Journal of Investigative Dermatology, 2012, 132, 2718-2726.	0.7	25
819	Dietary intake of iron, hemeâ€iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2012, 131, E1134-47.	5.1	25
820	Dietary intake of acrylamide and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. British Journal of Cancer, 2014, 111, 987-997.	6.4	25
821	Genetic risk variants associated with in situ breast cancer. Breast Cancer Research, 2015, 17, 82.	5.0	25
822	Sun Exposure Guidelines and Serum Vitamin D Status in Denmark: The StatusD Study. Nutrients, 2016, 8, 266.	4.1	25
823	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. International Journal of Cancer, 2018, 143, 245-252.	5.1	25
824	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1293-1303.	3.6	25
825	Vitamin D levels and cancer incidence in 217,244 individuals from primary health care in Denmark. International Journal of Cancer, 2019, 145, 338-346.	5.1	25
826	Serum levels of <i>hsaâ€miRâ€16â€5p</i> , <i>hsaâ€miRâ€29aâ€3p</i> , <i>hsaâ€miRâ€150â€5p</i> , <i>hsaâ€miR</i> â€xi>223â€3p and subsequent risk of chronic lymphocytic leukemia in the EPIC study. International Journal of Cancer, 2020, 147, 1315-1324.	niRâ €1 55á 5.1	à€5p and 25
827	Low Maternal but Normal Fetal Prolactin Levels in Cigarette Smoking Pregnant Women. Acta Obstetricia Et Gynecologica Scandinavica, 1984, 63, 237-239.	2.8	24
828	Bulky DNA Adducts in White Blood Cells: A Pooled Analysis of 3,600 Subjects. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 3174-3181.	2.5	24

#	Article	IF	CITATIONS
829	Associations between COX-2 polymorphisms, blood cholesterol and risk of acute coronary syndrome. Atherosclerosis, 2010, 209, 155-162.	0.8	24
830	Body composition and body fat distribution in relation to later risk of acute myocardial infarction: a Danish follow-up study. International Journal of Obesity, 2011, 35, 1433-1441.	3.4	24
831	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). Occupational and Environmental Medicine, 2011, 68, 77-81.	2.8	24
832	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. Cancer Causes and Control, 2012, 23, 1163-1171.	1.8	24
833	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Annals of Oncology, 2013, 24, 2645-2651.	1.2	24
834	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2014, 66, 14-28.	2.0	24
835	The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. Cancer Research, 2014, 74, 5808-5818.	0.9	24
836	Low-dose aspirin or other nonsteroidal anti-inflammatory drug use and prostate cancer risk: a nationwide study. Cancer Causes and Control, 2016, 27, 1067-1079.	1.8	24
837	Cigarette smoking and mammographic density in the Danish Diet, Cancer and Health cohort. Cancer Causes and Control, 2016, 27, 271-280.	1.8	24
838	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2016, 138, 65-73.	5.1	24
839	Ovarian cancer early detection by circulating <scp>CA</scp> 125 in the context of antiâ€ <scp>CA</scp> 125 autoantibody levels: Results from the <scp>EPIC</scp> cohort. International Journal of Cancer, 2018, 142, 1355-1360.	5.1	24
840	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case–Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. Journal of Nutrition, 2019, 149, 1985-1993.	2.9	24
841	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. BMC Medicine, 2021, 19, 81.	5.5	24
842	Metabolic signatures of greater body size and their associations with risk of colorectal and endometrial cancers in the European Prospective Investigation into Cancer and Nutrition. BMC Medicine, 2021, 19, 101.	5.5	24
843	PSA testing without clinical indication for prostate cancer in relation to socio-demographic and clinical characteristics in the Danish Diet, Cancer and Health Study. Acta Oncol \tilde{A}^3 gica, 2013, 52, 1609-1614.	1.8	23
844	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. Journal of the National Cancer Institute, 2014, 106, .	6.3	23
845	Anthropometry and the Risk of Lung Cancer in EPIC. American Journal of Epidemiology, 2016, 184, 129-139.	3.4	23
846	Association of fish consumption and dietary intake of marine <i>n</i> -3 PUFA with myocardial infarction in a prospective Danish cohort study. British Journal of Nutrition, 2016, 116, 167-177.	2.3	23

#	Article	IF	CITATIONS
847	The impact of a breast cancer diagnosis on health-related quality of life. A prospective comparison among middle-aged to elderly women with and without breast cancer. Acta Oncológica, 2016, 55, 720-727.	1.8	23
848	<i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested caseâ€control study. International Journal of Cancer, 2017, 140, 1727-1735.	5.1	23
849	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (<scp>EPIC</scp>) cohort. International Journal of Cancer, 2021, 148, 1637-1651.	5.1	23
850	A Prospective Diet-Wide Association Study for Risk of Colorectal Cancer in EPIC. Clinical Gastroenterology and Hepatology, 2022, 20, 864-873.e13.	4.4	23
851	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. Clinical Gastroenterology and Hepatology, 2022, 20, e1061-e1082.	4.4	23
852	Gene-environment interactions between smoking and a haplotype of RAI, ASE-1 and ERCC1 polymorphisms among women in relation to risk of lung cancer in a population-based study. Cancer Letters, 2007, 247, 159-165.	7.2	22
853	A haplotype of polymorphisms in ASE-1, RAI and ERCC1 and the effects of tobacco smoking and alcohol consumption on risk of colorectal cancer: a danish prospective case-cohort study. BMC Cancer, 2008, 8, 54.	2.6	22
854	A bivariate measurement error model for nitrogen and potassium intakes to evaluate the performance of regression calibration in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S179-S187.	2.9	22
855	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC–PANACEA study. Preventive Medicine, 2009, 49, 365-373.	3.4	22
856	Alcohol drinking and risk of subsequent hospitalisation with pneumonia. European Respiratory Journal, 2012, 39, 149-155.	6.7	22
857	A functional polymorphism in the promoter region of the <i><scp>IL</scp>1<scp>B</scp></i> gene is associated with risk of multiple myeloma. British Journal of Haematology, 2012, 158, 515-518.	2.5	22
858	Polymorphisms in genes related to inflammation, NSAID use, and the risk of prostate cancer among Danish men. Cancer Genetics, 2013, 206, 266-278.	0.4	22
859	Risk of Breast Cancer in Relation to Combined Effects of Hormone Therapy, Body Mass Index, and Alcohol Use, by Hormone-receptor Status. Epidemiology, 2015, 26, 353-361.	2.7	22
860	Burden of Cancer in a Large Consortium of Prospective Cohorts in Europe. Journal of the National Cancer Institute, 2016, 108, djw127.	6.3	22
861	Substitution of meat and fish with vegetables or potatoes and risk of myocardial infarction. British Journal of Nutrition, 2016, 116, 1602-1610.	2.3	22
862	Prospective Study of Bicycling and Risk of Coronary Heart Disease in Danish Men and Women. Circulation, 2016, 134, 1409-1411.	1.6	22
863	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. Journal of Ovarian Research, 2017, 10, 20.	3.0	22
864	Organochlorine concentrations in adipose tissue and survival in postmenopausal, Danish breast cancer patients. Environmental Research, 2018, 163, 237-248.	7. 5	22

#	Article	IF	Citations
865	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. Nutrients, 2019, 11, 935.	4.1	22
866	Selenium status and risk of prostate cancer in a Danish population. British Journal of Nutrition, 2016, 115, 1669-1677.	2.3	22
867	Prospective evaluation of 92 serum protein biomarkers for early detection of ovarian cancer. British Journal of Cancer, 2022, 126, 1301-1309.	6.4	22
868	Micronutrient intake in relation to all-cause mortality in a prospective Danish cohort. Food and Nutrition Research, 2012, 56, 5466.	2.6	21
869	Intake of Coffee, Decaffeinated Coffee, or Tea Does Not Affect Risk for Pancreatic Cancer: Results From the European Prospective Investigation into Nutrition and Cancer Study. Clinical Gastroenterology and Hepatology, 2013, 11, 1486-1492.	4.4	21
870	Adipose tissue arachidonic acid content is associated with the risk of myocardial infarction: A Danish case-cohort study. Atherosclerosis, 2013, 227, 386-390.	0.8	21
871	Consumption of predefined â€~Nordic' dietary items in ten European countries – an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Public Health Nutrition, 2014, 17, 2650-2659.	2.2	21
872	Isocaloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. Cardiovascular Diabetology, 2015, 14, 39.	6.8	21
873	A prospective study of oneâ€carbon metabolism biomarkers and cancer of the head and neck and esophagus. International Journal of Cancer, 2015, 136, 915-927.	5.1	21
874	The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. Clinical Nutrition, 2016, 35, 1096-1102.	5.0	21
875	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. BMC Medicine, 2017, 15, 26.	5.5	21
876	Socioeconomic position and mortality among patients with prostate cancer: influence of mediating factors. Acta $Oncol\tilde{A}^3$ gica, 2017 , 56 , 563 - 568 .	1.8	21
877	Alcohol consumption and risk of urothelial cell bladder cancer in the <scp>E</scp> uropean prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2017, 141, 1963-1970.	5.1	21
878	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2017, 12, e0173117.	2.5	21
879	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2019, 144, 240-250.	5.1	21
880	Causes of death in men with prostate cancer: Results from the Danish Prostate Cancer Registry (DAPROCAdata). Cancer Epidemiology, 2019, 59, 249-257.	1.9	21
881	Grain and dietary fiber intake and bladder cancer risk: a pooled analysis of prospective cohort studies. American Journal of Clinical Nutrition, 2020, 112, 1252-1266.	4.7	21
882	Interaction between ADH1C Arg272Gln and alcohol intake in relation to breast cancer risk suggests that ethanol is the causal factor in alcohol related breast cancer. Cancer Letters, 2010, 295, 191-197.	7.2	20

#	Article	IF	Citations
883	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). Mutagenesis, 2011, 26, 657-666.	2.6	20
884	Influence of dietary protein intake and glycemic index on the association between TCF7L2 HapA and weight gain. American Journal of Clinical Nutrition, 2012, 95, 1468-1476.	4.7	20
885	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. Cancer Causes and Control, 2013, 24, 1901-1909.	1.8	20
886	Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2013, 132, 2164-2175.	5.1	20
887	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2013, 24, 427-438.	1.8	20
888	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Cancer Causes and Control, 2014, 25, 639-646.	1.8	20
889	Interaction between genetic predisposition to obesity and dietary calcium in relation to subsequent change in body weight and waist circumference. American Journal of Clinical Nutrition, 2014, 99, 957-965.	4.7	20
890	Existing data sources in clinical epidemiology: the Scandinavian Thrombosis and Cancer Cohort. Clinical Epidemiology, 2015, 7, 401.	3.0	20
891	Plasma fetuin-A concentration, genetic variation in the <i>AHSG </i> gene and risk of colorectal cancer. International Journal of Cancer, 2015, 137, 911-920.	5.1	20
892	Targeted LC-MS/MS Method for the Quantitation of Plant Lignans and Enterolignans in Biofluids from Humans and Pigs. Journal of Agricultural and Food Chemistry, 2015, 63, 6283-6292.	5.2	20
893	Postmenopausal hormone therapy and asthma-related hospital admission. Journal of Allergy and Clinical Immunology, 2015, 135, 813-816.e5.	2.9	20
894	Meat and fish consumption and the risk of renal cell carcinoma in the <scp>E</scp> uropean prospective investigation into cancer and nutrition. International Journal of Cancer, 2015, 136, E423-31.	5.1	20
895	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. British Journal of Cancer, 2015, 113, 840-847.	6.4	20
896	Responses and relationship dynamics of men and their spouses during active surveillance for prostate cancer: health literacy as an inquiry framework. BMC Public Health, 2015, 15, 741.	2.9	20
897	Dairy Intake and Body Composition and Cardiometabolic Traits among Adults: Mendelian Randomization Analysis of 182041 Individuals from 18 Studies. Clinical Chemistry, 2019, 65, 751-760.	3.2	20
898	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2020, 146, 1841-1850.	5.1	20
899	Vitamin D levels and the risk of prostate cancer and prostate cancer mortality. Acta Oncol \tilde{A}^3 gica, 2021, 60, 316-322.	1.8	20
900	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. Journal of the National Cancer Institute, 2021, 113, 1542-1550.	6.3	20

#	Article	IF	CITATIONS
901	Lack of Observed Association between High Plasma Osteoprotegerin Concentrations and Ischemic Stroke Risk in a Healthy Population. Clinical Chemistry, 2008, 54, 1969-1974.	3.2	19
902	Prospective study of the association between grapefruit intake and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2009, 20, 803-809.	1.8	19
903	Intake of ruminant trans fatty acids and changes in body weight and waist circumference. European Journal of Clinical Nutrition, 2012, 66, 1104-1109.	2.9	19
904	Impact of polymorphic variation at $7p15.3$, $3p22.1$ and $2p23.3$ loci on risk of multiple myeloma. British Journal of Haematology, 2012 , 158 , $805-809$.	2.5	19
905	Whole Grain, Dietary Fiber, and Incidence of Endometrial Cancer in a Danish Cohort Study. Nutrition and Cancer, 2012, 64, 1160-1168.	2.0	19
906	Single Nucleotide Polymorphisms in IL1B and the Risk of Acute Coronary Syndrome: A Danish Case-Cohort Study. PLoS ONE, 2012, 7, e36829.	2.5	19
907	Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. PLoS ONE, 2012, 7, e37141.	2.5	19
908	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2016, 139, 1480-1492.	5.1	19
909	Determinants related to gender differences in general practice utilization: Danish Diet, Cancer and Health Cohort. Scandinavian Journal of Primary Health Care, 2016, 34, 240-249.	1.5	19
910	Whole grains and public health. BMJ, The, 2016, 353, i3046.	6.0	19
911	High-Throughput LC–MS/MS Method for Direct Quantification of Glucuronidated, Sulfated, and Free Enterolactone in Human Plasma. Journal of Proteome Research, 2016, 15, 1051-1058.	3.7	19
912	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Journal of Nutrition, 2017, 147, 1366-1373.	2.9	19
913	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. International Journal of Epidemiology, 2017, 46, 1823-1835.	1.9	19
914	Epidemiology of venous thromboembolism in hematological cancers: The Scandinavian Thrombosis and Cancer (STAC) cohort. Thrombosis Research, 2017, 158, 157-160.	1.7	19
915	Population-based studies of relationships between dietary acidity load, insulin resistance and incident diabetes in Danes. Nutrition Journal, 2018, 17, 91.	3.4	19
916	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. Nutrients, 2019, 11, 1954.	4.1	19
917	Breast cancer mortality in synchronous bilateral breast cancer patients. British Journal of Cancer, 2019, 120, 761-767.	6.4	19
918	25-Hydroxyvitamin D at time of breast cancer diagnosis and breast cancer survival. Breast Cancer Research and Treatment, 2020, 179, 699-708.	2.5	19

#	Article	IF	CITATIONS
919	Adherence to a Western dietary pattern and risk of bladder cancer: A pooled analysis of 13 cohort studies of the Bladder Cancer Epidemiology and Nutritional Determinants international study. International Journal of Cancer, 2020, 147, 3394-3403.	5.1	19
920	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. American Journal of Clinical Nutrition, 2020, 112, 631-643.	4.7	19
921	Vitamin K Intake and Atherosclerotic Cardiovascular Disease in the Danish Diet Cancer and Health Study. Journal of the American Heart Association, 2021, 10, e020551.	3.7	19
922	Association of Pre-diagnostic Antibody Responses to Escherichia coli and Bacteroides fragilis Toxin Proteins with Colorectal Cancer in a European Cohort. Gut Microbes, 2021, 13, 1-14.	9.8	19
923	Does waist circumference alone explain obesity-related health risk?. American Journal of Clinical Nutrition, 2004, 80, 790-791.	4.7	18
924	Fish consumption does not prevent increase in waist circumference in European women and men. British Journal of Nutrition, 2012, 108, 924-931.	2.3	18
925	Alcohol drinking and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Annals of Epidemiology, 2013, 23, 93-98.	1.9	18
926	Plasma enterolactone and incidence of endometrial cancer in a case–cohort study of Danish women. British Journal of Nutrition, 2013, 109, 2269-2275.	2.3	18
927	Whole Grain Intake and Survival Among Scandinavian Colorectal Cancer Patients. Nutrition and Cancer, 2014, 66, 6-13.	2.0	18
928	Dietary intake and adipose tissue content of \hat{l} ±-linolenic acid and risk of myocardial infarction: a Danish cohort study. American Journal of Clinical Nutrition, 2016, 104, 41-48.	4.7	18
929	Intake of whole grains and incidence of oesophageal cancer in the HELGA Cohort. European Journal of Epidemiology, 2016, 31, 405-414.	5.7	18
930	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of Clinical Oncology, 2017, 35, 1297-1303.	1.6	18
931	Tumorâ€associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. International Journal of Cancer, 2018, 143, 515-526.	5.1	18
932	Impact of time since diagnosis and mortality rate on cancerâ€associated venous thromboembolism: the Scandinavian Thrombosis and Cancer (STAC) cohort. Journal of Thrombosis and Haemostasis, 2018, 16, 1327-1335.	3.8	18
933	Adherence to the Danish food-based dietary guidelines and risk of myocardial infarction: a cohort study. Public Health Nutrition, 2018, 21, 1286-1296.	2.2	18
934	Preâ€diagnostic circulating insulinâ€like growth factorâ€l and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2018, 143, 2351-2358.	5.1	18
935	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. BMC Medicine, 2019, 17, 221.	5.5	18
936	Prediagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. International Journal of Cancer, 2022, 150, 1255-1268.	5.1	18

#	Article	IF	Citations
937	Interaction between blood type, smoking and factor V Leiden mutation and risk of venous thromboembolism: a Danish caseâ€cohort study. Journal of Thrombosis and Haemostasis, 2012, 10, 2191-2193.	3.8	17
938	Fish consumption and subsequent change in body weight in European women and men. British Journal of Nutrition, 2013, 109, 353-362.	2.3	17
939	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. PLoS ONE, 2013, 8, e67429.	2.5	17
940	Body mass index and participation in organized mammographic screening: a prospective cohort study. BMC Cancer, 2015, 15, 294.	2.6	17
941	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: Results from the EPIC cohort study. International Journal of Cancer, 2015, 136, E720-30.	5.1	17
942	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. Journal of the National Cancer Institute, 2015, 107, .	6.3	17
943	Statistical Methods for Unusual Count Data: Examples From Studies of Microchimerism. American Journal of Epidemiology, 2016, 184, 779-786.	3.4	17
944	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. European Journal of Epidemiology, 2017, 32, 419-430.	5.7	17
945	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. American Journal of Epidemiology, 2017, 185, 751-764.	3.4	17
946	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. Diabetes, 2018, 67, 1200-1205.	0.6	17
947	Antibody Responses to <i>Fusobacterium nucleatum</i> Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1552-1555.	2.5	17
948	Gallstones and incident colorectal cancer in a large panâ€European cohort study. International Journal of Cancer, 2019, 145, 1510-1516.	5.1	17
949	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Clinical Nutrition, 2019, 73, 1122-1132.	2.9	17
950	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2020, 123, 198-208.	2.3	17
951	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1027-1039.	5.1	17
952	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 104-113.	2.5	17
953	Vegetable intake and the risk of bladder cancer in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. BMC Medicine, 2021, 19, 56.	5.5	17
954	Higher Habitual Flavonoid Intakes Are Associated with a Lower Incidence of Diabetes. Journal of Nutrition, 2021, 151, 3533-3542.	2.9	17

#	Article	IF	CITATIONS
955	Urinary cadmium and stroke - a case-cohort study in Danish never-smokers. Environmental Research, 2021, 200, 111394.	7.5	17
956	Chlamydia pneumoniae seropositivity and risk of ischemic stroke:. European Journal of Epidemiology, 2005, 20, 59-65.	5.7	16
957	Polymorphisms of glutathione S-transferase A1 and O1 and breast cancer among postmenopausal Danish women. European Journal of Cancer Prevention, 2008, 17, 225-229.	1.3	16
958	Haplotype frequencies in a sub-region of chromosome 19q13.3, related to risk and prognosis of cancer, differ dramatically between ethnic groups. BMC Medical Genetics, 2009, 10, 20.	2.1	16
959	Heme oxygenase-1 polymorphism is not associated with riskof colorectal cancer. European Journal of Gastroenterology and Hepatology, 2011, 23, 282-285.	1.6	16
960	ABCC2 transporter gene polymorphisms, diet and risk of colorectal cancer: a Danish prospective cohort study. Scandinavian Journal of Gastroenterology, 2012, 47, 572-574.	1.5	16
961	Interactions Between Genome-wide Significant Genetic Variants and Circulating Concentrations of Insulin-like Growth Factor 1, Sex Hormones, and Binding Proteins in Relation to Prostate Cancer Risk in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. American Journal of Epidemiology, 2012, 175, 926-935.	3.4	16
962	Meat and Heme Iron Intake and Risk of Squamous Cell Carcinoma of the Upper Aero-Digestive Tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 2138-2148.	2.5	16
963	Occupation and risk of lymphoid and myeloid leukaemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Occupational and Environmental Medicine, 2013, 70, 464-470.	2.8	16
964	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2014, 38, 528-537.	1.9	16
965	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 291-297.	2.5	16
966	Use of antibiotics is associated with lower enterolactone plasma concentration. Molecular Nutrition and Food Research, 2016, 60, 2712-2721.	3.3	16
967	Associations of anthropometry and lifestyle factors with HDL subspecies according to apolipoprotein C-III. Journal of Lipid Research, 2017, 58, 1196-1203.	4.2	16
968	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. International Journal of Cancer, 2018, 142, 1189-1201.	5.1	16
969	Job-exposure matrices addressing lifestyle to be applied in register-based occupational health studies. Occupational and Environmental Medicine, 2018, 75, 890-897.	2.8	16
970	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. Environmental Research, 2019, 169, 417-433.	7. 5	16
971	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 681-686.	2.5	16
972	Intake of whole grain and associations with lifestyle and demographics: a cross-sectional study based on the Danish Diet, Cancer and Healthâ€"Next Generations cohort. European Journal of Nutrition, 2021, 60, 883-895.	3.9	16

#	Article	IF	CITATIONS
973	Urine cadmium and acute myocardial infarction among never smokers in the Danish Diet, Cancer and Health cohort. Environment International, 2021, 150, 106428.	10.0	16
974	Plasma concentrations of persistent organic pollutants and pancreatic cancer risk. International Journal of Epidemiology, 2022, 51, 479-490.	1.9	16
975	Higher habitual flavonoid intakes are associated with a lower risk of peripheral artery disease hospitalizations. American Journal of Clinical Nutrition, 2021, 113, 187-199.	4.7	16
976	The association of education with long-term weight change in the EPIC-PANACEA cohort. European Journal of Clinical Nutrition, 2012, 66, 957-963.	2.9	15
977	Nitrosamines and Heme Iron and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 547-551.	2.5	15
978	Determinants of non- response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. BMC Medical Research Methodology, 2012, 12, 148.	3.1	15
979	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. European Journal of Epidemiology, 2013, 28, 677-688.	5 . 7	15
980	Plasma Carotenoid- and Retinol-Weighted Multi-SNP Scores and Risk of Breast Cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 927-936.	2.5	15
981	The Association between Dietary Energy Density and Type 2 Diabetes in Europe: Results from the EPIC-InterAct Study. PLoS ONE, 2013, 8, e59947.	2.5	15
982	Polymorphisms in ATP-binding cassette transporter genes and interaction with diet and life style factors in relation to colorectal cancer in a Danish prospective case-cohort study. Scandinavian Journal of Gastroenterology, 2015, 50, 1469-1481.	1.5	15
983	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. European Journal of Nutrition, 2016, 55, 2093-2104.	3.9	15
984	A lifestyle intervention among elderly men on active surveillance for non-aggressive prostate cancer: a randomised feasibility study with whole-grain rye and exercise. Trials, 2017, 18, 20.	1.6	15
985	Substitutions between dairy product subgroups and risk of type 2 diabetes: the Danish Diet, Cancer and Health cohort. British Journal of Nutrition, 2017, 118, 989-997.	2.3	15
986	Substitutions of dairy product intake and risk of stroke: a Danish cohort study. European Journal of Epidemiology, 2018, 33, 201-212.	5.7	15
987	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. Diabetes Care, 2018, 41, 277-285.	8.6	15
988	Educational level and the risk of depression after prostate cancer. Acta Oncológica, 2019, 58, 722-729.	1.8	15
989	Timing of eating across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. Public Health Nutrition, 2019, 22, 324-335.	2.2	15
990	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1739-1749.	2.5	15

#	Article	IF	CITATIONS
991	A 584Âbp deletion in CTRB2 inhibits chymotrypsin B2 activity and secretion and confers risk of pancreatic cancer. American Journal of Human Genetics, 2021, 108, 1852-1865.	6.2	15
992	A New Pipeline for the Normalization and Pooling of Metabolomics Data. Metabolites, 2021, 11, 631.	2.9	15
993	Adipose Tissue Fatty Acid Patterns and Changes in Anthropometry: A Cohort Study. PLoS ONE, 2011, 6, e22587.	2.5	15
994	The association between genetic variants in hMLH1 and hMSH2 and the development of sporadic colorectal cancer in the Danish population. BMC Medical Genetics, 2008, 9, 52.	2.1	14
995	Plasma levels of alkylresorcinols and incidence of endometrial cancer. European Journal of Cancer Prevention, 2010, 19, 73-77.	1.3	14
996	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 2209-2219.	2.5	14
997	Adipose tissue PCB levels and CYP1B1 and COMT genotypes in relation to breast cancer risk in postmenopausal Danish women. International Journal of Environmental Health Research, 2014, 24, 256-268.	2.7	14
998	ABO blood group alleles and prostate cancer risk: Results from the breast and prostate cancer cohort consortium (BPC3). Prostate, 2015, 75, 1677-1681.	2.3	14
999	Substitutions of red meat, poultry and fish and risk of myocardial infarction. British Journal of Nutrition, 2016, 115, 1571-1578.	2.3	14
1000	Intake of Red and Processed Meat, Use of Non-Steroid Anti-Inflammatory Drugs, Genetic Variants and Risk of Colorectal Cancer: A Prospective Study of the Danish "Diet, Cancer and Health―Cohort. International Journal of Molecular Sciences, 2019, 20, 1121.	4.1	14
1001	Mediation analysis of the alcoholâ€postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. International Journal of Cancer, 2020, 146, 759-768.	5.1	14
1002	Exogenous hormone use and cutaneous melanoma risk in women: The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 3267-3280.	5.1	14
1003	Patient-reported outcome measures after treatment for prostate cancer: Results from the Danish Prostate Cancer Registry (DAPROCAdata). Cancer Epidemiology, 2020, 64, 101623.	1.9	14
1004	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). European Journal of Epidemiology, 2020, 35, 1057-1067.	5.7	14
1005	Interaction between Genetic Predisposition to Adiposity and Dietary Protein in Relation to Subsequent Change in Body Weight and Waist Circumference. PLoS ONE, 2014, 9, e110890.	2.5	14
1006	Cohort profile and representativeness of participants in the Diet, Cancer and Healthâ€"Next Generations cohort study. European Journal of Epidemiology, 2022, 37, 117-127.	5.7	14
1007	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). Breast Cancer Research and Treatment, 2011, 127, 761-767.	2.5	13
1008	Cohort Profile: The Social Inequality in Cancer (SIC) cohort study. International Journal of Epidemiology, 2014, 43, 1750-1758.	1.9	13

#	Article	IF	CITATIONS
1009	The Effect on Selenium Concentrations of a Randomized Intervention with Fish and Mussels in a Population with Relatively Low Habitual Dietary Selenium Intake. Nutrients, 2015, 7, 608-624.	4.1	13
1010	Body weight and sensitivity of screening mammography. European Journal of Cancer, 2016, 60, 93-100.	2.8	13
1011	Alcohol consumption and mammographic density in the Danish Diet, Cancer and Health cohort. Cancer Causes and Control, 2017, 28, 1429-1439.	1.8	13
1012	Long-chain n-3 and n-6 polyunsaturated fatty acids and risk of atrial fibrillation: Results from a Danish cohort study. PLoS ONE, 2017, 12, e0190262.	2.5	13
1013	Associations Between Changes in Cycling and All-Cause Mortality Risk. American Journal of Preventive Medicine, 2018, 55, 615-623.	3.0	13
1014	Dietary Intake of α-Linolenic Acid Is Not Appreciably Associated with Risk of Ischemic Stroke among Middle-Aged Danish Men and Women. Journal of Nutrition, 2018, 148, 952-958.	2.9	13
1015	The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study among postmenopausal women in Denmark. Growth Hormone and IGF Research, 2019, 44, 33-42.	1.1	13
1016	Habitual flavonoid intake and ischemic stroke incidence in the Danish Diet, Cancer, and Health Cohort. American Journal of Clinical Nutrition, 2021, 114, 348-357.	4.7	13
1017	Modifiable Lifestyle Recommendations and Mortality in Denmark: A Cohort Study. American Journal of Preventive Medicine, 2021, 60, 792-801.	3.0	13
1018	Genetically Determined Reproductive Aging and Coronary Heart Disease: A Bidirectional 2-sample Mendelian Randomization. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e2952-e2961.	3.6	13
1019	Haplotype-Based Analysis of Common Variation in the Acetyl-CoA Carboxylase α Gene and Breast Cancer Risk: A Case-Control Study Nested within the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 409-415.	2.5	12
1020	Genetic Variability of the mTOR Pathway and Prostate Cancer Risk in the European Prospective Investigation on Cancer (EPIC). PLoS ONE, 2011, 6, e16914.	2.5	12
1021	Alcohol intake and risk of acute coronary syndrome and mortality in men and women with and without hypertension. European Journal of Epidemiology, 2011, 26, 439-447.	5.7	12
1022	Baseline prostate-specific antigen measurements and subsequent prostate cancer risk in the Danish Diet, Cancer and Health cohort. European Journal of Cancer, 2013, 49, 3041-3048.	2.8	12
1023	Induced abortion and breast cancer among parous women: a Danish cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 700-705.	2.8	12
1024	Dietary ascorbic acid and subsequent change in body weight and waist circumference: associations may depend on genetic predisposition to obesity - a prospective study of three independent cohorts. Nutrition Journal, 2014, 13, 43.	3.4	12
1025	Dietary patterns and whole grain cereals in the Scandinavian countries $\hat{a} \in \text{``differences'}$ and similarities. The HELGA project. Public Health Nutrition, 2015, 18, 905-915.	2.2	12
1026	Alcohol-related breast cancer in postmenopausal women – effect of CYP19A1, PPARG and PPARGC1A polymorphisms on female sex-hormone levels and interaction with alcohol consumption and NSAID usage in a nested case-control study and a randomised controlled trial. BMC Cancer, 2016, 16, 283.	2.6	12

#	Article	IF	CITATIONS
1027	Forecasting Chronic Diseases Using Data Fusion. Journal of Proteome Research, 2017, 16, 2435-2444.	3.7	12
1028	Fiber intake modulates the association of alcohol intake with breast cancer. International Journal of Cancer, 2017, 140, 316-321.	5.1	12
1029	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Cancer Prevention, 2018, 27, 379-383.	1.3	12
1030	Circulating insulinâ€like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 957-966.	5.1	12
1031	Development and validation of circulating CA125 prediction models in postmenopausal women. Journal of Ovarian Research, 2019, 12, 116.	3.0	12
1032	Association of Circulating Vitamin D With Colorectal Cancer Depends on Vitamin D–Binding Protein Isoforms: A Pooled, Nested, Case-Control Study. JNCI Cancer Spectrum, 2020, 4, pkz083.	2.9	12
1033	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2021, 113, 162-171.	4.7	12
1034	Associations between dietary amino acid intakes and blood concentration levels. Clinical Nutrition, 2021, 40, 3772-3779.	5.0	12
1035	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Nutrients, 2021, 13, 3132.	4.1	12
1036	Long-term exposure to ambient air pollution and bladder cancer incidence in a pooled European cohort: the ELAPSE project. British Journal of Cancer, 2022, 126, 1499-1507.	6.4	12
1037	Sex ratio of offspring of diabetics. Lancet, The, 1998, 351, 1514-1515.	13.7	11
1038	Urinary flavonoid excretion and risk of acute coronary syndrome in a nested case-control study. American Journal of Clinical Nutrition, 2013, 98, 209-216.	4.7	11
1039	Genetic variants in the i>IL1A i>gene region contribute to intestinal-type gastric carcinoma susceptibility in European populations. International Journal of Cancer, 2014, 135, 1343-1355.	5.1	11
1040	Lifestyle influences on the association between pre-diagnostic hormone replacement therapy and breast cancer prognosis—Results from The Danish †Diet, Cancer and Health' prospective cohort. Maturitas, 2014, 79, 442-448.	2.4	11
1041	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 538-545.	2.5	11
1042	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 895-904.	2.5	11
1043	Prediagnostic enterolactone concentrations and mortality among Danish men diagnosed with prostate cancer. European Journal of Clinical Nutrition, 2017, 71, 1235-1240.	2.9	11
1044	Diabetes, diabetes treatment, and mammographic density in Danish Diet, Cancer, and Health cohort. Cancer Causes and Control, 2017, 28, 13-21.	1.8	11

#	Article	IF	Citations
1045	Association between plasma CD36 levels and incident risk of coronary heart disease among Danish men and women. Atherosclerosis, 2018, 277, 163-168.	0.8	11
1046	Nonsteroidal antiâ€inflammatory drug use and breast cancer risk in a European prospective cohort study. International Journal of Cancer, 2018, 143, 1688-1695.	5.1	11
1047	Pattern of mortality after menopausal hormone therapy: longâ€term follow up in a populationâ€based cohort. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 55-63.	2.3	11
1048	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2020, 146, 44-57.	5.1	11
1049	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. European Journal of Nutrition, 2020, 59, 2929-2937.	3.9	11
1050	Antibody Responses to <i>Helicobacter pylori</i> and Risk of Developing Colorectal Cancer in a European Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1475-1481.	2.5	11
1051	Whole-Grain Intake and Pancreatic Cancer Riskâ€"The Danish, Diet, Cancer and Health Cohort. Journal of Nutrition, 2021, 151, 666-674.	2.9	11
1052	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2022, 50, 1914-1926.	1.9	11
1053	The association between meat and fish consumption and bladder cancer risk: a pooled analysis of 11 cohort studies. European Journal of Epidemiology, 2021, 36, 781-792.	5.7	11
1054	Association between vitamin K1 intake and mortality in the Danish Diet, Cancer, and Health cohort. European Journal of Epidemiology, 2021, 36, 1005-1014.	5.7	11
1055	Variation in the Sodium-Dependent Vitamin C Transporter 2 Gene Is Associated with Risk of Acute Coronary Syndrome among Women. PLoS ONE, 2013, 8, e70421.	2.5	11
1056	Common Polymorphisms in the 5-Lipoxygenase Pathway and Risk of Incident Myocardial Infarction: A Danish Case-Cohort Study. PLoS ONE, 2016, 11, e0167217.	2.5	11
1057	Long-Term Exposure to Source-Specific Fine Particles and Mortality─A Pooled Analysis of 14 European Cohorts within the ELAPSE Project. Environmental Science & Environmenta	10.0	11
1058	Development in incidence of breast cancer in non-screened danish women, 1973–2002—a population-based study. International Journal of Cancer, 2006, 118, 2366-2369.	5.1	10
1059	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. BMC Cancer, 2010, 10, 563.	2.6	10
1060	Changes in Waist Circumference and the Incidence of Diabetes in Middle-Aged Men and Women. PLoS ONE, 2011, 6, e23104.	2.5	10
1061	Predictors of male microchimerism. Chimerism, 2012, 3, 51-58.	0.7	10
1062	Leg length, sitting height and postmenopausal breast cancer risk. British Journal of Cancer, 2012, 107, 165-168.	6.4	10

#	Article	IF	Citations
1063	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. International Journal of Cancer, 2012, 131, 997-1002.	5.1	10
1064	Urinary Estrogen Metabolites and Breast Cancer: A Combined Analysis of Individual Level Data. International Journal of Biological Markers, 2013, 28, 3-16.	1.8	10
1065	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2532-2542.	2.5	10
1066	Physical activity, sex steroid, and growth factor concentrations in pre- and post-menopausal women: a cross-sectional study within the EPIC cohort. Cancer Causes and Control, 2014, 25, 111-124.	1.8	10
1067	Fish intake and venous thromboembolism: A Danish follow-up study. Thrombosis Research, 2014, 133, 352-356.	1.7	10
1068	The Impact of Husbands' Prostate Cancer Diagnosis and Participation in a Behavioral Lifestyle Intervention on Spouses' Lives and Relationships With Their Partners. Cancer Nursing, 2016, 39, E1-E9.	1.5	10
1069	Adipose Tissue Content ofÂMarine N-3 Polyunsaturated Fatty Acids Is Inversely Associated With Myocardial Infarction. Journal of the American College of Cardiology, 2016, 67, 1008-1009.	2.8	10
1070	Adipose tissue content of alpha-linolenic acid and the risk of ischemic stroke and ischemic stroke subtypes: A Danish case-cohort study. PLoS ONE, 2018, 13, e0198927.	2.5	10
1071	Trans fatty acids in adipose tissue and risk of myocardial infarction: A case-cohort study. PLoS ONE, 2018, 13, e0202363.	2.5	10
1072	The Influence of Menopausal Hormone Therapy and Potential Lifestyle Interactions in Female Cancer Developmentâ€"a Population-Based Prospective Study. Hormones and Cancer, 2018, 9, 254-264.	4.9	10
1073	Flavonoid intake and its association with atrial fibrillation. Clinical Nutrition, 2020, 39, 3821-3828.	5.0	10
1074	Diet quality is not associated with late-onset multiple sclerosis risk– A Danish Cohort Study. Multiple Sclerosis and Related Disorders, 2020, 40, 101968.	2.0	10
1075	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 874-885.	2.5	10
1076	Road Traffic Noise Exposure and Filled Prescriptions for Antihypertensive Medication: A Danish Cohort Study. Environmental Health Perspectives, 2020, 128, 57004.	6.0	10
1077	Association between single nucleotide polymorphisms in the antioxidant genes <i>CAT</i> , <i>GR</i> and <i>SOD1</i> , erythrocyte enzyme activities, dietary and life style factors and breast cancer risk in a Danish, prospective cohort study. Oncotarget, 2017, 8, 62984-62997.	1.8	10
1078	Dietary determinants for Hb-acrylamide and Hb-glycidamide adducts in Danish non-smoking women. British Journal of Nutrition, 2011, 105, 1381-1387.	2.3	9
1079	Serum estrogen and SHBG levels and breast cancer incidence among users and never users of hormone replacement therapy. Cancer Causes and Control, 2012, 23, 1711-1720.	1.8	9
1080	Dietary Factors Impact on the Association between CTSS Variants and Obesity Related Traits. PLoS ONE, 2012, 7, e40394.	2.5	9

#	Article	IF	CITATIONS
1081	Measures Taken to Restore the Danish Diet, Cancer and Health Biobank After Flooding: A Framework for Future Biobank Restorations. Biopreservation and Biobanking, 2013, 11, 206-210.	1.0	9
1082	5-HTTLPR and use of antidepressants after colorectal cancer including a meta-analysis of 5-HTTLPR and depression after cancer. Translational Psychiatry, 2015, 5, e631-e631.	4.8	9
1083	No Association between HMOX1 and Risk of Colorectal Cancer and No Interaction with Diet and Lifestyle Factors in a Prospective Danish Case-Cohort Study. International Journal of Molecular Sciences, 2015, 16, 1375-1384.	4.1	9
1084	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. Immunity and Ageing, 2016, 13 , 5 .	4.2	9
1085	Genomeâ€Wide Interactions with Dairy Intake for Body Mass Index in Adults of European Descent. Molecular Nutrition and Food Research, 2018, 62, 1700347.	3.3	9
1086	Pre-diagnostic plasma enterolactone concentrations and breast cancer prognosis among postmenopausal women – The Danish Diet, Cancer and Health cohort. Clinical Nutrition, 2018, 37, 2217-2225.	5.0	9
1087	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. BMC Cancer, 2018, 18, 1010.	2.6	9
1088	Risk of cardiovascular events in men treated for prostate cancer compared with prostate cancer-free men. British Journal of Cancer, 2019, 120, 1067-1074.	6.4	9
1089	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1076-1085.	2.5	9
1090	Prediagnosis plasma concentrations of enterolactone and survival after colorectal cancer: the Danish Diet, Cancer and Health cohort. British Journal of Nutrition, 2019, 122, 552-563.	2.3	9
1091	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 145, 122-131.	5.1	9
1092	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Nutrition, 2019, 58, 3303-3312.	3.9	9
1093	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 76-84.	5.1	9
1094	Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. European Journal of Epidemiology, 2020, 35, 685-697.	5.7	9
1095	Association between anthropometry and lifestyle factors and risk of Bâ€cell lymphoma: An exposomeâ€wide analysis. International Journal of Cancer, 2021, 148, 2115-2128.	5.1	9
1096	Toenail selenium, plasma selenoprotein P and risk of advanced prostate cancer: A nested caseâ€control study. International Journal of Cancer, 2021, 148, 876-883.	5.1	9
1097	Replacing Red Meat with Other Nonmeat Food Sources of Protein is Associated with a Reduced Risk of Type 2 Diabetes in a Danish Cohort of Middle-Aged Adults. Journal of Nutrition, 2021, 151, 1241-1248.	2.9	9
1098	Substitution of unprocessed and processed red meat with poultry or fish and total and cause-specific mortality. British Journal of Nutrition, 2022, 127, 563-569.	2.3	9

#	Article	IF	CITATIONS
1099	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1270-1274.	2.5	9
1100	Exposure to surrounding greenness and natural-cause and cause-specific mortality in the ELAPSE pooled cohort. Environment International, 2022, 166, 107341.	10.0	9
1101	Diet, obesity and low physical activity. Apmis, 1997, 105, 100-119.	2.0	8
1102	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2010, 34, 696-701.	1.9	8
1103	Lifestyle, Environmental, and Genetic Predictors of Bulky DNA Adducts in a Study Population Nested within a Prospective Danish Cohort. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2010, 73, 583-595.	2.3	8
1104	Changes in Waist Circumference and the Incidence of Acute Myocardial Infarction in Middle-Aged Men and Women. PLoS ONE, 2011, 6, e26849.	2.5	8
1105	Alcohol consumption and mortality in individuals with diabetes mellitus. British Journal of Nutrition, 2012, 108, 1307-1315.	2.3	8
1106	Interaction between Obesity and the NFKB1 - 94ins/delATTG Promoter Polymorphism in Relation to Incident Acute Coronary Syndrome: A Follow Up Study in Three Independent Cohorts. PLoS ONE, 2013, 8, e63004.	2.5	8
1107	A Genome-Wide "Pleiotropy Scan―Does Not Identify New Susceptibility Loci for Estrogen Receptor Negative Breast Cancer. PLoS ONE, 2014, 9, e85955.	2.5	8
1108	Baseline patterns of adipose tissue fatty acids and long-term risk of breast cancer: a case-cohort study in the Danish cohort Diet, Cancer and Health. European Journal of Clinical Nutrition, 2014, 68, 1088-1094.	2.9	8
1109	Interactions of dietary protein and adiposity measures in relation to subsequent changes in body weight and waist circumference. Obesity, 2014, 22, 2097-2103.	3.0	8
1110	Is the adiposityâ€associated <scp><i>FTO</i></scp> gene variant related to allâ€cause mortality independent of adiposity? Metaâ€analysis of data from 169,551 <scp>C</scp> aucasian adults. Obesity Reviews, 2015, 16, 327-340.	6.5	8
1111	Hepcidin levels and gastric cancer risk in the EPICâ€EurGast study. International Journal of Cancer, 2017, 141, 945-951.	5.1	8
1112	Relation of Coronary Artery Calcium Score and Risk of Cancer (from a Danish Population-Based) Tj ETQq0 0 0 rgBT Cardiology, 2017, 120, 542-549.	/Overlock 1.6	2 10 Tf 50 22 8
1113	Determinants of incident asthma–COPD overlap: a prospective study of 55,110 middle-aged adults. Clinical Epidemiology, 2018, Volume 10, 1275-1287.	3.0	8
1114	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1746-1754.	2.5	8
1115	Pre-diagnostic plasma enterolactone concentrations are associated with lower mortality among individuals with type 2 diabetes: a case-cohort study in the Danish Diet, Cancer and Health cohort. Diabetologia, 2019, 62, 959-969.	6.3	8
1116	Conflicting associations between dietary patterns and changes of anthropometric traits across subgroups of middle-aged women and men. Clinical Nutrition, 2020, 39, 265-275.	5.0	8

#	Article	IF	CITATIONS
1117	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. European Journal of Nutrition, 2020, 59, 813-823.	3.9	8
1118	Possible Modifiers of the Association Between Change in Weight Status From Child Through Adult Ages and Later Risk of Type 2 Diabetes. Diabetes Care, 2020, 43, 1000-1007.	8.6	8
1119	Impact of Male-Origin Microchimerism on Cardiovascular Disease in Women: A Prospective Cohort Study. American Journal of Epidemiology, 2021, 190, 853-863.	3.4	8
1120	Smoking Modifies Pancreatic Cancer Risk Loci on 2q21.3. Cancer Research, 2021, 81, 3134-3143.	0.9	8
1121	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. European Journal of Epidemiology, 2021, 36, 953-964.	5.7	8
1122	Residential Exposure to Road and Railway Noise and Risk of Prostate Cancer: A Prospective Cohort Study. PLoS ONE, 2015, 10, e0135407.	2.5	8
1123	Interactions between 5-Lipoxygenase Polymorphisms and Adipose Tissue Contents of Arachidonic and Eicosapentaenoic Acids Do Not Affect Risk of Myocardial Infarction in Middle-Aged Men and Women in a Danish Case-Cohort Study. Journal of Nutrition, 2017, 147, 1340-1347.	2.9	8
1124	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. Biomedicines, 2021, 9, 1521.	3.2	8
1125	Physical activity attenuates but does not eliminate coronary heart disease risk amongst adults with risk factors: EPIC-CVD case-cohort study. European Journal of Preventive Cardiology, 2022, 29, 1618-1629.	1.8	8
1126	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. BMC Medicine, 2021, 19, 312.	5.5	8
1127	A cross-sectional study of dietary habits and urinary glucose excretion — a predictor of non-insulin-dependent diabetes mellitus. European Journal of Clinical Nutrition, 2000, 54, 434-439.	2.9	7
1128	Re: Fruit and Vegetable Intake and Risk of Major Chronic Disease. Journal of the National Cancer Institute, 2005, 97, 1307-1308.	6.3	7
1129	Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). European Journal of Cancer, 2011, 47, 420-427.	2.8	7
1130	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. Oncology Reports, 2011, 26, 979-86.	2.6	7
1131	Patterns of time since last meal revealed by sparse PCA in an observational LC–MS based metabolomics study. Metabolomics, 2013, 9, 1073-1081.	3.0	7
1132	Effect of increased intake of fish and mussels on exposure to toxic trace elements in a healthy, middle-aged population. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1858-1866.	2.3	7
1133	Dietary intake and adipose tissue content of long-chain n–3 PUFAs and subsequent 5-y change in body weight and waist circumference. American Journal of Clinical Nutrition, 2017, 105, 1148-1157.	4.7	7
1134	Effect of Dietary Intake of Saturated Fatty Acids on the Development of Atrial Fibrillation and the Effect of Replacement of Saturated With Monounsaturated and Polyunsaturated Fatty Acids. American Journal of Cardiology, 2017, 120, 1129-1132.	1.6	7

#	Article	IF	CITATIONS
1135	Prediagnostic circulating concentrations of plasma insulinâ€ike growth factorâ€ <scp>I</scp> and risk of lymphoma in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition. International Journal of Cancer, 2017, 140, 1111-1118.	5.1	7
1136	Changes in Cycling and Incidence of Overweight and Obesity among Danish Men and Women. Medicine and Science in Sports and Exercise, 2018, 50, 1413-1421.	0.4	7
1137	No Association between Organochlorine Concentrations in Adipose Tissue and Survival after Non-Hodgkin Lymphoma. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 224-226.	2.5	7
1138	Flavonoid intake and incident dementia in the Danish Diet, Cancer, and Health cohort. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12175.	3.7	7
1139	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. International Journal of Cancer, 2021, 148, 2759-2773.	5.1	7
1140	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. Carcinogenesis, 2021, 42, 705-713.	2.8	7
1141	Changes in intake of dairy product subgroups and risk of type 2 diabetes: modelling specified food substitutions in the Danish Diet, Cancer and Health cohort. European Journal of Nutrition, 2021, 60, 3449-3459.	3.9	7
1142	Synchronous bilateral breast cancer: a nationwide study on histopathology and etiology. Breast Cancer Research and Treatment, 2020, 182, 229-238.	2.5	7
1143	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. PLoS Medicine, 2021, 18, e1003834.	8.4	7
1144	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer. Nutrients, 2021, 13, 4435.	4.1	7
1145	Circulating inflammatory biomarkers, adipokines and breast cancer risk—a case-control study nested within the EPIC cohort. BMC Medicine, 2022, 20, 118.	5 . 5	7
1146	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. Journal of Cancer Research and Clinical Oncology, 2010, 136, 71-77.	2.5	6
1147	Educational Differences in Postmenopausal Breast Cancer – Quantifying Indirect Effects through Health Behaviors, Body Mass Index and Reproductive Patterns. PLoS ONE, 2013, 8, e78690.	2.5	6
1148	Childhood height, adult height, and the risk of prostate cancer. Cancer Causes and Control, 2016, 27, 561-567.	1.8	6
1149	Alcohol consumption and its interaction with adiposity-associated genetic variants in relation to subsequent changes in waist circumference and body weight. Nutrition Journal, 2017, 16, 51.	3.4	6
1150	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 790-804.	2.5	6
1151	Predictors of Urinary Arsenic Levels among Postmenopausal Danish Women. International Journal of Environmental Research and Public Health, 2018, 15, 1340.	2.6	6
1152	Oneâ€carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 145, 2349-2359.	5.1	6

#	Article	IF	CITATIONS
1153	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. Journal of Nutrition, 2019, 149, 1047-1055.	2.9	6
1154	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1089-1092.	2.5	6
1155	Long-Term Whole Grain Wheat and Rye Intake Reflected by Adipose Tissue Alkylresorcinols and Breast Cancer: A Case-Cohort Study. Nutrients, 2019, 11, 465.	4.1	6
1156	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 1511-1521.	5.1	6
1157	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2019, 188, 274-281.	3.4	6
1158	Ovarian Cancer Risk Factor Associations by Primary Anatomic Site: The Ovarian Cancer Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2010-2018.	2.5	6
1159	Nighttime road traffic noise exposure at the least and most exposed façades and sleep medication prescription redemption—a Danish cohort study. Sleep, 2020, 43, .	1.1	6
1160	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. International Journal of Cancer, 2020, 147, 1325-1333.	5.1	6
1161	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. Diabetes Care, 2021, 44, 416-424.	8.6	6
1162	Association of smoking and cancer with the risk of venous thromboembolism: the Scandinavian Thrombosis and Cancer cohort. Scientific Reports, 2021, 11, 18752.	3.3	6
1163	Male origin microchimerism and ovarian cancer. International Journal of Epidemiology, 2021, 50, 87-94.	1.9	6
1164	Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 507-512.	2.5	6
1165	Relationship between Urine Creatinine and Urine Osmolality in Spot Samples among Men and Women in the Danish Diet Cancer and Health Cohort. Toxics, 2021, 9, 282.	3.7	6
1166	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and breast cancer risk in 9 European countries. Environment International, 2022, 163, 107213.	10.0	6
1167	Impact of cumulative body mass index and cardiometabolic diseases on survival among patients with colorectal and breast cancer: a multi-centre cohort study. BMC Cancer, 2022, 22, 546.	2.6	6
1168	Determinants of blood acylcarnitine concentrations in healthy individuals of the European Prospective Investigation into Cancer and Nutrition. Clinical Nutrition, 2022, 41, 1735-1745.	5.0	6
1169	Influence of Lifestyle Aspects on the Association of Body Size and Shape with All-Cause Mortality in Middle-Aged Men and Women. Obesity Facts, 2010, 3, 252-260.	3.4	5
1170	Alcohol drinking habits, alcohol dehydrogenase genotypes and risk of acute coronary syndrome. Scandinavian Journal of Public Health, 2010, 38, 489-494.	2.3	5

#	Article	IF	Citations
1171	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. Obesity Facts, 2011, 4, 312-318.	3.4	5
1172	Validity of physical activity and cardiorespiratory fitness in the Danish cohort "Diet, Cancer and Healthâ€Next Generationsâ€∙ Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 1864-1872.	2.9	5
1173	Dietary intake of whole grains and plasma alkylresorcinol concentrations in relation to changes in anthropometry: the Danish diet, cancer and health cohort study. European Journal of Clinical Nutrition, 2017, 71, 944-952.	2.9	5
1174	Genetic variants in 5-HTTLPR, BDNF, HTR1A, COMT, and FKBP5 and risk for treated depression after cancer diagnosis. Depression and Anxiety, 2017, 34, 845-855.	4.1	5
1175	Residential traffic noise and mammographic breast density in the Diet, Cancer, and Health cohort. Cancer Causes and Control, 2018, 29, 399-404.	1.8	5
1176	Antiâ€Mýllerian hormone and risk of ovarian cancer in nine cohorts. International Journal of Cancer, 2018, 142, 262-270.	5.1	5
1177	Substitution of Fish for Red Meat or Poultry and Risk of Ischemic Stroke. Nutrients, 2018, 10, 1648.	4.1	5
1178	Regular physical activity and mammographic density: a cohort study. Cancer Causes and Control, 2018, 29, 1015-1025.	1.8	5
1179	Potato consumption and risk of pancreatic cancer in the HELGA cohort. British Journal of Nutrition, 2018, 119, 1408-1415.	2.3	5
1180	Do people improve health behavior after their partner is diagnosed with cancer? A prospective study in the Danish diet, Cancer and Health Cohort. Acta Oncol \tilde{A}^3 gica, 2019, 58, 700-707.	1.8	5
1181	Impact of red meat, processed meat and fibre intake on risk of late-onset chronic inflammatory diseases: prospective cohort study on lifestyle factors using the Danish  Diet, Cancer and Health' cohort (PROCID-DCH): <i>protocol</i> . BMJ Open, 2019, 9, e024555.	1.9	5
1182	Changes and correlations in height from 7 to 69 years of age across the birth years of 1930 to 1989. American Journal of Human Biology, 2020, 32, e23378.	1.6	5
1183	Genome-Wide Gene–Diabetes and Gene–Obesity Interaction Scan in 8,255 Cases and 11,900 Controls from PanScan and PanC4 Consortia. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1784-1791.	2.5	5
1184	Substitutions between potatoes and other vegetables and risk of ischemic stroke. European Journal of Nutrition, 2021, 60, 229-237.	3.9	5
1185	Comparison of Flavonoid Intake Assessment Methods Using USDA and Phenol Explorer Databases: Subcohort Diet, Cancer and Health-Next Generations—MAX Study. Frontiers in Nutrition, 2022, 9, 873774.	3.7	5
1186	Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. DNA Repair, 2009, 8, 60-71.	2.8	4
1187	Polymorphisms in genes related to one-carbon metabolism are not related to pancreatic cancer in PanScan and PanC4. Cancer Causes and Control, 2013, 24, 595-602.	1.8	4
1188	Long-Term Incidence of Venous Thromboembolism in Cancer: The Scandinavian Thrombosis and Cancer Cohort. TH Open, 2018, 02, e131-e138.	1.4	4

#	Article	IF	Citations
1189	No Interaction between Polymorphisms Related to Vitamin A Metabolism and Vitamin A Intake in Relation to Colorectal Cancer in a Prospective Danish Cohort. Nutrients, 2019, 11, 1428.	4.1	4
1190	Intake of α-linolenic acid is not consistently associated with a lower risk of peripheral artery disease: results from a Danish cohort study. British Journal of Nutrition, 2019, 122, 86-92.	2.3	4
1191	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1649-1656.	5.1	4
1192	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrients, 2021, 13, 1843.	4.1	4
1193	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Antioxidants, 2021, 10, 1249.	5.1	4
1194	Prothrombotic genotypes and risk of venous thromboembolism in occult cancer. Thrombosis Research, 2021, 205, 17-23.	1.7	4
1195	Excess Body Fatness during Early to Mid-Adulthood and Survival from Colorectal and Breast Cancer: A Pooled Analysis of Five International Cohort Studies. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 325-333.	2.5	4
1196	Survival of Danish cancer patients 1943-1987. Urinary tract. Acta Pathologica Microbiologica Et Immunologica Scandinavica - Supplementum, 1993, 33, 137-48.	0.2	4
1197	Inflammatory potential of the diet and association with risk of differentiated thyroid cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Nutrition, 2022, 61, 3625-3635.	3.9	4
1198	Re: Calcium Plus Vitamin D Supplementation and the Risk of Breast Cancer. Journal of the National Cancer Institute, 2009, 101, 690-690.	6.3	3
1199	Stratification for smoking in case-cohort studies of genetic polymorphisms and lung cancer. Lung Cancer, 2009, 63, 335-340.	2.0	3
1200	Breast cancer survival and season of surgery: an ecological open cohort study. BMJ Open, 2012, 2, e000358.	1.9	3
1201	Adipose tissue <i>trans</i> -fatty acids and changes in body weight and waist circumference. British Journal of Nutrition, 2014, 111, 1283-1291.	2.3	3
1202	Variation in genes related to hepatic lipid metabolism and changes in waist circumference and body weight. Genes and Nutrition, 2014, 9, 385.	2.5	3
1203	Pre-diagnosis insulin-like growth factor-I and risk of epithelial invasive ovarian cancer by histological subtypes: A collaborative re-analysis from the Ovarian Cancer Cohort Consortium. Cancer Causes and Control, 2017, 28, 429-435.	1.8	3
1204	The association between education and risk of major cardiovascular events among prostate cancer patients: a study from the Diet, Cancer and Health study. Acta Oncol \tilde{A}^3 gica, 2019, 58, 715-721.	1.8	3
1205	Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. Cancer Causes and Control, 2020, 31, 139-151.	1.8	3
1206	Substitutions of Oatmeal and Breakfast Food Alternatives and the Rate of Stroke. Stroke, 2020, 51, 75-81.	2.0	3

#	Article	IF	CITATIONS
1207	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1654-1664.	2.5	3
1208	Adherence to the Danish food-based dietary guidelines and risk of type 2 diabetes: the Danish diet, cancer, and health cohort. European Journal of Clinical Nutrition, 2021, 75, 836-844.	2.9	3
1209	Linoleic acid in adipose tissue and the risk of myocardial infarction: a case–cohort study. European Journal of Nutrition, 2021, 60, 3639-3646.	3.9	3
1210	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 2179-2187.	2.5	3
1211	Replacement of potatoes with other vegetables and risk of myocardial infarction in the Danish Diet, Cancer and Health cohort. British Journal of Nutrition, 2021, 126, 1709-1716.	2.3	3
1212	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study. European Journal of Nutrition, 2022, 61, 2313-2320.	3.9	3
1213	Cruciferous Vegetable Intake and Bulky DNA Damage within Non-Smokers and Former Smokers in the Gen-Air Study (EPIC Cohort). Nutrients, 2022, 14, 2477.	4.1	3
1214	Pre-diagnostic C-reactive protein concentrations, CRP genetic variation and mortality among individuals with colorectal cancer in Western European populations. BMC Cancer, 2022, 22, .	2.6	3
1215	Bulky DNA adducts as risk indicators of lung cancer in a Danish case-cohort study. International Journal of Cancer, 2007, 120, 212-213.	5.1	2
1216	Intake of Total and Subgroups of Fat Minimally Affect the Associations between Selected Single Nucleotide Polymorphisms in the PPARγ Pathway and Changes in Anthropometry among European Adults from Cohorts of the DiOGenes Study. Journal of Nutrition, 2016, 146, 603-611.	2.9	2
1217	Cancer and Nutrition (EPIC). Wozniak MB, Brennan P, Brenner DR, Overvad K, Olsen A, TjÃ,nneland A, Boutron-Ruault MC, Clavel-Chapelon F, Fagherazzi G, Katzke V, Kühn T, Boeing H, Bergmann MM, Steffen A, Naska A, Trichopoulou A, Trichopoulos D, Saieva C, Grioni S, Panico S, Tumino R, Vineis P, Bueno-de-Mesquita HB, Peeters PH, HiartÃ¥ker A, Weiderpass E, Arriola L, Molina-Montes E, Duell EJ,	1.6	2
1218	Santiuste C, Alonso de. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 117. Adipose tissue content of saturated fatty acids and atrial fibrillation: A caseâ€cohort study. European Journal of Clinical Investigation, 2017, 47, e12836.	3.4	2
1219	Fish consumption and prostate cancer risk and mortality in a Danish cohort study. European Journal of Cancer Prevention, 2018, 27, 355-360.	1.3	2
1220	Antidepressant prescriptions and associated factors in men with prostate cancer and their female partners. Journal of Cancer Survivorship, 2020, 15, 536-545.	2.9	2
1221	Plasma CD36 and Incident Diabetes: A Case-Cohort Study in Danish Men and Women. Diabetes and Metabolism Journal, 2020, 44, 134.	4.7	2
1222	Impact of Rye Food and Physical Activity on Prostate Cancer Progression., 2014,, 227-246.		1
1223	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study – ERRATUM. British Journal of Nutrition, 2014, 111, 758-759.	2.3	1
1224	Physical activity and survival in patients with breast cancer. Physiotherapy, 2015, 101, e71-e72.	0.4	1

#	Article	IF	CITATIONS
1225	Perfluorooctanoate and Perfluorooctanesulfonate plasma concentrations and survival after prostate and bladder cancer in a population-based study. Environmental Epidemiology, 2018, 2, e018.	3.0	1
1226	Adherence to the Danish food-based dietary guidelines and risk of colorectal cancer: a cohort study. British Journal of Cancer, 2021, 125, 1726-1733.	6.4	1
1227	Risk of Venous Thromboembolism in Hematological Malignancies: The Scandinavian Thrombosis and Cancer Cohort. Blood, 2015, 126, 628-628.	1.4	1
1228	OUP accepted manuscript. International Journal of Epidemiology, 2022, , .	1.9	1
1229	Biomarkers of the transsulfuration pathway and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (<scp>EPIC </scp>) study. International Journal of Cancer, 2022, , .	5.1	1
1230	Male-origin microchimerism and endometrial cancer: A prospective case-cohort study. Cancer Epidemiology, 2022, 79, 102169.	1.9	1
1231	Who gets cancer?. Breast Cancer Research, 2005, 7, 1.	5.0	O
1232	Fibre and prevention of chronic diseases. BMJ: British Medical Journal, 2011, 343, d6938-d6938.	2.3	0
1233	Diabetes and Onset of Natural Menopause. Obstetrical and Gynecological Survey, 2015, 70, 507-508.	0.4	O
1234	Determinants of the $t(14;18)$ translocation and their role in $t(14;18)$ -positive follicular lymphoma. Cancer Causes and Control, 2015, 26, 1845-1855.	1.8	0
1235	Reply to A Abbasi. American Journal of Clinical Nutrition, 2016, 104, 1725-1726.	4.7	0
1236	Reply to J-B Qin et al American Journal of Clinical Nutrition, 2016, 104, 1723-1724.	4.7	0
1237	Reply to the letter: †Physical activity and survival in breast cancer: What were missing?' by Wu H, Wang D, and Ruan X. European Journal of Cancer, 2017, 71, 123-124.	2.8	O
1238	Pre-diagnostic changes in body mass index and mortality among breast cancer patients. Breast Cancer Research and Treatment, 2018, 170, 605-612.	2.5	0
1239	Vitamin D level and mortality risk among Danish men with prostate cancer. European Urology Open Science, 2020, 19, e266-e267.	0.4	O
1240	Adipose tissue content of alpha-linolenic acid and development of peripheral artery disease: a Danish case-cohort study. European Journal of Nutrition, 2020, 59, 3191-3200.	3.9	0
1241	Assessment of acrylamide exposure in a population subgroup from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. FASEB Journal, 2007, 21, A1098.	0.5	O
1242	Retrospective studies of diet and cancer in Denmark. Progress in Clinical and Biological Research, 1990, 346, 67-82.	0.2	0